


# BROKIS®

PRICE LIST 2023  
BROKIS EUR



**BROKIS EUR**  
SRP (Suggested Retail Price) VAT Excl.  
Valid from 01.04.2023

## NEWS

**BAMBOO FOREST**

Accent, atmosphere, variability, subtlety.

**TROTTOLA**

Memories, gentle glow, play on forms, mobility.

**ELO**

Elegant, sculpturesque, scenographic, monumental, sustainable, minimalistic.

**OVERLAY**

Noblesse, linearity, symbiosis of contrasts, inspired by architecture.



p. 53



p. 54



p. 55



p. 51

**PRISMA**

Dominance, extravagance, thrill, fire, revolution.

**ORBIS**

The world in a grain of sand, eternity in a soap bubble, peace in a perfect shape.

**DOUBLE**

Transparency, mystery, complementary couple that shines and never splits.



p. 52



WINNER



p. 49



p. 50



WINNER

**MUFFINS**INTERIOR, ACCESSORIES  
table / floor / pendent

p. 9 - 10

**MEMORY**INTERIOR  
ceiling / wall

p. 15

**WHISTLE**INTERIOR  
pendent

p. 18

**LIGHTLINE**INTERIOR  
table

p. 22

**MACARON**INTERIOR  
table / floor

p. 32

**BALLOONS**INTERIOR  
table / floor

p. 11

**CAPSULA**INTERIOR  
pendent

p. 16

**FLUTES**INTERIOR  
pendent

p. 19

**KNOT**INTERIOR, BATTERY POWERED  
pendent / table / floor / battery

p. 23 - 25

**SHADOWS**INTERIOR, EXTERIOR  
pendent

p. 12 - 14

**MONA**INTERIOR  
pendent / floor / wall / table

p. 17

**NIGHT BIRDS**INTERIOR, EXTERIOR  
pendent


p. 20 - 21

**PURO**INTERIOR  
pendent / floor

p. 26 - 31

**BIG ONE**INTERIOR  
pendent

p. 34



## PRICE LIST UPDATES

## BROKIS PRICE LIST – UPDATES AND IMPORTANT TIPS

## NOVELTIES

- Effective as of 1 April 2023, this price list has been expanded with the new collections BAMBOO FOREST, TROTTOLA, and ELO. There are also new variants in the OVERLAY, DOUBLE and MEMORY collections. The new lights can be found in the price list on the page of the given collection and are marked NEW. Collections that have been partially changed, e.g. the addition of a new glass, are marked UPDATE.
- The global situation is continuing to push prices higher, and this affects not only BROKIS but the entire supply chain, including the glassworks. This pricelist must reflect the current situation, thus the prices of the collections have been raised. The latest increase is less than the current rate of inflation. We have analysed all prices very carefully with regard to current input costs.
- The price list also includes the following changes:
  - o The price of the light applies to the non-dimmable version. For the dimmable versions DIM or DIM (TW) – TUNABLE WHITE, a surcharge will apply. Tunable white is available in selected collections only.
  - o Tunable White lets the user adjust the colour temperature of the light source. This solution bears the designation DIM (TW). When ordering standard lights, the colour temperature must be specified. The colour temperature of Tunable White lights can be adjusted as needed from warm white (2700K), which is ideal for relaxation and casual meetings, to cold white (6500K), which supports alertness and concentration.
  - o In 2023, the BIG ONE collection will undergo significant technological innovation that will substantially increase the output of the light and facilitate handling. Due to these extensive modifications, BIG ONE lights are available under the new codes PC1335 and PC1336.

- o The MONA collection now offers glass in a smoke brown variant.
- o AWA is available with a new finish on the upper part of the glass – gloss sandblasted.
- o JACK O'LANTERN now has only one price category (A), as the fixture with liquid-metal coating (copper, chrome, black chrome) has been discontinued. The textured matte black powder coating is still available.
- o The TRIMLESS CEILING CONNECTION enables a minimalistic connection within drywall ceilings and thus provides a clean look for the overall installation. This feature is indicated in the price list with a TRIMLESS icon on the page of the given collection. Clicking the icon will take you to a webpage with details, a video, and the data sheet.
- o It is newly possible to select CASAMBI dimming with some of our collections. The option of CASAMBI dimming is indicated in the pricelist in the dimming systems section of the collection with the surcharge for this dimming.
- o In the MONA collection, a connector has been implemented and the wooden components have been replaced with metal ones. These changes bring significant technological improvements, such as easy maintenance and quick replacement of the light source and glass.
- The technical parameters of the light source (lm, K, RA, etc.) are specific to the light source only. These values may vary depending on the type of light, the colour of the glass, metal components, and other characteristics that can reduce luminosity. For accurate light intensity values, work with the LDT files, which you can access in the price list by clicking on the QR code in the upper left corner of the page of a given collection.

## CONTACT:

tel.: +420 567 211 517  
email: info@brokis.cz

BROKIS  
Španielova 1315/25, Praha 6, 163 00  
Czech Republic

ID: 64940799  
VAT: CZ64940799

[www.brokis.cz](http://www.brokis.cz)

## TIPS FOR WORKING WITH THE PRICE LIST IN ELECTRONIC FORM

- Use the interactive index for faster collection searches. Clicking on a collection name in the index takes you to the page for the given collection in the PDF. You can return to the index by clicking on the button labelled Back to Index in the bottom right corner of the page of a given collection.
- The QR codes in the PDF are website links – clicking on a QR code takes you to the relevant webpage.
  - o QR code Current Price List – takes you to the latest price list in PDF and all Excel price lists.
  - o The QR codes on the pages of individual collections take you to a shared data store, where you'll always find the latest files for a given collection (product sheets, 3DS, DWG, photographs, and much more).
  - o The last page of the price list – other useful links (PR kit, social media, technical information, etc.).
- The QR codes also work on mobile devices with integrated camera.
- For easier sharing of information on each of the BROKIS collections, we have added the word SHARE beneath the QR code in the upper right corner of the page. By clicking on it, a new email will be automatically generated in your inbox (you must have your email client set up properly) with a download link for all the files for the given collection. You can then share this link with your sales partners.
- Among the QR codes on the last page of the price list is one called VIRTUAL PROJECTS – a singular virtual presentation highlighting the uniqueness of our collections in a realistic online setting. Launched at the beginning of 2022, Boutique Hotel BROKIS continues in the success of our earlier Virtual Villa. In the Autumn 2022 was launch of SKY OFFICE, showcasing the use of BROKIS lights in yet another important setting.
- The pictograms of the lights with dimensions on the pages with prices for specific collections are interactive. Clicking on a light pictogram (PC) takes you to a 3D rendering of the given product.
- The CLICK & SAFE icon in the bottom left section of the pages of selected collections (e.g. PURO) links to the BROKIS website for animations demonstrating the advantages of the BROKIS connector.
- The TRIMLESS icon located in the lower left of the page is linked to a BROKIS webpage containing more technical information about this system, a video, and an overview of which collections offer it.
- Other icons in the bottom right part of the pages (e.g. IP, dimming, etc.) for certain collections link to the BROKIS website, where you will find a legend explaining the individual symbols.

### CONTACT:

tel.: +420 567 211 517  
 email: info@brokis.cz

BROKIS  
 Španielova 1315/25, Praha 6, 163 00  
 Czech Republic

ID: 64940799  
 VAT: CZ64940799

[www.brokis.cz](http://www.brokis.cz)

## PRICE LIST UPDATES

## GENERAL SALES CONDITIONS

- SRP (Suggested Retail Price), VAT Excl.
- Standard lead time 6–8 weeks (does not apply to custom orders). Orders of large quantities or with due payment may have longer lead times.
- Payment by bank transfer according to the invoice and the agreed payment conditions.

## IMPORTANT REMARKS

- In e-mail correspondence concerning an order or a claim, please always use the BROKIS case-number in the subject of the e-mail (CSxxxxxx)
- Brokis lights are always supplied with LED sources unless otherwise stated.
- Table and floor lights are equipped with either a dimmer or a switch.
- For information on standard lengths of pendant lights, please refer to the separate price list section on pages 56–58.
- Slight differences in colouration are inherent to the production of handblown glass, yet they must remain within tolerance. When ordering replacement glass for lights in any of the existing collections, we will make every effort to come as close as possible to your exact colour tone; however, we can not guarantee precisely the same colour. BROKIS always requires a few photos of the particular colour shade on a white back-ground in order to best determine the colour.
- Please carefully read the cleaning instructions included in this price list.
- For a faster and easier ordering process or resolution of a claim, downloading the important documents, please use the MY BROKIS platform at [www.mybrokis.cz](http://www.mybrokis.cz).

## TRANSPORTATION AND CLAIMS

- When taking delivery of products from our forwarding companies, you will be requested to sign to a delivery confirmation document verifying you have received the consignment. Without your signature, the driver cannot release the products to you. Before signing the delivery confirmation document for the driver, we recommend you check all the boxes and the condition of the products.
- You can accept the products correctly in the following ways:
  1. If the boxes have visible damage, and you suspect that the products inside are also damaged, you have the right to refuse delivery.
  2. If the boxes are obviously damaged, but the condition of their contents is not recognizable from the outside, or if the products in the boxes are apparently broken, you can accept delivery, but you must describe the damage in writing in the delivery confirmation document.
  3. The boxes may be in good condition, but you are still entitled to make a claim with us for damage discovered after the driver has left. It is important that you inform us within a maximum of 5 days after receiving the goods; otherwise, we cannot proceed with the claim against the forwarding company. Any claims made with us beyond the five-day limit will be rejected.
- If the products have been damaged during transportation, please send photos of the damaged box(es), the pallet, all labels on the boxes, and the products inside the box(es).
- Claims are only accepted with a completed official BROKIS Claim Form, which must be submitted together with necessary photos in the BROKIS online platform MY BROKIS - [www.mybrokis.cz](http://www.mybrokis.cz).
- Carefully read the BROKIS Terms and Conditions, which can be downloaded from [www.brokis.cz](http://www.brokis.cz).

[Current price list \(PDF and excel\)](#)



## CONTACT:

tel.: +420 567 211 517  
email: [info@brokis.cz](mailto:info@brokis.cz)

BROKIS  
Španielova 1315/25, Praha 6, 163 00  
Czech Republic

ID: 64940799  
VAT: CZ64940799

[www.brokis.cz](http://www.brokis.cz)



## COMPANY PROFILE

BROKIS represents a synthesis of exquisite design, superior quality, and the skill of master artisans continuing the centuries-old Bohemian glassmaking tradition. BROKIS lighting collections have achieved international acclaim by combining handblown glass with other refined materials, such as handcrafted wood and metal, in bold compositions that push the boundaries not only of contemporary lighting design but also of the technologies applied in production. The Czech family-run premium brand works with select designers from around the world. BROKIS is situated approximately 140 kilometres southeast of Prague in the village of Janštejn and operates its own glassworks backed by more than 200 years of tradition. The company exports its products to more than 120 countries throughout the world. Each BROKIS light is a genuine handmade original, a functional work of art as captivating by day as it is by night.



PRESENTATION

## SUSTAINABILITY REPORT

In addition to actively practicing ecological sustainability, we're a socially responsible and ethical company. We value the knowhow of our master glassblowers, whose dedication and hard work keeps the glassblowing tradition going from one generation to the next. Our company is a leader in sustainability, not only because we achieve significant energy savings but also thanks to our track record of extending the lifetime of products, reducing hazardous substances, and collecting and recycling waste materials. BROKISGLASS material, arose from the ecological manufacturing practices of Janštejn Glassworks and BROKIS. Collaboration between these two enterprises has led to the creation of a unique new material made of glass shards. The glassworks upcycle not only the shards for BROKISGLASS panels, but also glass dust and sand, which is used for concrete and then applied in our lighting collections.



PRESENTATION

## CONTACT:

tel.: +420 567 211 517  
 email: info@brokis.cz

BROKIS  
 Španielova 1315/25, Praha 6, 163 00  
 Czech Republic

ID: 64940799  
 VAT: CZ64940799

[www.brokis.cz](http://www.brokis.cz)

## INNOVATION



## TRIMLESS CEILINGS CONNECTION

TRIMLESS is a new solution for BROKIS collections that eliminates the need for a conventional ceiling canopy and simplifies installation in drywall ceilings. It gives ceiling installations a clean, minimalist appearance and provides a new degree of variability in creating original lighting compositions.



MORE INFO



TRIMLESS



## BROKIS CONNECTOR - CLICK&amp;SAFE

It offers a remarkable degree of variability and near endless possibilities for creating unique interior lighting compositions. The BROKIS connector has been gradually implemented in the majority of the brand's collections and has proven a valuable addition to the product portfolio.



MORE INFO



CLICK&amp;SAFE



## CEILING CANOPIES

BROKIS collections offer various sets that make use of atypical ceiling canopies. The sets are prepared by the designers and provide clients with ready lighting compositions that are a good fit for their interior. The ceiling canopies facilitate installation of both large and small sets of lights and minimize the need for modifications to the ceiling prior to installation. BROKIS also offers ceiling canopies fitted with LEDs, which accentuate the lighting in the interior and amplify the visual experience of the unique designs.



MORE INFO



LED CANOPY



## DIMMING SYSTEMS

The quality of the visual experience produced by BROKIS lights can be enhanced with the use of various dimming systems. BROKIS offers several dimming options for its lights that bring the user greater convenience and open the door to a broader spectrum of possibilities for achieving the right ambience.



MORE INFO


## CONTACT:

tel.: +420 567 211 517  
email: info@brokis.cz


BROKIS  
Španielova 1315/25, Praha 6, 163 00  
Czech Republic

ID: 64940799  
VAT: CZ64940799

[www.brokis.cz](http://www.brokis.cz)

DOWNLOAD  
SHARE

PC	PC910	PC849	PC850	PC852	PC853
NAME	MINI WOOD 06	WOOD 01	WOOD 02	WOOD 03A	WOOD 04
PRICE A	740	940	1 450	1 006	2 194
PRICE B	803	1 006	1 576	1 092	2 398
PRICE C	897	1 215	2 029	1 278	3 059
PRICE D	-	1 914	2 680	-	-



PC	PC986	PC865	PC851
NAME	WOOD 07	WOOD 05P	WOOD 03B
PRICE A	683	930	1 019
PRICE B	747	998	1 113
PRICE C	844	1 054	1 293
PRICE D	-	-	-
SURCHARGES (NET)			
EXTRA CABLE UP TO 5M	+ 36	+ 36	+ 36
CASAMBI	+ 65	+ 65	+ 65

**IMPORTANT:**

PRICE CATEGORY IS DETERMINED BY THE VERSION OF THE BASE.  
 IF THE GLASS FROM THE SPECIAL ANNIVERSARY EDITION IS SELECTED (AUBERGINE, OLIVE GREEN, SUNSET PINK), THE PRICE OF LIGHT IS EQUIVALENT TO THE PRICE CATEGORY C, REGARDLESS THE VERSION OF THE BASE MATERIAL.  
 TABLE AND FLOOR LAMPS ARE EQUIPPED WITH A HAND DIMMER.

**TECHNICAL DETAILS:****GLASS COLOUR**

transparent glass (CGC23)  
 smoke grey - transparent glass (CGC516)  
 smoke brown - transparent glass (CGC538)  
 opaline - transparent glass (CGC38)  
 triplex opal (CGC39)  
 amber - transparent glass (CGC515)  
 cognac - transparent glass (CGC540)  
 violet - transparent glass (CGC554)  
 aubergine - transparent glass (CGC2753)  
 olive green - transparent (CGC2738)  
 sunset pink - transparent glass (CGC2752)

**GLASS SURFACE**

glossy surface (CGSU66)

**BASE**

A European oak - untreated (CCS657)  
 European oak - clear nano coat (CCS972)  
 European oak - natural lacquer (wax) (CCS518)

B European oak - stained black (CCS592)  
 European oak - stained white (CCS680)

C American walnut - natural waxed (CCS757)

D satinated grigio talami marble (CCS2740)  
 satinated rosso francia marble (CCS2742)

**CANOPY**

A European oak - untreated (CCSC840)  
 European oak - clear nano coat (CCSC976)

European oak - natural lacquer (wax) (CCSC841)

B European oak - stained black (CCSC839)

European oak - stained white (CCSC838)

C American walnut - natural waxed (CCSC842)

**CABLE COLOUR**

textile cable - black (CECL519)

textile cable - white (CECL521)

textile cable - dark grey (CECL520)

textile cable - light grey (CECL1918)  
 textile cable - red (CECL530)

textile cable - yellow (CECL606)

**RECOMMENDED BULBS**

230V, LED, E27, 5W, 2200K, 400lm, RA90, 360°, DIM (CEB1809) (PC849, PC850, PC851, PC852, PC853, PC865)  
 230V, LED, E14, 3W, 2200K, 260lm, RA90, 360°, DIM (CEB1806) (PC910, PC986)

**DIMMABLE VERSION**

TRIAC - STANDARD OPTION (CEDV2865) (PC851, PC865, PC986)  
 CASAMBI CBU-TED (CEDV2855) (PC851, PC865, PC986)

**SOCKET**

E27 (PC849, PC850, PC851, PC852, PC853, PC865)  
 E14 (PC910, PC986)

**BACK TO INDEX****Download:**

WWW

MORE INFO.

PHOTOS

INSTALLATION MANUAL

DATASHEETS

3DS

DWG

SKETCH UP

LDT




## MUFFINS CANDLEHOLDER

ACCESSORIES

Lucie Koldova &amp; Dan Yeffet / 2018

BROKIS EUR

SRP (Suggested Retail Price) VAT Excl.



PC	PC1008
NAME	CANDLEHOLDER
PRICE A	78
PRICE B	98
PRICE C	-

**IMPORTANT:**

PRICE CATEGORY IS DETERMINED BY THE VERSION OF THE WOODEN PARTS.  
THE MUFFINS CANDLEHOLDER IS SOLD IN MULTIPLES OF 8. MINIMUM ORDER QUANTITY PER COLOUR - 8 PIECES.

**TECHNICAL DETAILS:****GLASS COLOUR**

transparent glass (CGC23)  
smoke grey - transparent glass (CGC516)  
smoke brown - transparent glass (CGC538)  
opaline - transparent glass (CGC38)  
amber - transparent glass (CGC515)

cognac - transparent glass (CGC540)

violet - transparent glass (CGC554)  
orange - transparent glass (CGC157)

light pink - transparent glass (CGC46)

**BASE**

A European oak - clear nano coat (CCS972)  
European oak - stained black (CCS592)  
B American walnut - natural waxed (CCS757)

**BACK TO INDEX****Download:**


## BALLOONS

INTERIOR

Lucie Koldova, Dan Yeffet / 2011

BROKIS EUR

SRP (Suggested Retail Price) VAT Excl.

DOWNLOAD  
SHARE

PC	PC856	PC857	PC858
NAME	SMALL	MEDIUM	LARGE
PRICE A	883	1 232	1 863
PRICE B	1 163	1 444	2 226
PRICE C	1 178	1 509	2 324

**IMPORTANT:**

PRICE CATEGORY IS DETERMINED BY THE VERSION OF THE REFLECTOR.  
TABLE AND FLOOR LAMPS ARE EQUIPPED WITH A HAND DIMMER.

**TECHNICAL DETAILS:****GLASS COLOUR**

transparent glass (CGC23)  
smoke grey - transparent glass (CGC516)  
smoke brown - transparent glass (CGC538)

**GLASS SURFACE**

glossy surface (CGSU66)

**REFLECTOR**

A metal - black matte powder coating (CCS846)  
metal - white matte powder coating (CCS845)  
lemon yellow (CCS613)  
reflective orange (CCS574)

B copper (CCS584)  
brass (CCS69)

C chrome (CCS275)  
black chrome lacquer (CCS959)  
chrome brushed (CCS960)

**CABLE COLOUR**

textile cable - black (CECL519)  
textile cable - white (CECL521)  
textile cable - dark grey (CECL520)  
textile cable - light grey (CECL1918)  
textile cable - red (CECL530)

textile cable - yellow (CECL606)

**RECOMMENDED BULBS**

230V, LED, E14, 3W, 2200K, 260lm, RA90, 360°, DIM (CEB1806) (PC856)  
230V, LED, E27, 5W, 2200K, 400lm, RA90, 360°, DIM (CEB1810) (PC857, PC858)

**SOCKET**

E27 (PC857, PC858)  
E14 (PC856)

**Download:****BACK TO INDEX**

WWW

MORE INFO.

PHOTOS

INSTALLATION MANUAL

DATASHEETS

3DS

DWG

SKETCH UP


LDT




## SHADOWS

INTERIOR

Lucie Koldova, Dan Yeffet / 2012

BROKIS EUR  
SRP (Suggested Retail Price) VAT Excl.DOWNLOAD  
SHARE

PC	PC894	PC895	PC896	PC897
NAME	SHADOWS	SHADOWS	SHADOWS	SHADOWS
PRICE A	438	458	421	391
PRICE B	483	499	463	436
PRICE C	-	-	-	-
SURCHARGES (NET)				
EXTRA CABLE UP TO 5M	+ 30	+ 30	+ 30	+ 30
TRIMLESS	+ 100	+ 100	+ 100	+ 100
CASAMBI	+ 65	+ 65	+ 65	+ 65



PC	PC891	PC929	PC931	PC921
NAME	SET FREE	SET RING CANOPY	SET RECTANGULAR CANOPY SMALL	SET RECTANGULAR CANOPY LARGE
PRICE A	1 927	2 003	2 003	3 663
PRICE B	2 118	2 154	2 154	3 964
PRICE C	-	-	-	-
SURCHARGES (NET)				
EXTRA CABLE UP TO 5M	+ 120	+ 120	+ 120	+ 240
CASAMBI	+ 65	+ 65	+ 65	+ 65

**IMPORTANT:**

PRICE CATEGORY IS DETERMINED BY THE VERSION OF THE WOODEN PARTS.

BLACK OPAQUE GLASS IS IDENTICAL TO THE PREVIOUS BLACK TRANSPARENT. THE NAME HAS BEEN MADE MORE SPECIFIC, SINCE THE GLASS IS NOT TRANSPARENT.

**TECHNICAL DETAILS:****GLASS COLOUR**

transparent glass (CGC23)  
smoke grey - transparent glass (CGC516)  
smoke brown - transparent glass (CGC538)  
opaline - transparent glass (CGC38)  
triplex opal (CGC39)  
black opaque (CGC2933)  
pearl grey - opaline glass (CGC1916)

**GLASS SURFACE**

glossy surface (CGSU66)  
acid-etched outside surface (CGSU67)

**LIGHT BODY**

A European oak - untreated (CCS657)  
European oak - clear nano coat (CCS972)  
European oak - natural lacquer (wax) (CCS518)  
European oak - stained black (CCS592)  
European oak - stained white (CCS680)  
B American walnut - natural waxed (CCS757)

**CANOPY**

A European oak - untreated (CCSC840) (PC891, PC894, PC895, PC896, PC897)  
European oak - clear nano coat (CCSC976) (PC891, PC894, PC895, PC896, PC897)  
European oak - natural lacquer (wax) (CCSC841) (PC891, PC894, PC895, PC896, PC897)  
European oak - stained black (CCSC839) (PC891, PC894, PC895, PC896, PC897)  
European oak - stained white (CCSC838) (PC891, PC894, PC895, PC896, PC897)  
metal - black matte powder coating (CCSC619) (PC921, PC929, PC931)  
metal - white matte powder coating (CCSC618) (PC921, PC929, PC931)

B American walnut - natural waxed (CCSC842) (PC891, PC894, PC895, PC896, PC897)

Trimless - cable version - white structure (CCSC2903) (PC894, PC895, PC896, PC897)  
Trimless - cable version - black structure (CCSC2904) (PC894, PC895, PC896, PC897)

**CONNECTION METHOD**

BROKIS connector 230V (CCM2876)

**CABLE COLOUR**

textile cable - black (CECL519)  
textile cable - white (CECL521)  
textile cable - light grey (CECL1918)  
textile cable - dark grey (CECL520)  
textile cable - red (CECL530)  
textile cable - yellow (CECL606)

**RECOMMENDED BULBS**

230V, GU10, 5W, 2700K, 336lm, RA90, 60°, DIM (CEB373)

**DIMMABLE VERSION**TRIAC - STANDARD OPTION (CEDV2865)  
CASAMBI CBU-TED (CEDV2855)**SOCKET**GZ10 (PC894, PC895, PC896, PC897)  
5 x GZ10 (PC891, PC929, PC931)  
10 x GZ10 (PC921)**BACK TO INDEX****Download:**

WWW

MORE INFO.

PHOTOS

INSTALLATION MANUAL

DATASHEETS

3DS

DWG

SKETCH UP


LDT



## SHADOWS XL

INTERIOR

Lucie Koldova, Dan Yeffet / 2015

BROKIS EUR  
SRP (Suggested Retail Price) VAT Excl.DOWNLOAD  
SHARE

PC	PC911	PC939	PC940	PC976	PC1000
NAME	XL	XL	XL	XL	XL SET RECTANGULAR CANOPY LARGE
PRICE A	785	785	721	649	3 182
PRICE B	868	868	805	733	3 360
PRICE C	-	-	-	-	-
SURCHARGES (NET)					
EXTRA CABLE UP TO 5M	+ 30	+ 30	+ 30	+ 30	+ 120
TRIMLESS	+ 100	+ 100	+ 100	+ 100	-
CASAMBI	+ 65	+ 65	+ 65	+ 65	+ 65

## IMPORTANT:

PRICE CATEGORY IS DETERMINED BY THE VERSION OF THE WOODEN PARTS.

BLACK OPAQUE GLASS IS IDENTICAL TO THE PREVIOUS BLACK TRANSPARENT. THE NAME HAS BEEN MADE MORE SPECIFIC, SINCE THE GLASS IS NOT TRANSPARENT.

## TECHNICAL DETAILS:

## GLASS COLOUR

transparent glass (CGC23)  
 smoke grey - transparent glass (CGC516)  
 smoke brown - transparent glass (CGC538)  
 opaline - transparent glass (CGC38)  
 triplex opal (CGC39)  
 black opaque (CGC2933)  
 pearl grey - opaline glass (CGC1916)

## GLASS SURFACE

glossy surface (CGSU66)  
 acid-etched outside surface (CGSU67)

## LIGHT BODY

A European oak - untreated (CCS657)  
 European oak - clear nano coat (CCS972)  
 European oak - natural lacquer (wax) (CCS518)  
 European oak - stained black (CCS592)  
 European oak - stained white (CCS680)  
 B American walnut - natural waxed (CCS757)

## CANOPY

A metal - black matte powder coating (CCSC619) (PC1000)  
 metal - white matte powder coating (CCSC618) (PC1000)  
 European oak - untreated (CCSC840) (PC911, PC939, PC940, PC976)  
 European oak - clear nano coat (CCSC976) (PC911, PC939, PC940, PC976)  
 European oak - natural lacquer (wax) (CCSC841) (PC911, PC939, PC940, PC976)  
 European oak - stained black (CCSC839) (PC911, PC939, PC940, PC976)  
 European oak - stained white (CCSC838) (PC911, PC939, PC940, PC976)  
 B American walnut - natural waxed (CCSC842) (PC911, PC939, PC940, PC976)

Trimless - cable version - white structure (CCSC2903) (PC911, PC939, PC940, PC976)  
 Trimless - cable version - black structure (CCSC2904) (PC911, PC939, PC940, PC976)

## CONNECTION METHOD

BROKIS connector 230V (CCM2876)

## CABLE COLOUR

textile cable - black (CECL519)  
 textile cable - white (CECL521)  
 textile cable - light grey (CECL1918)  
 textile cable - dark grey (CECL520)  
 textile cable - red (CECL530)  
 textile cable - yellow (CECL606)

## RECOMMENDED BULBS

230V, E27, 13W, 2700K, 700lm, RA90, 60°, DIM (CEB621)

## DIMMABLE VERSION

TRIAC - STANDARD OPTION (CEDV2865)  
 CASAMBI CBU-TED (CEDV2855)

## SOCKET

E27 (PC911, PC939, PC940, PC976)  
 5 x E27 (PC1000)

## Download:

BACK TO INDEX

WWW

MORE INFO.

PHOTOS

INSTALLATION MANUAL

DATASHEETS

3DS

DWG

SKETCH UP

LDT




## SHADOWS EXTERIOR

EXTERIOR

Lucie Koldova, Dan Yeffet / 2020

BROKIS EUR

SRP (Suggested Retail Price) VAT Excl.

DOWNLOAD  
SHARE

PC	PC1160	PC1161	PC1162	PC1163
NAME	EXTERIOR	EXTERIOR	EXTERIOR	EXTERIOR
PRICE A	625	642	612	579
PRICE B	-	-	-	-
PRICE C	-	-	-	-
SURCHARGES (NET)				
EXTRA CABLE UP TO 5M	+ 30	+ 30	+ 30	+ 30
CASAMBI	+ 65	+ 65	+ 65	+ 65

## IMPORTANT:

BLACK OPAQUE GLASS IS IDENTICAL TO THE PREVIOUS BLACK TRANSPARENT. THE NAME HAS BEEN MADE MORE SPECIFIC, SINCE THE GLASS IS NOT TRANSPARENT.

## TECHNICAL DETAILS:

## GLASS COLOUR

transparent glass (CGC23)  
 smoke grey - transparent glass (CGC516)  
 smoke brown - transparent glass (CGC538)  
 opaline - transparent glass (CGC38)  
 triplex opal (CGC39)  
 black opaque (CGC2933)  
 pearl grey - opaline glass (CGC1916)

## GLASS SURFACE

glossy surface (CGSU66)  
 acid-etched outside surface (CGSU67)

## LIGHT BODY

silver anodized (CCS1917)  
 black anodized (CCS1948)

silicone cable - white (CECL2757)

## CANOPY

brushed stainless steel (CCSC974)  
 metal - black matte powder coating (CCSC619)

## RECOMMENDED BULBS

230V, LED, GU10, 6,5W, 2700K, DIM (CEB2761)

## CONNECTION METHOD

BROKIS connector 230V (CCM2876)

## DIMMABLE VERSION

TRIAC - STANDARD OPTION (CEDV2865)  
 CASAMBI CBUTED (CEDV2855)

## CABLE COLOUR

silicone cable - black (CECL2758)

## SOCKET

GZ10

BACK TO INDEX

## Download:

WWW

MORE INFO.

PHOTOS

INSTALLATION MANUAL

DATASHEETS

3DS

DWG

SKETCH UP

LDT




FAQ






DOWNLOAD

SHARE



PC	PC878	PC877	PC876	PC881	PC880	PC879
NAME	CEILING 250	CEILING 300	CEILING 400	WALL 250	WALL 300	WALL 400
PRICE A	243	341	431	243	341	431
PRICE B	258	371	449	258	371	449
PRICE C	264	386	482	264	386	482



PC	PC1333	PC1334	PC1001	PC1002	PC1339	PC1340
NAME	CEILING OVAL 300	CEILING OVAL 350	SET S	SET L	SET S OVAL	SET L OVAL
PRICE A	392	431	-	-	-	-
PRICE B	426	449	1 594	2 339	1 695	2 650
PRICE C	444	482	-	-	-	-

**IMPORTANT:**

PRICE CATEGORY IS DETERMINED BY THE COLOUR OF THE GLASS.

SETS ARE COMPLETELY IN PRICE CATEGORY B REGARDLESS OF GLASS COLOUR.

BULB IS NOT INCLUDED.

STANDARD LENGTH OF THE CORD IS 120CM.

MEMORY SET PC1001 CONSISTS OF 1x PC878, 1x PC877 and 1x PC876.

MEMORY SET PC1002 CONSISTS OF 2x PC878, 2x PC877 and 1x PC876.

MEMORY SET OVAL PC1339 CONSISTS OF 1x PC877, 1x PC1333 and 1x PC1334.

MEMORY SET OVAL PC1340 CONSISTS OF 2x PC877, 2x PC1333 and 1x PC1334.

MEMORY SET CAN BE ORDERED IN ANY COLOR.

MEMORY 10TH ANNIVERSARY COLLECTION HAS NEW GLASS COLOUR OPTIONS: BROWN TRIPLEX-OPAL AND AMBER TRIPLEX-OPAL.

**TECHNICAL DETAILS:****GLASS COLOUR**

A triplex opal (CGC39)

B grey - triplex opal (CGC617)

brown - triplex opal (CGC2896)

amber - triplex opal (CGC2897)

C light pink - triplex opal (CGC30)

red - triplex opal (CGC579)

orange - triplex opal (CGC580)

yellow - triplex opal (CGC47)

green apple - triplex opal (CGC578)

turquoise - triplex opal (CGC601)

blue - triplex opal (CGC28)

**GLASS SURFACE**

glossy surface (CGSU66)

acid-etched both side surface (CGSU881)

**BODY FINISH**

iron chromate - silver (CCS620)

**CANOPY**

MDF canopy - white (CCSC887) (PC1001, PC1002, PC1339, PC1340)

**ENDING PART AND CORD**

light switch - black (CEE778)

light switch - white (CEE777)

**SOCKET**

E27 (PC1333, PC1334, PC876, PC877, PC878, PC879, PC880, PC881)

5 x E27 (PC1002, PC1340)

3 x E27 (PC1001, PC1339)

**BACK TO INDEX****Download:**

WWW

MORE INFO.

PHOTOS

INSTALLATION MANUAL

DATASHEETS


3DS

DWG

SKETCH UP

LDT




[DOWNLOAD](#)  
[SHARE](#)


PC	PC937	PC943	PC966
NAME	SINGLE	TRIANGLE	METAL CANOPY
PRICE A	<b>1 585</b>	<b>4 715</b>	<b>6 773</b>
PRICE B	-	-	-
PRICE C	-	-	-
SURCHARGES (NET)			
EXTRA CABLE UP TO 5M	<b>+ 48</b>	<b>+ 144</b>	<b>+ 240</b>
DIM	<b>+ 45</b>	<b>+ 45</b>	<b>+ 45</b>

**IMPORTANT:**

THE PRICE OF THE LIGHT APPLIES TO THE NON-DIMMABLE VERSION. FOR THE DIMMABLE VERSIONS DIM OR DIM (TW) TUNABLE WHITE, A SURCHARGE WILL APPLY. TUNABLE WHITE IS AVAILABLE IN SELECTED COLLECTIONS ONLY.

**TECHNICAL DETAILS:****COLOUR OF THE OUTSIDE GLASS**

transparent glass (CGC23)  
 smoke grey - transparent glass (CGC516)  
 opaline - transparent glass (CGC38)  
 amber - transparent glass (CGC515)  
 yellow - transparent glass (CGC659)  
 violet - transparent glass (CGC554)  
 red - transparent glass (CGC45)  
 light blue - transparent glass (CGC544)  
 orange - transparent glass (CGC157)  
 pearl grey - opaline glass (CGC1916)

violet - transparent glass (CGC1683)  
 red - transparent glass (CGC1913)

light blue - transparent glass (CGC1912)  
 orange - transparent glass (CGC1938)  
 pearl grey - opaline glass (CGC1914)

**GLASS SURFACE OF THE OUTSIDE GLASS**

glossy surface (CGSU66)  
 acid-etched both side surface (CGSU881)

**GLASS SURFACE OF THE INNER GLASS**

acid-etched both side surface (CGSUI905)  
 glossy surface (CGSUI906)

**COLOUR OF THE INNER GLASS**

transparent glass (CGC1682)  
 smoke grey - transparent glass (CGC1685)  
 opaline - transparent glass (CGC1749)  
 amber - transparent glass (CGC1686)  
 yellow - transparent glass (CGC1681)

**BODY FINISH**

black anodized (CCS1948)  
 silver anodized (CCS1917)

**CANOPY**

metal - black matte powder coating (CCSC619)  
 metal - white matte powder coating (CCSC618)

**CONNECTION METHOD**

BROKIS connector 24V (CCM1019)

**CABLE COLOUR**

textile cable - black (CECL519)  
 textile cable - light grey (CECL1918)

**LED SOURCE**

24V, LED, 7.5W, 2700K, 318lm, RA90+, DIM (LEDS1945)  
 24V, LED, 7.5W, 4000K, 352lm, RA90+, DIM (LEDS1946)  
 24V, LED, 7.5W, 5000K, 377lm, RA90+, DIM (LEDS1947)


**DIMMABLE VERSION**

non-dimmable version (CEDV1457)  
 DIM RF system - remote control version (CEDV1461)  
 DIM PWM signal (CEDV1459)  
 DIM 1-10V (CEDV1460)  
 DIM DALI version (CEDV1458)  
 DIM AC phase-cut (CEDV1730)  
 DIM CASAMBI CBU-PWM4 (CEDV2854)


**VOLTAGE/FREQUENCY**

100-240VAC, 50/60Hz, 8W LED (PC937)  
 100-240VAC, 50/60Hz, 40W LED (PC966)  
 100-240VAC, 50/60Hz, 22W LED (PC943)

**Download:**

DOWNLOAD  
SHARE

PC	PC950	PC980	PC949	PC969	PC970
NAME	SMALL TABLE	MEDIUM FLOOR	LARGE FLOOR	SMALL WALL	MEDIUM WALL
PRICE A	1 946	3 336	3 886	1 490	1 698
SURCHARGES (NET)					
DIM	+ 45	+ 45	+ 45	-	-



PC	PC979	PC938	PC1030
NAME	MEDIUM PENDENT	LARGE PENDENT	XL PENDENT
PRICE A	1 533	1 816	3 515
SURCHARGES (NET)			
STRAPS FOR 1M EXTRA	+ 83	+ 94	+ 108
DIM	+ 45	+ 45	+ 45

**IMPORTANT:**

THE PRICE OF THE LIGHT APPLIES TO THE NON-DIMMABLE VERSION. FOR THE DIMMABLE VERSIONS DIM OR DIM (TW) TUNABLE WHITE, A SURCHARGE WILL APPLY. TUNABLE WHITE IS AVAILABLE IN SELECTED COLLECTIONS ONLY.

A CONNECTOR HAS BEEN IMPLEMENTED ACROSS THE COLLECTION AND THE WOODEN COMPONENTS REPLACED WITH METAL ONES. THESE CHANGES BRING SIGNIFICANT TECHNOLOGICAL IMPROVEMENTS, SUCH AS EASY MAINTENANCE AND QUICK REPLACEMENT OF THE LIGHT SOURCE AND GLASS.

THE MONA SMALL TABLE LIGHT CAN BE DIMMED BY TOUCHING ANY PART OF THE METAL BODY.

THE MONA WALL CAN BE ADJUSTED USING A ROTARY DIMMER INTEGRATED INTO THE BOTTOM OF THE METAL BODY.

FOR MONA PENDENT THE CLIENT MUST SPECIFY THE EXACT DROPLENGTH (FROM THE CEILING TO THE BOTTOM PART OF THE LIGHT) WHEN PLACING AN ORDER.

THE MONA COLLECTION NOW OFFERS GLASS IN A BROWN SMOKE VARIANT.

**TECHNICAL DETAILS:****GLASS COLOUR**

transparent glass (CGC23)  
smoke grey - transparent glass (CGC516)  
smoke brown - transparent glass (CGC538)  
opaline - transparent glass (CGC38)  
black - transparent glass (CGC602)  
violet - transparent glass (CGC554)

**GLASS SURFACE**

glossy surface (CGSU66)

**BODY FINISH**

metal - black matte powder coating (CCS846) (PC950, PC969, PC970, PC980, PC949)  
metal - white matte powder coating (CCS845) (PC950, PC969, PC970, PC979, PC980, PC938, PC949, PC1030)  
silver anodized (CCS1917) (PC979, PC938, PC1030)  
black anodized (CCS1948) (PC979, PC938, PC1030)

**CANOPY**

metal - black matte powder coating (CCSC619)  
metal - white matte powder coating (CCSC618)

**CONNECTION METHOD**

BROKIS connector 24V (CCM1019)

**STRAPS**

leather straps - black (GINT792)  
leather straps - natural (GINT788)  
leather straps - grey (GINT758)  
leather straps - dark brown (GINT793)

**CABLE COLOUR**

textile cable - black (CECL519)  
textile cable - white (CECL521)

**LED SOURCE**

24V, LED, 2.5W, 2700K, 106lm, RA90+, DIM (LEDS1986)  
24V, LED, 2.5W, 4000K, 117lm, RA90+, DIM (LEDS1987)  
24V, LED, 2.5W, 5000K, 125lm, RA90+, DIM (LEDS1988)  
24V, LED, 7.7W, 2700K, 327lm, RA90+, DIM (LEDS1989)  
24V, LED, 7.7W, 4000K, 360lm, RA90+, DIM (LEDS1990)  
24V, LED, 7.7W, 5000K, 387lm, RA90+, DIM (LEDS1991)  
24V, LED, 13W, 2700K, 550lm, RA90+, DIM (LEDS1992)  
24V, LED, 13W, 4000K, 610lm, RA90+, DIM (LEDS1993)  
24V, LED, 13W, 5000K, 654lm, RA90+, DIM (LEDS1994)  
24V, LED, 18W, 2700K, 765lm, RA90+, DIM (LEDS1922)

24V, LED, 18W, 4000K, 846lm, RA90+, DIM (LEDS2149)  
24V, LED, 18W, 5000K, 906lm, RA90+, DIM (LEDS2150)

**DIMMABLE VERSION**

integrated dimmer on the base of the light (CEDV1462) (PC950)

DIM CASAMBI CBU-PWM4 (CEDV2854) (PC950, PC979, PC980, PC938, PC949, PC1030)

integrated dimmer on the body of the light (CEDV1463) (PC969, PC970)

non-dimmable version (CEDV1457) (PC979, PC980, PC938, PC949, PC1030)

DIM RF system - remote control version (CEDV1461) (PC979, PC980, PC938, PC949, PC1030)

DIM PWM signal (CEDV1459) (PC979, PC938, PC1030)

DIM 1-10V (CEDV1460) (PC979, PC938, PC1030)

DIM DALI version (CEDV1458) (PC979, PC938, PC1030)

DIM AC phase-cut (CEDV1730) (PC979, PC938, PC1030)

**VOLTAGE/FREQUENCY**

100-240VAC, 50/60Hz, 7,7W LED (PC970, PC979, PC980)

100-240VAC, 50/60Hz, 2,5W LED (PC950, PC969)

100-240VAC, 50/60Hz, 18W LED (PC1030)

100-240VAC, 50/60Hz, 13W LED (PC938, PC949)

**BACK TO INDEX****Download:**

WWW

MORE INFO.

PHOTOS

INSTALLATION MANUAL

DATASHEETS


3DS

DWG

SKETCH UP

LDT





PC	PC952	PC953	PC961
NAME	SMALL	MEDIUM	SET SSM
PRICE A	1 055	1 289	3 279
PRICE B	-	-	-
PRICE C	1 289	1 520	3 876
SURCHARGES (NET)			
EXTRA CABLE UP TO 5M	+ 30	+ 30	+ 84
TRIMLESS	+ 100	+ 100	-
CASAMBI	+ 65	+ 65	+ 65

**IMPORTANT:**

PRICE CATEGORY IS DETERMINED BY THE VERSION OF THE METAL PARTS.

**TECHNICAL DETAILS:****GLASS COLOUR**

transparent glass (CGC23)  
 smoke grey - transparent glass (CGC516)  
 smoke brown - transparent glass (CGC538)  
 opaline - transparent glass (CGC38)

**GLASS SURFACE**

glossy surface (CGSU66)

**REFLECTOR**

A metal - black matte powder coating (CCS846)  
 metal - white matte powder coating (CCS845)  
 grey (CCS720)  
 magenta (CCS724)  
 menthol (CCS723)

C copper (CCS584)  
 brass (CCS69)  
 chrome (CCS275)

**CANOPY**

A metal - black matte powder coating (CCSC619) (PC952, PC953, PC961)  
 metal - white matte powder coating (CCSC618) (PC952, PC953, PC961)  
 metal - grey matte powder coating (CCSC894) (PC952, PC953)  
 metal - magenta matte powder coating (CCSC892) (PC952, PC953)  
 metal - menthol matte powder coating (CCSC893) (PC952, PC953)

C copper (CCSC896) (PC952, PC953)  
 brass (CCSC897) (PC952, PC953)  
 chrome (CCSC895) (PC952, PC953)

Trimless - cable version - white structure (CCSC2903) (PC952, PC953)  
 Trimless - cable version - black structure (CCSC2904) (PC952, PC953)

**CONNECTION METHOD**

BROKIS connector 230V (CCM2876)

**CABLE COLOUR**

textile cable - black (CECL519)  
 textile cable - white (CECL521)  
 textile cable - light grey (CECL1918)  
 textile cable - dark grey (CECL520)  
 textile cable - magenta (CECL726)  
 textile cable - menthol (CECL725)

**RECOMMENDED BULBS**

230V, GX53, 10W, 2700K, 700lm, RA90, 100°, DIM (CEB717)

**DIMMABLE VERSION**

TRIAC - STANDARD OPTION (CEDV2865)  
 CASAMBI CBU-TED (CEDV2855)

**SOCKET**  
GX53**Download:**

WWW

MORE INFO.

PHOTOS

INSTALLATION MANUAL

DATASHEETS

3DS

DWG


SKETCH UP

LDT



FAQ

BACK TO INDEX


[DOWNLOAD](#)  
[SHARE](#)


PC	PC956	PC977	PC978
NAME	0°	15°	30°
PRICE A	<b>649</b>	<b>649</b>	<b>649</b>
PRICE B	-	-	-
PRICE C	-	-	-
SURCHARGES (NET)			
EXTRA CABLE UP TO 5M	+ 30	+ 30	+ 30
TRIMLESS	+ 100	+ 100	+ 100
CASAMBI	+ 65	+ 65	+ 65

**TECHNICAL DETAILS:****GLASS COLOUR**

smoke grey - transparent glass (CGC516)  
 opaline - transparent glass (CGC38)  
 orange - transparent glass (CGC157)

**GLASS SURFACE**

glossy surface (CGSU66)

**BODY FINISH**

metal - black matte powder coating (CCS846)  
 metal - white matte powder coating (CCS845)  
 metal - orange matte powder coating (CCS615)

**CANOPY**

metal - black matte powder coating (CCSC619)  
 metal - white matte powder coating (CCSC618)  
 metal - orange matte powder coating (CCSC844)

Trimless - cable version - white structure (CCSC2903)  
 Trimless - cable version - black structure (CCSC2904)

**CABLE COLOUR**

textile cable - black (CECL519)  
 textile cable - white (CECL521)  
 textile cable - dark grey (CECL520)  
 textile cable - light grey (CECL1918)

textile cable - orange (CECL801)

**RECOMMENDED BULBS**

230V, E27, 13W, 2700K, 700lm, RA90, 60°, DIM (CEB621)

**DIMMABLE VERSION**

TRIAC - STANDARD OPTION (CEDV2865)  
 CASAMBI CBU-TED (CEDV2855)

**SOCKET**

E27

[BACK TO INDEX](#)
[Download:](#)
[WWW](#)
[MORE INFO.](#)
[PHOTOS](#)
[INSTALLATION MANUAL](#)
[DATASHEETS](#)
[3DS](#)
[DWG](#)
[SKETCH UP](#)
[LDT](#)


IP20




FAQ

## NIGHT BIRDS

INTERIOR

Boris Klimek / 2015

DOWNLOAD  
SHAREBROKIS EUR  
SRP (Suggested Retail Price) VAT Excl.

PC	PC962	PC963	PC964
NAME	PENDENT	PENDENT	PENDENT
PRICE A	896	880	951
PRICE B	-	-	-
PRICE C	-	-	-
SURCHARGES (NET)			
EXTRA CABLE UP TO 5M	+ 30	+ 30	+ 30
TRIMLESS	+ 100	+ 100	+ 100
CASAMBI	+ 65	+ 65	+ 65

## IMPORTANT:

THE TRIMLESS SOLUTION CAN ONLY BE USED FOR THE INTERIOR VARIANT OF NIGHT BIRDS AND ONLY WITH THE TEXTILE POWER CABLE. THE SOLUTION IS NOT COMPATIBLE WITH THE TRANSPARENT POWER CABLE.

## TECHNICAL DETAILS:

## GLASS COLOUR

opal - opaque - massif (CGC772)  
 smoke grey - massif (CGC882)  
 smoke grey BROKISGLASS matte (CGC1480)  
 triplex opal BROKISGLASS matte (CGC1478)

## BODY FINISH

silver anodized (CCS775)  
 black anodized (CCS1948)

## CANOPY

silver anodized (CCSC843)  
 black anodized (CCSC2844)

Trimless - cable version - white structure (CCSC2903)  
 Trimless - cable version - black structure (CCSC2904)

## CABLE COLOUR

textile cable - black (CECL519)  
 textile cable - white (CECL521)  
 textile cable - light grey (CECL1918)  
 transparent cable (CECL149)

## RECOMMENDED BULBS

230V, GU10, 5W, 2700K, 336lm, RA90, 100°, DIM (CEB825)

## DIMMABLE VERSION

TRIAC - STANDARD OPTION (CEDV2865)  
 CASAMBI CBU-TED (CEDV2855)

## SOCKET

GZ10


## Download:

BACK TO INDEX

## NIGHT BIRDS EXTERIOR

EXTERIOR

Boris Klimek / 2020

DOWNLOAD  
SHARE

PC	PC1111	PC1112	PC1113
NAME	PENDENT EXTERIOR	PENDENT EXTERIOR	PENDENT EXTERIOR
PRICE A	956	956	999
PRICE B	-	-	-
PRICE C	-	-	-
SURCHARGES (NET)			
EXTRA CABLE UP TO 5M	+ 30	+ 30	+ 30
CASAMBI	+ 65	+ 65	+ 65

## TECHNICAL DETAILS:

## GLASS COLOUR

opal - opaque - massif (CGC772)  
 smoke grey - massif (CGC882)  
 smoke grey BROKISGLASS matte (CGC1480)  
 triplex opal BROKISGLASS matte (CGC1478)

## LIGHT BODY

silver anodized (CCS1917)  
 black anodized (CCS1948)

## CANOPY

brushed stainless steel (CCSC974)  
 metal - black matte powder coating (CCSC619)

## CABLE COLOUR

silicone cable - black (CECL2758)  
 silicone cable - white (CECL2757)

## RECOMMENDED BULBS

230V, LED, GU10, 6,5W, 2700K, DIM (CEB2761)

## DIMMABLE VERSION

TRIAC - STANDARD OPTION (CEDV2865)  
 CASAMBI CBU-TED (CEDV2855)

## SOCKET

GZ10

BACK TO INDEX

## Download:

WWW

MORE INFO.

PHOTOS

INSTALLATION MANUAL

DATASHEETS

3DS

DWG

SKETCH UP

LDT




IP54



FAQ



DOWNLOAD  
SHARE

PC	PC972	PC981	PC982	PC983
NAME	S	M	L	L-H
PRICE A	770	894	1 137	1 282
PRICE B	-	-	-	-
PRICE C	-	-	-	-

**IMPORTANT:**

TABLE LAMPS ARE EQUIPPED WITH A HAND DIMMER.

**TECHNICAL DETAILS:****COLOUR OF THE UPPER PART GLASS**

transparent glass (CGC23)  
 smoke grey - transparent glass (CGC516)  
 opaline - transparent glass (CGC38)  
 amber - transparent glass (CGC515)  
 violet - transparent glass (CGC554)  
 red - transparent glass (CGC45)  
 light blue - transparent glass (CGC544)  
 orange - transparent glass (CGC157)  
 menthol - transparent glass (CGC2184)

**GLASS SURFACE OF THE UPPER PART GLASS**

glossy - sandblasted (top part) (CGSU806)

**COLOUR OF THE BOTTOM PART GLASS**

transparent glass (CGGB812)  
 dark smoke grey - transparent glass (CGGB813)

**GLASS SURFACE OF THE BOTTOM PART GLASS**

glossy surface (CGSUB890)  
 acid-etched both side surface (CGSUB891)

**CABLE COLOUR**

textile cable - black (CECL519)  
 textile cable - white (CECL521)  
 textile cable - dark grey (CECL520)  
 textile cable - light grey (CECL1918)

**RECOMMENDED BULBS**


230V, GU10, 5W, 2700K, 336lm, RA90, 100°, DIM (CEB825)

**SOCKET**  
GZ10**Download:****BACK TO INDEX**

## KNOT SMALL

INTERIOR

Chiaramonte Marin / 2016

BROKIS EUR  
SRP (Suggested Retail Price) VAT Excl.DOWNLOAD  
SHARE

PC	PC1035	PC1037	PC1036	PC1034
NAME	SMALL SFERA	SMALL DISCO	SMALL UOVO	SMALL CILINDRO
PRICE A	1 434	1 679	1 313	1 418
PRICE B	-	-	-	-
PRICE C	1 513	1 771	1 385	1 496
SURCHARGES (NET)				
ROPE FOR 1M EXTRA	+ 72	+ 72	+ 72	+ 72
TRIMLESS	+ 125	+ 125	+ 125	+ 125
DIM	+ 45	+ 45	+ 45	+ 45

## IMPORTANT:

THE PRICE OF THE LIGHT APPLIES TO THE NON-DIMMABLE VERSION. FOR THE DIMMABLE VERSIONS DIM OR DIM (TW) TUNABLE WHITE, A SURCHARGE WILL APPLY. TUNABLE WHITE IS AVAILABLE IN SELECTED COLLECTIONS ONLY.

PRICE CATEGORY IS DETERMINED BY THE VERSION OF THE METAL PARTS.

WITH REGARD FOR ENVIRONMENTAL FACTORS (MOISTURE, TEMPERATURE STABILITY, DUST, ETC.) AND THE ACCUMULATION OF DIRT AND SMUDGES TYPICAL FOR GLASS PRODUCTS, MAINTAINING THE OUTSTANDING APPEARANCE OF LIGHTS IN THE GLOSS GLASS VARIANT REQUIRES REGULAR CLEANING OF THE GLASS ACCORDING TO BROKIS INSTRUCTIONS.

## TECHNICAL DETAILS:

## GLASS COLOUR

transparent glass (CGC23)  
smoke grey - transparent glass (CGC516)  
smoke brown - transparent glass (CGC538)  
opaline - transparent glass (CGC38)

## GLASS SURFACE

glossy surface (CGSU66)  
matte inner glass finish (CGSU880)

## REFLECTOR

A copper (CCS584)  
brass (CCS69)  
brushed stainless steel (CCS68)  
metal - black matte powder coating with structure (CCS2673)  
metal - white matte powder coating with structure (CCS2809)  
C black chrome lacquer (CCS959)

## CANOPY

A copper (CCSC896)  
brass (CCSC897)  
brushed stainless steel (CCSC974)  
metal - black matte powder coating with structure (CCSC2674)  
metal - white matte powder coating with structure (CCSC2810)  
C black chrome lacquer (CCSC975)

## ROPE

rope - natural (CRP970)

## LED SOURCE

24V, LED, 5W, 2700K, 620lm, RA90+, DIM (LEDS1910)  
(PC1034)  
24V, LED, 7.5W, 2700K, 954lm, RA90+, DIM (LEDS2860)  
(PC1035)

24V, LED, 3.4W, 2700K, 425lm, RA90+, DIM (LEDS1909)  
(PC1036)  
24V, LED, 6.5W, 2700K, 773lm, RA90+, DIM (LEDS2861)  
(PC1037)

## DIMMABLE VERSION

non-dimmable version (CEDV1457)  
DIM RF system - remote control version (CEDV1461)  
DIM PWM signal (CEDV1459)  
DIM 1-10V (CEDV1460)  
DIM DALI version (CEDV1458)  
DIM AC phase-cut (CEDV1730)  
DIM CASAMBI CBU-PWM4 (CEDV2854)

## VOLTAGE/FREQUENCY

100-240VAC, 50/60Hz, 7,5W LED (PC1035)  
100-240VAC, 50/60Hz, 6,5W LED (PC1037)  
100-240VAC, 50/60Hz, 5W LED (PC1034)  
100-240VAC, 50/60Hz, 3,4W LED (PC1036)

Download:

BACK TO INDEX

WWW

MORE INFO.

PHOTOS

INSTALLATION MANUAL

DATASHEETS

3DS

DWG


SKETCH UP

LDT



FAQ



DOWNLOAD  
SHARE

PC	PC1016	PC1017	PC1018	PC1019	PC1078
NAME	SFERA	DISCO	UOVO	CILINDRO	CILINDRO TABLE
PRICE A	1 968	2 199	1 460	1 645	1 592
PRICE B	-	-	-	-	-
PRICE C	2 076	2 320	1 541	1 736	1 665
SURCHARGES (NET)					
ROPE FOR 1M EXTRA	+ 90	+ 90	+ 90	+ 90	-
TRIMLESS	+ 130	+ 130	+ 130	+ 130	-
DIM	+ 45	+ 45	+ 45	+ 45	-

**IMPORTANT:**

THE PRICE OF THE LIGHT APPLIES TO THE NON-DIMMABLE VERSION. FOR THE DIMMABLE VERSIONS DIM OR DIM (TW) TUNABLE WHITE, A SURCHARGE WILL APPLY. TUNABLE WHITE IS AVAILABLE IN SELECTED COLLECTIONS ONLY.

PRICE CATEGORY IS DETERMINED BY THE VERSION OF THE METAL PARTS.

WITH REGARD FOR ENVIRONMENTAL FACTORS (MOISTURE, TEMPERATURE STABILITY, DUST, ETC.) AND THE ACCUMULATION OF DIRT AND SMUDGES TYPICAL FOR GLASS PRODUCTS, MAINTAINING THE OUTSTANDING APPEARANCE OF LIGHTS IN THE GLOSS GLASS VARIANT REQUIRES REGULAR CLEANING OF THE GLASS ACCORDING TO BROKIS INSTRUCTIONS.

**TECHNICAL DETAILS:****GLASS COLOUR**

transparent glass (CGC23)  
smoke grey - transparent glass (CGC516)  
smoke brown - transparent glass (CGC538)  
opaline - transparent glass (CGC38)

brass (CCSC897)

brushed stainless steel (CCSC974)  
metal - black matte powder coating with structure (CCSC2674)  
metal - white matte powder coating with structure (CCSC2810)

(PC1017)

24V, LED, 3.9W, 2700K, 477lm, RA90+, DIM (LEDS981)  
(PC1018)  
24V, LED, 8.9W, 2700K, 1170lm, RA90+, DIM (LEDS2859)  
(PC1019, PC1078)

**GLASS SURFACE**

glossy surface (CGSU66)  
matte inner glass finish (CGSU880)

**C** black chrome lacquer (CCS959)

Trimless - rope 16 mm version - white structure (CCSC2907)  
Trimless - rope 16 mm version - black structure (CCSC2908)

**DIMMABLE VERSION**

non-dimmable version (CEDV1457)  
DIM RF system - remote control version (CEDV1461)  
DIM PWM signal (CEDV1459)  
DIM 1-10V (CEDV1460)  
DIM DALI version (CEDV1458)  
DIM AC phase-cut (CEDV1730)  
DIM CASAMBI CBU-PWM4 (CEDV2854)

**REFLECTOR**

**A** copper (CCS584)  
brass (CCS69)  
brushed stainless steel (CCS68)  
metal - black matte powder coating with structure (CCS2673)  
metal - white matte powder coating with structure (CCS2809)

**C** black chrome lacquer (CCS959)

**VOLTAGE/FREQUENCY**

100-240VAC, 50/60Hz, 9W LED (PC1019)  
100-240VAC, 50/60Hz, 4W LED (PC1018)  
100-240VAC, 50/60Hz, 21,6W LED (PC1017)  
100-240VAC, 50/60Hz, 11W LED (PC1016)  
100-240 VAC, 50/60Hz, 9W LED (PC1078)

**CANOPY**

**A** copper (CCSC896)

**CABLE COLOUR**  
textile cable - black (CECL519) (PC1078)  
textile cable - light grey (CECL1918) (PC1078)

**ROPE**

rope - natural (CRP970)

**LED SOURCE**

24V, LED, 11W, 2700K, 1462lm, RA90+, DIM (LEDS2862)  
(PC1016)  
24V, LED, 21.6W, 2700K, 2925lm, RA90+, DIM (LEDS2858)

**BACK TO INDEX****Download:**

WWW

MORE INFO.

PHOTOS

INSTALLATION MANUAL

DATASHEETS

3DS

DWG

SKETCH UP

LDT




## KNOT BATTERY

BATTERY-POWERED

Chiaramonte Marin / 2021

**BROKIS EUR**  
**SRP (Suggested Retail Price) VAT Excl.**

[DOWNLOAD](#)  
[SHARE](#)


PC	PC1249	PC1250
NAME	CILINDRO TABLE BATTERY	SMALL CILINDRO TABLE BATTERY
PRICE A	<b>1 904</b>	<b>1 636</b>
PRICE B	-	-
PRICE C	-	-

**IMPORTANT:**

KNOT BATTERY IS FITTED WITH A USB CHARGING CABLE.  
THE LAMP IS EQUIPPED WITH A TOUCH DIMMER.

**TECHNICAL DETAILS:****GLASS COLOUR**

transparent glass (CGC23)  
smoke grey - transparent glass (CGC516)  
smoke brown - transparent glass (CGC538)  
opaline - transparent glass (CGC38)

**GLASS SURFACE**

glossy surface (CGSU66)  
matte inner glass finish (CGSU880)

**BODY FINISH**

copper (CCS584)  
brass (CCS69)  
brushed stainless steel (CCS68)  
metal - black matte powder coating with structure (CCS2673)

**CABLE COLOUR**

black charging cable USB 2/Mag, 5V (CECL2838)

**ROPE**

rope - natural (CRP970)

**LED SOURCE**

244mA, LED, 2.7W, 2700K, 580lm, RA80+, DIM (LEDS2864)

**VOLTAGE/FREQUENCY**


USB 5V, 1,4A, IP44; 4W LED (PC1249)  
USB 5V, 1,4A, IP44; 2,7W LED (PC1250)

**Download:**[WWW](#)[MORE INFO.](#)[PHOTOS](#)[INSTALLATION MANUAL](#)[DATASHEETS](#)[3DS](#)[DWG](#)[SKETCH UP](#)[LDT](#)[BACK TO INDEX](#)


## PURO SOLO

INTERIOR

Lucie Koldova / 2019

BROKIS EUR  
SRP (Suggested Retail Price) VAT Excl.DOWNLOAD  
SHARE

PC	PC1155	PC1122	PC1123	PC1124
NAME	SOLO VERTICAL 400	SOLO VERTICAL 600	SOLO VERTICAL 800	SOLO VERTICAL 1000
PRICE A	1 173	1 363	1 476	1 646
PRICE B	1 232	1 416	1 534	1 712
PRICE C	-	-	-	-
SURCHARGES (NET)				
EXTRA CABLE UP TO 5M	+ 30	+ 30	+ 30	+ 30
TRIMLESS	+ 100	+ 100	+ 100	+ 100
DIM	+ 45	+ 45	+ 45	+ 45



PC	PC1156	PC1125	PC1126	PC1127
NAME	SOLO HORIZONTAL 400	SOLO HORIZONTAL 600	SOLO HORIZONTAL 800	SOLO HORIZONTAL 1000
PRICE A	1 278	1 489	1 587	1 659
PRICE B	1 341	1 549	1 651	1 725
PRICE C	-	-	-	-
SURCHARGES (NET)				
EXTRA CABLE UP TO 5M	+ 60	+ 60	+ 60	+ 60
TRIMLESS	+ 100	+ 100	+ 100	+ 100
DIM	+ 45	+ 45	+ 45	+ 45

**IMPORTANT:**

THE PRICE OF THE LIGHT APPLIES TO THE NON-DIMMABLE VERSION. FOR THE DIMMABLE VERSIONS DIM OR DIM (TW) TUNABLE WHITE, A SURCHARGE WILL APPLY. TUNABLE WHITE IS AVAILABLE IN SELECTED COLLECTIONS ONLY. PRICE CATEGORY IS DETERMINED BY THE COLOUR OF THE GLASS.

PURO TUBE WITHOUT A SPOTLIGHT (BOTTOM PART GLASS). IT IS NOT POSSIBLE TO CONNECT PURO TUBE/SPOTLIGHT TO ANOTHER PURO SOLO.

**TECHNICAL DETAILS:****GLASS COLOUR**

A triplex opal (CGC39)  
B dark grey - opaline (CGC1507)

**GLASS SURFACE**

acid-etched both side surface (CGSU881)

**BODY FINISH**

metal - black matte powder coating (CCS846)

metal - white matte powder coating (CCS845)

**CANOPY**

glass - black (CCSC2404)  
glass - white (CCSC2403)

Trimless – cable version – white structure (CCSC2903)

Trimless – cable version – black structure (CCSC2904)

**CONNECTION METHOD**

BROKIS connector 24V (CCM1019)

**CABLE COLOUR**

textile cable - black (CECL519)  
textile cable - white (CECL521)

**LED SOURCE**

600mm 24V, LED, 13W, 2700K, 1105lm, RA90+, DIM (LEDS1926)

600mm 24V, LED, 13W, 4000K, 1220lm, RA90+, DIM (LEDS1927)

600mm 24V, LED, 13W, 5000K, 1300lm, RA90+, DIM (LEDS1928)

800mm 24V, LED, 18W, 2700K, 1530lm, RA90+, DIM (LEDS1929)

800mm 24V, LED, 18W, 4000K, 1695lm, RA90+, DIM (LEDS1930)

800mm 24V, LED, 18W, 5000K, 1810lm, RA90+, DIM (LEDS1931)

1000mm 24V, LED, 25W, 2700K, 1910lm, RA90+, DIM (LEDS1932)

1000mm 24V, LED, 25W, 4000K, 2115lm, RA90+, DIM (LEDS1933)

1000mm 24V, LED, 25W, 5000K, 2260lm, RA90+, DIM

(LEDS1934)

400mm 24V, LED, 11W, 2700K, 595lm, RA90+, DIM (LEDS2744)

400mm 24V, LED, 11W, 4000K, 659lm, RA90+, DIM (LEDS2745)

400mm 24V, LED, 11W, 5000K, 705lm, RA90+, DIM (LEDS2746)

**DIMMABLE VERSION**

non-dimmable version (CEDV1457)

DIM RF system - remote control version (CEDV1461)

DIM PWM signal (CEDV1459)

DIM 1-10V (CEDV1460)

DIM DALI version (CEDV1458)

DIM AC phase-cut (CEDV1730)

DIM CASAMBI CBU-PWM4 (CEDV2854)

**VOLTAGE/FREQUENCY**

100-240VAC, 50/60Hz, 25W LED (PC1124, PC1127)

100-240VAC, 50/60Hz, 18W LED (PC1123, PC1126)

100-240VAC, 50/60Hz, 13W LED (PC1122, PC1125)

100-240VAC, 50/60Hz, 11W LED (PC1155, PC1156)

**BACK TO INDEX**

**Download:**

WWW

MORE INFO.

PHOTOS

INSTALLATION MANUAL

DATASHEETS

3DS

DWG

SKETCH UP


LDT




## PURO SINGLE

INTERIOR

Lucie Koldova / 2016, 2019

BROKIS EUR  
SRP (Suggested Retail Price) VAT Excl.DOWNLOAD  
SHARE

PC	PC1157	PC1013	PC1014	PC1015
NAME	SINGLE VERTICAL 400	SINGLE VERTICAL 600	SINGLE VERTICAL 800	SINGLE VERTICAL 1000
PRICE A	1 234	1 410	1 524	1 694
PRICE B	1 271	1 464	1 582	1 760
SURCHARGES (NET)				
EXTRA CABLE UP TO 5M	+ 30	+ 30	+ 30	+ 30
TRIMLESS	+ 100	+ 100	+ 100	+ 100
DIM	+ 45	+ 45	+ 45	+ 45



PC	PC1158	PC1010	PC1011	PC1012	PC1121
NAME	SINGLE HORIZONTAL 400	SINGLE HORIZONTAL 600	SINGLE HORIZONTAL 800	SINGLE HORIZONTAL 1000	SPOTLIGHT
PRICE A	1 394	1 536	1 634	1 706	323
PRICE B	1 450	1 596	1 698	1 772	-
SURCHARGES (NET)					
EXTRA CABLE UP TO 5M	+ 60	+ 60	+ 60	+ 60	+ 30
TRIMLESS	+ 100	+ 100	+ 100	+ 100	+ 100
DIM	+ 45	+ 45	+ 45	+ 45	-

## IMPORTANT:

THE PRICE OF THE LIGHT APPLIES TO THE NON-DIMMABLE VERSION. FOR THE DIMMABLE VERSIONS DIM OR DIM (TW) TUNABLE WHITE, A SURCHARGE WILL APPLY. TUNABLE WHITE IS AVAILABLE IN SELECTED COLLECTIONS ONLY. PRICE CATEGORY IS DETERMINED BY THE COLOUR OF THE GLASS.  
PURO TUBE WITH AN OPTION TO CONNECT TO IT ANOTHER PURO TUBE OR A SPOTLIGHT (PC1121).

## TECHNICAL DETAILS:

## GLASS COLOUR

- A triplex opal (CGC39)
- B dark grey - opaline (CGC1507)

## GLASS SURFACE

acid-etched both side surface (CGSU881)

## BOTTOM GLASS COLOUR

transparent glass (CGGB812)  
smoke grey - transparent glass (CGGB977)  
triplex opal (CGGB979)

## BOTTOM GLASS FINISH

glossy surface (CGSUB890)  
acid-etched both side surface (CGSUB891)

## BODY FINISH

metal - black matte powder coating (CCS846)  
metal - white matte powder coating (CCS845)

## CANOPY

glass - black (CCSC2404)  
glass - white (CCSC2403)  
metal - black matte powder coating (CCSC619)  
metal - white matte powder coating (CCSC618)Trimless - cable version - white structure (CCSC2903)  
Trimless - cable version - black structure (CCSC2904)

## CONNECTION METHOD

BROKIS connector 24V (CCM1019)

## CABLE COLOUR

textile cable - black (CECL519)  
textile cable - white (CECL521)

## LED SOURCE

600mm 24V, LED, 13W, 2700K, 1105lm, RA90+, DIM (LEDS1926)  
600mm 24V, LED, 13W, 4000K, 1220lm, RA90+, DIM (LEDS1927)  
600mm 24V, LED, 13W, 5000K, 1300lm, RA90+, DIM (LEDS1928)  
800mm 24V, LED, 18W, 2700K, 1530lm, RA90+, DIM (LEDS1929)  
800mm 24V, LED, 18W, 4000K, 1695lm, RA90+, DIM (LEDS1930)  
800mm 24V, LED, 18W, 5000K, 1810lm, RA90+, DIM (LEDS1931)  
1000mm 24V, LED, 25W, 2700K, 1910lm, RA90+, DIM (LEDS1932)  
1000mm 24V, LED, 25W, 4000K, 2115lm, RA90+, DIM (LEDS1933)  
1000mm 24V, LED, 25W, 5000K, 2260lm, RA90+, DIM (LEDS1934)  
400mm 24V, LED, 11W, 2700K, 595lm, RA90+, DIM (LEDS2744)

400mm 24V, LED, 11W, 4000K, 659lm, RA90+, DIM (LEDS2745)

400mm 24V, LED, 11W, 5000K, 705lm, RA90+, DIM (LEDS2746)

## LED SOURCE OF THE BOTTOM PART

24V, LED, 5W, 2700K, 425lm, RA90, DIM (CEBBP1031)  
24V, LED, 5W, 4000K, 470lm, RA90+, DIM (CEBBP2755)  
24V, LED, 5W, 5000K, 503lm, RA90+, DIM (CEBBP2756)

## DIMMABLE VERSION

non-dimmable version (CEDV1457)  
DIM RF system - remote control version (CEDV1461)  
DIM PWM signal (CEDV1459)  
DIM 1-10V (CEDV1460)  
DIM DALI version (CEDV1458)  
DIM AC phase-cut (CEDV1730)  
DIM CASAMBI CBU-PWM4 (CEDV2854)

## VOLTAGE/FREQUENCY

24VDC, 5W LED (PC1121)  
100-240VAC, 50/60Hz, 25W LED (PC1012, PC1015)  
100-240VAC, 50/60Hz, 18W LED (PC1011, PC1014)  
100-240VAC, 50/60Hz, 13W LED (PC1010, PC1013)  
100-240VAC, 50/60Hz, 11W LED (PC1157, PC1158)

BACK TO INDEX

## Download:

WWW

MORE INFO.

PHOTOS

INSTALLATION MANUAL

DATASHEETS



3DS

DWG

SKETCH UP

LDT




[DOWNLOAD](#)  
[SHARE](#)


PC	PC1114	PC1115
<b>NAME</b>	ECLECTIC RECTANGULAR SET 800	ECLECTIC RECTANGULAR SET 1000
<b>PRICE A</b>	<b>3 950</b>	<b>4 248</b>
<b>PRICE B</b>	<b>4 069</b>	<b>4 376</b>
<b>PRICE C</b>	-	-
<b>SURCHARGES (NET)</b>		
<b>EXTRA CABLE UP TO 5M</b>	<b>+ 108</b>	<b>+ 108</b>
<b>DIM</b>	<b>+ 45</b>	<b>+ 45</b>

**IMPORTANT:**

THE PRICE OF THE LIGHT APPLIES TO THE NON-DIMMABLE VERSION. FOR THE DIMMABLE VERSIONS DIM OR DIM (TW) TUNABLE WHITE, A SURCHARGE WILL APPLY. TUNABLE WHITE IS AVAILABLE IN SELECTED COLLECTIONS ONLY.  
PRICE CATEGORY IS DETERMINED BY THE COLOUR OF THE GLASS.

**TECHNICAL DETAILS:****GLASS COLOUR**

- A triplex opal (CGC39)
- B dark grey - opaline (CGC1507)

**GLASS SURFACE**

acid-etched both side surface (CGSU881)

**BODY FINISH**

metal - black matte powder coating (CCS846)  
metal - white matte powder coating (CCS845)

**CANOPY**

metal - black matte powder coating (CCSC619)  
metal - white matte powder coating (CCSC618)

**CONNECTION METHOD**

BROKIS connector 24V (CCM1019)

**CABLE COLOUR**

textile cable - black (CECL519)  
textile cable - white (CECL521)

**LED SOURCE**

800mm 24V, LED, 18W, 2700K, 1530lm, RA90+, DIM (LEDS1929)  
800mm 24V, LED, 18W, 4000K, 1695lm, RA90+, DIM (LEDS1930)  
800mm 24V, LED, 18W, 5000K, 1810lm, RA90+, DIM (LEDS1931)  
1000mm 24V, LED, 25W, 2700K, 1910lm, RA90+, DIM (LEDS1932)  
1000mm 24V, LED, 25W, 4000K, 2115lm, RA90+, DIM (LEDS1933)

(LEDS1933)

1000mm 24V, LED, 25W, 5000K, 2260lm, RA90+, DIM (LEDS1934)

**DIMMABLE VERSION**

non-dimmable version (CEDV1457)  
DIM RF system - remote control version (CEDV1461)  
DIM PWM signal (CEDV1459)  
DIM 1-10V (CEDV1460)  
DIM DALI version (CEDV1458)  
DIM AC phase-cut (CEDV1730)  
DIM CASAMBI CBU-PWM4 (CEDV2854)

**VOLTAGE/FREQUENCY**

100-240VAC, 50/60Hz, 75W LED (PC1115)  
100-240VAC, 50/60Hz, 54W LED (PC1114)

**Download:**[WWW](#)[MORE INFO.](#)[PHOTOS](#)[INSTALLATION MANUAL](#)[DATASHEETS](#)[3DS](#)[DWG](#)[SKETCH UP](#)[LDT](#)[BACK TO INDEX](#)


## PURO CONTOUR

INTERIOR


Lucie Koldova / 2019

DOWNLOAD  
SHARE


PC1133




PC1118



PC1057




PC1073


BROKIS EUR  
SRP (Suggested Retail Price) VAT Excl.

PC	PC1133	PC1118	PC1057	PC1073
NAME	CONTOUR TRIANGLE 600	CONTOUR TRIANGLE 800	CONTOUR SQUARE 600	CONTOUR SQUARE 800
PRICE A	4 177	4 453	5 570	5 937
PRICE B	4 343	4 633	5 792	6 176
PRICE C	-	-	-	-
SURCHARGES (NET)				
EXTRA CABLE UP TO 5M	+ 108	+ 108	+ 144	+ 144
DIM	+ 45	+ 45	+ 45	+ 45


PC1135




PC1119



PC1137



PC1120



PC	PC1135	PC1119	PC1137	PC1120
NAME	CONTOUR PENTAGON 600	CONTOUR PENTAGON 800	CONTOUR HEXAGON 600	CONTOUR HEXAGON 800
PRICE A	6 962	7 422	8 354	8 906
PRICE B	7 239	7 721	8 687	9 265
PRICE C	-	-	-	-
SURCHARGES (NET)				
EXTRA CABLE UP TO 5M	+ 180	+ 180	+ 216	+ 216
DIM	+ 45	+ 45	+ 45	+ 45

## IMPORTANT:

THE PRICE OF THE LIGHT APPLIES TO THE NON-DIMMABLE VERSION. FOR THE DIMMABLE VERSIONS DIM OR DIM (TW) TUNABLE WHITE, A SURCHARGE WILL APPLY. TUNABLE WHITE IS AVAILABLE IN SELECTED COLLECTIONS ONLY.

PRICE CATEGORY IS DETERMINED BY THE COLOUR OF THE GLASS.

## TECHNICAL DETAILS:

## GLASS COLOUR

- A triplex opal (CGC39)
- B dark grey - opaline (CGC1507)

## GLASS SURFACE

acid-etched both side surface (CGSU881)

## BODY FINISH

metal - black matte powder coating (CCS846)  
metal - white matte powder coating (CCS845)

## CANOPY

metal - black matte powder coating (CCSC619)  
metal - white matte powder coating (CCSC618)

## CONNECTION METHOD

BROKIS connector 24V (CCM1019)

## CABLE COLOUR

textile cable - black (CECL519)  
textile cable - white (CECL521)

## LED SOURCE

600mm 24V, LED, 13W, 2700K, 1105lm, RA90+, DIM (LEDS1926)  
600mm 24V, LED, 13W, 4000K, 1220lm, RA90+, DIM (LEDS1927)  
600mm 24V, LED, 13W, 5000K, 1300lm, RA90+, DIM (LEDS1928)  
800mm 24V, LED, 18W, 2700K, 1530lm, RA90+, DIM (LEDS1929)  
800mm 24V, LED, 18W, 4000K, 1695lm, RA90+, DIM (LEDS1930)  
800mm 24V, LED, 18W, 5000K, 1810lm, RA90+, DIM (LEDS1931)

## DIMMABLE VERSION

non-dimmable version (CEDV1457)  
DIM RF system - remote control version (CEDV1461)  
DIM PWM signal (CEDV1459)  
DIM 1-10V (CEDV1460)  
DIM DALI version (CEDV1458)  
DIM AC phase-cut (CEDV1730)  
DIM CASAMBI CBU-PWM4 (CEDV2854)

## VOLTAGE/FREQUENCY

100-240VAC, 50/60Hz, 90W LED (PC1119)  
100-240VAC, 50/60Hz, 78W LED (PC1137)  
100-240VAC, 50/60Hz, 72W LED (PC1073)  
100-240VAC, 50/60Hz, 60W LED (PC1135)  
100-240VAC, 50/60Hz, 54W LED (PC1118)  
100-240VAC, 50/60Hz, 52W LED (PC1057)  
100-240VAC, 50/60Hz, 39W LED (PC1133)  
100-240VAC, 50/60Hz, 108W LED (PC1120)

BACK TO INDEX

## Download:

WWW

MORE INFO.

PHOTOS

INSTALLATION MANUAL

DATASHEETS

3DS

DWG


SKETCH UP

LDT





DOWNLOAD  
SHARE



PC	PC1053	PC1054	PC1055
NAME	SPARKLE 600	SPARKLE 800	SPARKLE 1000
PRICE A	19 900	22 110	24 321
PRICE B	20 946	23 274	25 601
PRICE C	-	-	-
SURCHARGES (NET)			
EXTRA CABLE UP TO 5M	+ 300	+ 300	+ 300
DIM	+ 45	+ 45	+ 45

#### IMPORTANT:

THE PRICE OF THE LIGHT APPLIES TO THE NON-DIMMABLE VERSION. FOR THE DIMMABLE VERSIONS DIM OR DIM (TW) TUNABLE WHITE, A SURCHARGE WILL APPLY. TUNABLE WHITE IS AVAILABLE IN SELECTED COLLECTIONS ONLY.  
PRICE CATEGORY IS DETERMINED BY THE COLOUR OF THE GLASS.

#### TECHNICAL DETAILS:

##### GLASS COLOUR

- A triplex opal (CGC39)
- B dark grey - opaline (CGC1507)

##### GLASS SURFACE

acid-etched both side surface (CGSU881)

##### BODY FINISH

metal - black matte powder coating (CCS846)  
metal - white matte powder coating (CCS845)

##### CANOPY

metal - black matte powder coating (CCSC619)  
metal - white matte powder coating (CCSC618)

##### CONNECTION METHOD

BROKIS connector 24V (CCM1019)

##### CABLE COLOUR

textile cable - black (CECL519)  
textile cable - white (CECL521)

##### LED SOURCE

600mm 24V, LED, 13W, 2700K, 1105lm, RA90+, DIM (LEDS1926)  
600mm 24V, LED, 13W, 4000K, 1220lm, RA90+, DIM (LEDS1927)  
600mm 24V, LED, 13W, 5000K, 1300lm, RA90+, DIM (LEDS1928)  
800mm 24V, LED, 18W, 2700K, 1530lm, RA90+, DIM (LEDS1929)  
800mm 24V, LED, 18W, 4000K, 1695lm, RA90+, DIM (LEDS1930)  
800mm 24V, LED, 18W, 5000K, 1810lm, RA90+, DIM (LEDS1931)  
1000mm 24V, LED, 25W, 2700K, 1910lm, RA90+, DIM (LEDS1932)

1000mm 24V, LED, 25W, 4000K, 2115lm, RA90+, DIM (LEDS1933)  
1000mm 24V, LED, 25W, 5000K, 2260lm, RA90+, DIM (LEDS1934)

##### DIMMABLE VERSION

non-dimmable version (CEDV1457)  
DIM RF system - remote control version (CEDV1461)  
DIM PWM signal (CEDV1459)  
DIM 1-10V (CEDV1460)  
DIM DALI version (CEDV1458)  
DIM AC phase-cut (CEDV1730)  
DIM CASAMBI CBU-PWM4 (CEDV2854)

##### VOLTAGE/FREQUENCY

100-240VAC, 50/60Hz, 300W LED (PC1055)  
100-240VAC, 50/60Hz, 216W LED (PC1054)  
100-240VAC, 50/60Hz, 156W LED (PC1053)

BACK TO INDEX

Download:

WWW

MORE INFO.

PHOTOS

INSTALLATION MANUAL

DATASHEETS

3DS

DWG

SKETCH UP


LDT



## PURO FLOOR

INTERIOR

Lucie Koldova / 2021

BROKIS EUR  
SRP (Suggested Retail Price) VAT Excl.DOWNLOAD  
SHARE

PC	PC1252	PC1253
NAME	FLOOR 3 TUBES 1350	FLOOR 3 TUBES 1550
PRICE A	5 342	5 342
PRICE B	-	-
PRICE C	-	-

## IMPORTANT:

PURO FLOOR 3 TUBES 1350 AND PURO FLOOR 3 TUBES 1550 COMPRIZE PURO TUBES IN THE FOLLOWING LENGTHS: 1x 1000MM, 1x 800MM AND 1x 600MM. IN THE PURO FLOOR COLLECTION, DIFFERENT COLOURS FOR THE GLASS AND METAL END CAPS CAN BE ORDERED ONLY FOR THE SMALLEST 600MM TUBE (THE METAL ROD OF THE SMALLEST TUBE MUST BE THE SAME COLOUR AS FOR THE OTHER TWO TUBES). FOR EXAMPLE, IF THE 800MM TUBE AND 1000MM TUBE (METAL AND GLASS PARTS) ARE IN WHITE, THEN THE SMALLEST 600MM TUBE WITH BLACK METAL END CAPS AND DARK GREY-OPALINE GLASS WILL BE ON A WHITE ROD.

## TECHNICAL DETAILS:

## GLASS COLOUR

triplex opal (CGC39)  
dark grey - opaline (CGC1507)

metal - white matte powder coating with structure (CCS2809)

24V, LED, 45W, 5000K, 2400lm, RA80+, DIM (LEDS2835)

## GLASS SURFACE

acid-etched both side surface (CGSU881)

## CABLE COLOUR

textile cable - black (CECL519)

## DIMMABLE VERSION

DIM RF system - remote control version (CEDV1461)  
DIM CASAMBI CBU-PWM4 (CEDV2854)

textile cable - white (CECL521)

## VOLTAGE/FREQUENCY

100-240VAC, 50/60Hz, 56W LED

## BODY FINISH

metal - black matte powder coating with structure (CCS2673)

## LED SOURCE


24V, LED, 45W, 2700K, 2400lm, RA80+, DIM (LEDS2833)  
24V, LED, 45W, 4000K, 2400lm, RA80+, DIM (LEDS2834)

## Download:

BACK TO INDEX



DOWNLOAD  
SHARE



PC	PC1038	PC1039	PC1040
NAME	S	M	L
PRICE A	<b>2 439</b>	<b>3 309</b>	<b>4 206</b>
PRICE B	-	-	-
PRICE C	<b>3 191</b>	<b>4 366</b>	<b>5 580</b>

#### IMPORTANT:

PRICE CATEGORY IS DETERMINED BY THE VERSION OF THE BASE OR THE PLATE.  
TABLE AND FLOOR LAMPS ARE EQUIPPED WITH A HAND DIMMER.

#### TECHNICAL DETAILS:

##### GLASS COLOUR

transparent glass (CGC23)  
smoke grey - transparent glass (CGC516)  
amber - transparent glass (CGC515)  
light pink - transparent glass (CGC46)  
dark rosé - transparent glass (CGC1625)

##### GLASS SURFACE

glossy surface (CGSU66)

##### SURFACE FINISH OF THE BASE

A European oak - stained white (CSFB1575)

European oak - stained black (CSFB1574)

C onyx white (CSFB1535)  
onyx honey (CSFB1576)

##### SURFACE FINISH OF THE PLATE

A BROKISGLASS - smoke grey matte (CSOP1577)  
BROKISGLASS - triplex opal matte (CSOP1578)  
C onyx white (CSOP1532)  
onyx honey (CSOP1533)

##### CABLE COLOUR

textile cable - black (CECL519)  
textile cable - white (CECL521)  
textile cable - dark grey (CECL520)  
textile cable - light grey (CECL1918)

##### RECOMMENDED BULBS

230V, GX53, 10W, 2700K, 700lm, RA90, 100°, DIM (CEB717)

##### SOCKET

GX53

Download:

BACK TO INDEX


## JACK O'LANTERN

INTERIOR


Lucie Koldova / 2018

BROKIS EUR

SRP (Suggested Retail Price) VAT Excl.

DOWNLOAD  
SHARE

PC	PC1095	PC1101	PC1103	PC1104	PC1097	PC1082
NAME	SMALL PENDENT SPHERE	SMALL SINGLE PENDENT FRAME	SMALL DOUBLE PENDENT FRAME	SMALL TRIPLE PENDENT FRAME	LARGE PENDENT SPHERE	LARGE PENDENT SINGLE FRAME
PRICE A	<b>366</b>	<b>197</b>	<b>395</b>	<b>592</b>	<b>612</b>	<b>341</b>
PRICE B	-	-	-	-	-	-
PRICE C	-	-	-	-	-	-
SURCHARGES (NET)						
EXTRA CABLE UP TO 5M	-	+ 36	+ 36	+ 36	-	+ 36
CASAMBI	+ 65	-	-	-	+ 65	-



PC	PC1051	PC1086	PC1096	PC1105
NAME	SMALL TABLE	LARGE TABLE	SMALL SINGLE WALL SPHERE	SMALL WALL FRAME SET OF 5
PRICE A	<b>928</b>	<b>1 653</b>	<b>402</b>	<b>1 463</b>
PRICE B	-	-	-	-
PRICE C	-	-	-	-

**IMPORTANT:**

THE PENDENT AND WALL SPHERES MUST BE ORDERED IN COMBINATION WITH METAL FRAMES, I.E. NEITHER THE SPHERES NOR THE METAL FRAMES MAY BE PURCHASED SEPARATELY.  
TABLE AND WALL LAMPS ARE EQUIPPED WITH A HAND DIMMER.

**TECHNICAL DETAILS:****GLASS COLOUR**

smoke grey - transparent glass (CGC516)  
triplex opal (CGC39)  
light pink - transparent glass (CGC46)  
without glass (CGC280)

**GLASS SURFACE**

acid-etched both side surface (CGSU881)

**BASE FINISH**

satinated Carrara marble (CSFB2361) (PC1051, PC1086)  
satinated Nero Marquina marble (CSFB2360) (PC1051, PC1086)  
satinated Rosso Francia marble (CSFB2682) (PC1051, PC1086)  
satinated Grigio Talami marble (CSFB2681) (PC1051, PC1086)

**BODY FINISH**

metal - black matte powder coating with structure (CCS2673)

**CANOPY**

metal - black matte powder coating with structure (CCSC2674)

**CABLE COLOUR**

textile cable - black (CECL519) (PC1051, PC1095, PC1096, PC1086, PC1097)  
textile cable - white (CECL521) (PC1051, PC1095, PC1096, PC1086, PC1097)  
textile cable - light grey (CECL1918) (PC1051, PC1095, PC1096, PC1086, PC1097)

**RECOMMENDED BULBS**

230V, G9, 4.5W, 2700K, DIM (CEB2773)  
230V, G9, 4.5W, 4000K, DIM (CEB2774)  
230V, G9, 4.5W, 2700K, DIM (CEB1828)  
230V, G9, 4.5W, 4000K, DIM (CEB2359)


**DIMMABLE VERSION**

TRIAC - STANDARD OPTION (CEDV2865) (PC1095, PC1097)  
CASAMBI CBU-TED (CEDV2855) (PC1095, PC1097)

**SOCKET**

G9

**Download:**


[DOWNLOAD](#)  
[SHARE](#)


PC	PC1335	PC1336
NAME	SMALL	LARGE
PRICE A	<b>1 590</b>	<b>2 150</b>
PRICE B	-	-
PRICE C	-	-
SURCHARGES (NET)		
EXTRA CABLE UP TO 5M	<b>+ 48</b>	<b>+ 48</b>
DIM	<b>+ 45</b>	<b>+ 45</b>
DIM (TW)	<b>+ 65</b>	<b>+ 65</b>

**IMPORTANT:**

IN 2023, THE BIG ONE COLLECTION WILL UNDERGO SIGNIFICANT TECHNOLOGICAL INNOVATION THAT WILL SUBSTANTIALLY INCREASE THE OUTPUT OF THE LIGHT AND FACILITATE HANDLING. DUE TO THESE EXTENSIVE MODIFICATIONS, BIG ONE LIGHTS ARE AVAILABLE UNDER THE NEW CODES PC1335 AND PC1336. THE PRICE OF THE LIGHT APPLIES TO THE NON-DIMMABLE VERSION. FOR THE DIMMABLE VERSIONS DIM OR DIM (TW) TUNABLE WHITE, A SURCHARGE WILL APPLY. TUNABLE WHITE IS AVAILABLE IN SELECTED COLLECTIONS ONLY. THE COLLECTION IS AVAILABLE WITH TUNABLE WHITE, WHICH ALLOWS THE USER TO ADJUST THE COLOUR TEMPERATURE OF THE LIGHT SOURCE. THIS SOLUTION BEARS THE DESIGNATION DIM (TW).

**TECHNICAL DETAILS:****GLASS COLOUR**

transparent glass (CGC23)  
smoke grey - transparent glass (CGC516)  
light smoke brown - transparent glass (CGC2889)

**GLASS SURFACE**

glossy surface (CGSU66)

**COLOUR OF THE INNER GLASS**

smoke grey - transparent glass (CGCI685)  
red - transparent glass (CGCI913)  
light pink - transparent glass (CGCI2356)  
triplex opal (CGCI907)  
smoke brown - transparent glass (CGCI2931)

**GLASS SURFACE OF THE INNER GLASS**

acid-etched both side surface (CGSUI905)

**BODY FINISH**

silver anodized (CCS775)

**CANOPY**

brushed stainless steel (CCSC974)

**CABLE COLOUR**

textile cable - black (CECL519)  
textile cable - white (CECL521)  
textile cable - light grey (CECL1918)

**LED SOURCE**

DIM, 24V, LED, 15W, 2700K, 1894lm, RA90+ (LEDS2949) (PC1335)  
DIM (TW), 24V, LED, 15W, 2700K-6500K, 947lm-1017lm, RA90+ (LEDS2950) (PC1335)  
DIM, 24V, LED, 18W, 2700K, 2592lm, RA90+ (LEDS2951) (PC1336)

DIM (TW), 24V, LED, 18W, 2700K-6500K, 1296lm-1391lm, RA90+ (LEDS2952) (PC1336)


**DIMMABLE VERSION**

non-dimmable version (CEDV1457)  
DIM RF system - remote control version (CEDV1461)  
DIM PWM signal (CEDV1459)  
DIM 1-10V (CEDV1460)  
DIM DALI version (CEDV1458)  
DIM AC phase-cut (CEDV1730)  
DIM CASAMBI CBU-PWM4 (CEDV2854)  
DIM (TW) CASAMBI CBU-PWM4 (CEDV2942)  
DIM (TW) DALI version (CEDV2944)


**VOLTAGE/FREQUENCY**

100-240VAC, 50/60Hz, 18W LED (PC1336)  
100-240VAC, 50/60Hz, 15W LED (PC1335)

**Download:**

DOWNLOAD  
SHARE

PC	PC1059	PC1060	PC1061	PC1062	PC1063	PC1064
NAME	VERTICAL 3	VERTICAL 4	VERTICAL 5	VERTICAL 6	VERTICAL 7	VERTICAL 8
PRICE A	2 254	2 817	3 442	4 028	4 685	5 428
PRICE B	-	-	-	-	-	-
PRICE C	-	-	-	-	-	-
SURCHARGES (NET)						
EXTRA CABLE UP TO 5M	+ 48	+ 48	+ 48	+ 48	+ 48	+ 48
TRIMLESS	+ 100	+ 100	+ 100	+ 100	+ 100	+ 100
DIM	+ 45	+ 45	+ 45	+ 45	+ 45	+ 45



PC	PC1065	PC1066	PC1067	PC1068	PC1069	PC1070
NAME	HORIZONTAL 3	HORIZONTAL 4	HORIZONTAL 5	HORIZONTAL 6	HORIZONTAL 7	HORIZONTAL 8
PRICE A	2 254	2 817	3 442	4 028	4 685	5 428
PRICE B	-	-	-	-	-	-
PRICE C	-	-	-	-	-	-
SURCHARGES (NET)						
EXTRA CABLE UP TO 5M	+ 48	+ 48	+ 48	+ 48	+ 48	+ 48
TRIMLESS	+ 100	+ 100	+ 100	+ 100	+ 100	+ 100
DIM	+ 45	+ 45	+ 45	+ 45	+ 45	+ 45

**IMPORTANT:**

THE PRICE OF THE LIGHT APPLIES TO THE NON-DIMMABLE VERSION. FOR THE DIMMABLE VERSIONS DIM OR DIM (TW) TUNABLE WHITE, A SURCHARGE WILL APPLY. TUNABLE WHITE IS AVAILABLE IN SELECTED COLLECTIONS ONLY.

IVY IS A MODULAR SYSTEM FEATURING GLASS COMPONENTS OF THREE SIZES AND THREE COLOURS POSITIONED ON BRANCHES IN SEQUENCE ACCORDING TO THE DESIGN OF THE LIGHT. THE THREE GLASS COLOURS CAN BE COMBINED WITHIN THE LIGHT.

**TECHNICAL DETAILS:****GLASS COLOUR**

smoke grey - transparent glass (CGC516)  
 triplex opal (CGC39)  
 light pink - transparent glass (CGC46)

Trimless - cable version – white structure (CCSC2903)  
 Trimless - cable version – black structure (CCSC2904)

DIM DALI version (CEDV1458)  
 DIM AC phase-cut (CEDV1730)  
 DIM CASAMBI CBU-PWM4 (CEDV2854)

**GLASS SURFACE**

acid-etched both side surface (CGSU881)

CABLE COLOUR  
 textile cable - black (CECL519)  
 textile cable - white (CECL521)

VOLTAGE/FREQUENCY  
 100-240VAC, 50/60Hz, max.8x2W LED - G4/12V (PC1064,  
 PC1070)

**BODY FINISH**

metal - white matte powder coating with structure (CCS2809)  
 metal - anthracite grey matte powder coating with structure (CCS2811)

CONNECTION METHOD  
 BROKIS connector 24V (CCM1019)

100-240VAC, 50/60Hz, max.7x2W LED - G4/12V (PC1063,  
 PC1069)


**CANOPY**

metal - white matte powder coating with structure (CCSC2810)  
 metal - anthracite grey matte powder coating with structure (CCSC2812)


RECOMMENDED BULBS  
 12V, G4, 1.2W, 2700K, 91lm, DIM (CEB1818)

100-240VAC, 50/60Hz, max.6x2W LED - G4/12V (PC1062,  
 PC1068)

**Download:**

DOWNLOAD  
SHARE

PC	PC1224	PC1225	PC1226	PC1227	PC1228	PC1229
NAME	CEILING 2	CEILING 4	CEILING 5	CEILING 6	CEILING 7	CEILING 8
PRICE A	1 699	2 601	3 290	3 811	4 391	5 077
PRICE B	-	-	-	-	-	-
PRICE C	-	-	-	-	-	-
SURCHARGES (NET)						
DIM	+ 45	+ 45	+ 45	+ 45	+ 45	+ 45



PC	PC1218	PC1219	PC1220	PC1221	PC1222	PC1223
NAME	WALL 2	WALL 4	WALL 5	WALL 6	WALL 7	WALL 8
PRICE A	1 699	2 601	3 290	3 811	4 391	5 077
PRICE B	-	-	-	-	-	-
PRICE C	-	-	-	-	-	-
SURCHARGES (NET)						
DIM	+ 45	+ 45	+ 45	+ 45	+ 45	+ 45

**IMPORTANT:**

THE PRICE OF THE LIGHT APPLIES TO THE NON-DIMMABLE VERSION. FOR THE DIMMABLE VERSIONS DIM OR DIM (TW) TUNABLE WHITE, A SURCHARGE WILL APPLY. TUNABLE WHITE IS AVAILABLE IN SELECTED COLLECTIONS ONLY.

IVY IS A MODULAR SYSTEM FEATURING GLASS COMPONENTS OF THREE SIZES AND THREE COLOURS POSITIONED ON BRANCHES IN SEQUENCE ACCORDING TO THE DESIGN OF THE LIGHT.

THE THREE GLASS COLOURS CAN BE COMBINED WITHIN THE LIGHT.

THE IVY WALL VARIANT HAS A TOUCH DIMMER INTEGRATED INTO THE SIDE OF THE METAL BRANCH.

**TECHNICAL DETAILS:****GLASS COLOUR**

smoke grey - transparent glass (CGC516)  
triplex opal (CGC39)  
light pink - transparent glass (CGC46)

## (CCS2809)

metal - anthracite grey matte powder coating with structure  
(CCS2811)

touch dimming (CEDV2871)

**GLASS SURFACE**

acid-etched both side surface (CGSU881)

**RECOMMENDED BULBS**

12V, G4, 1.2W, 2700K, 91lm, DIM (CEB1818)

**VOLTAGE/FREQUENCY**

100-240V, 50-60 Hz, Max. 8x2W/12V - G4 (PC1229, PC1223)  
100-240V, 50-60 Hz, Max. 7x2W/12V - G4 (PC1228, PC1222)  
100-240V, 50-60 Hz, Max. 6x2W/12V - G4 (PC1227, PC1221)  
100-240V, 50-60 Hz, Max. 5x2W/12V - G4 (PC1226, PC1220)  
100-240V, 50-60 Hz, Max. 4x2W/12V - G4 (PC1225, PC1219)  
100-240V, 50-60 Hz, Max. 2x2W/12V - G4 (PC1224, PC1218)

**BODY FINISH**

metal - white matte powder coating with structure

**DIMMABLE VERSION**

non-dimmable version (CEDV1457)  
DIM CASAMBI CBU-PWM4 (CEDV2854)

**BACK TO INDEX****Download:**

WWW

MORE INFO.

PHOTOS

INSTALLATION MANUAL

DATASHEETS


3DS

DWG

SKETCH UP

LDT




[DOWNLOAD](#)  
[SHARE](#)


PC	PC1131	PC1132
NAME	TABLE	FLOOR
PRICE A	<b>1 811</b>	<b>4 145</b>
PRICE B	-	-
PRICE C	-	-

**IMPORTANT:**

IVY IS A MODULAR SYSTEM FEATURING GLASS COMPONENTS OF THREE SIZES AND THREE COLOURS POSITIONED ON BRANCHES IN SEQUENCE ACCORDING TO THE DESIGN OF THE LIGHT. THE THREE GLASS COLOURS CAN BE COMBINED WITHIN THE LIGHT.  
 THE IVY TABLE AND IVY FLOOR VARIANTS HAVE A TOUCH DIMMER INTEGRATED INTO THE TOP PART OF THE METAL BRANCH.  
 FOR TRANSPORTATION PURPOSES, IVY FLOOR IS SHIPPED AS TWO SEPARATE PIECES – THE BASE AND THE BRANCH – WHICH ARE THEN JOINED WITH A CONNECTOR.

**TECHNICAL DETAILS:****GLASS COLOUR**
 smoke grey - transparent glass (CGC516)  
 triplex opal (CGC39)  
 light pink - transparent glass (CGC46)
**GLASS SURFACE**

acid-etched both side surface (CGSU881)

**CONNECTION METHOD**

BROKIS connector 24V (CCM1019)

**BODY FINISH**
 metal - white matte powder coating with structure (CCS2809)  
 metal - anthracite grey matte powder coating with structure (CCS2811)
**CABLE COLOUR**

cable without textile - black (CECL2719)

**RECOMMENDED BULBS**

12V, G4, 1.2W, 2700K, 91lm, DIM (CEB1818)

**DIMMABLE VERSION**


touch dimming (CEDV2871)

**VOLTAGE/FREQUENCY**
 100-240VAC,50-60Hz,max.7x1,5W LED G4/12V (PC1132)  
 100-240VAC,50-60Hz,max.2x2W LED G4/12V (PC1131)
**Download:**[WWW](#)[MORE INFO.](#)[PHOTOS](#)[INSTALLATION MANUAL](#)[DATASHEETS](#)[3DS](#)[DWG](#)[SKETCH UP](#)[LDT](#)[BACK TO INDEX](#)

## IVY SINGLE

INTERIOR

Lucie Koldova / 2020

DOWNLOAD  
SHAREBROKIS EUR  
SRP (Suggested Retail Price) VAT Excl.

PC	PC1215	PC1216	PC1217
NAME	SINGLE S	SINGLE M	SINGLE L
PRICE A	308	316	325
PRICE B	-	-	-
PRICE C	-	-	-
SURCHARGES (NET)			
EXTRA CABLE UP TO 5M	+ 30	+ 30	+ 30

**IMPORTANT:**

DIMMING IS CONFIGURED ACCORDING TO THE LIGHTING COMPOSITION AND PROJECT SPECIFICATIONS.

**TECHNICAL DETAILS:****GLASS COLOUR**smoke grey - transparent glass (CGC516)  
triplex opal (CGC39)  
light pink - transparent glass (CGC46)

## (CCS2809)

metal - anthracite grey matte powder coating with structure  
(CCS2811)**CABLE COLOUR**

coaxial cable - silver (CECL2772)

**GLASS SURFACE**

acid-etched both side surface (CGSU881)

**CANOPY FINISH**metal - white matte powder coating with structure  
(CCSC2810)**RECOMMENDED BULBS**

12V, G4, 1.2W, 2700K, 91lm, DIM (CEB1818)

**BODY FINISH**

metal - white matte powder coating with structure

metal - anthracite grey matte powder coating with structure  
(CCSC2812)**VOLTAGE/FREQUENCY**

100-240V, 50-60 Hz, Max. 2W/12V - G4

**Download:**

WWW

MORE INFO.

PHOTOS

INSTALLATION MANUAL

DATASHEETS

3DS

DWG

SKETCH UP

LDT

BACK TO INDEX




## IVY BATTERY

BATTERY-POWERED

Lucie Koldova / 2021

**BROKIS EUR**  
**SRP (Suggested Retail Price) VAT Excl.**

[DOWNLOAD](#)  
[SHARE](#)


PC	PC1233
NAME	TABLE BATTERY
PRICE A	459
PRICE B	-
PRICE C	-

**IMPORTANT:**

IVY BATTERY IS FITTED WITH GLASS SIZE M AND A USB CHARGING CABLE.  
 THE LIGHT CAN ALSO BE CHARGED WIRELESSLY VIA AN INDUCTION SYSTEM, WHICH IS SOLD SEPARATELY.  
 IVY BATTERY CAN BE DIMMED TO 3 INTENSITY LEVELS BY TOUCHING ANY PART OF THE METAL BODY.

**TECHNICAL DETAILS:****GLASS COLOUR**
 smoke grey - transparent glass (CGC516)  
 triplex opal (CGC39)  
 light pink - transparent glass (CGC46)
**GLASS SURFACE**

acid-etched both side surface (CGSU881)

**BODY FINISH**
 metal - white matte powder coating with structure  
 (CCS2809)  
 metal - anthracite grey matte powder coating with structure  
 (CCS2811)
**CABLE COLOUR**
 silver charging cable USB 2/USB-C, 5V (CECL2839)  
 black charging cable USB 2/USB-C, 5V (CECL2837)
**RECOMMENDED BULBS**

12V, G4, 1.2W, 2700K, 91lm, DIM (CEB1818)

**DIMMABLE VERSION**

touch dimming (CEDV2871)

**VOLTAGE/FREQUENCY**


USB, 5V, 1,5A

**BACK TO INDEX****Download:**[WWW](#)[MORE INFO.](#)[PHOTOS](#)[INSTALLATION MANUAL](#)[DATASHEETS](#)[3DS](#)[DWG](#)[SKETCH UP](#)[LDT](#)



DOWNLOAD

SHARE



PC	PC1129	PC1130
NAME	MEDIUM	LARGE
PRICE A	1 116	1 429
PRICE B	1 180	1 499
PRICE C	-	-
SURCHARGES (NET)		
EXTRA CABLE UP TO 5M	+ 30	+ 30
TRIMLESS	+ 100	+ 100
CASAMBI	+ 65	+ 65

**IMPORTANT:**

AWA CAN BE ORDERED WITH ONE OF THE TWO BULBS LISTED BELOW. MORE INFORMATION ON THE BULBS CAN BE FOUND IN THE DATASHEETS.  
AWA IS AVAILABLE WITH A NEW FINISH ON THE UPPER PART OF THE GLASS – GLOSS SANDBLASTED.

**TECHNICAL DETAILS:****GLASS COLOUR**

transparent glass (CGC23)  
smoke grey - transparent glass (CGC516)  
smoke brown - transparent glass (CGC538)

**GLASS SURFACE**

A glossy surface (CGSU66)  
B glossy - sandblasted (top part) (CGSU806)

**BODY FINISH**

copper (CCS584)  
silver anodized (CCS775)  
European oak - natural lacquer (wax) (CCS518)  
American walnut - natural waxed (CCS75)

**CANOPY**

copper (CCSC896)  
silver anodized (CCSC843)  
European oak - natural lacquer (wax) (CCSC841)  
American walnut - natural waxed (CCSC842)

Trimless - cable version - white structure (CCSC2903)  
Trimless - cable version - black structure (CCSC2904)

**CABLE COLOUR**

textile cable - black (CECL519)  
textile cable - light grey (CECL1918)

**RECOMMENDED BULBS**

230V, LED, E27, 12W, 2600K, 600lm, RA90, DIM - ART (CEB2832)  
230V, LED, E27, 6W, 2000K, 200-250lm, RA90, DIM - FILAMENT LED (CEB2671)

**DIMMABLE VERSION**

TRIAC - STANDARD OPTION (CEDV2865)  
CASAMBI CBU-TED (CEDV2855)

**SOCKET**

E27

**Download:**

WWW

MORE INFO.

PHOTOS

INSTALLATION MANUAL

DATASHEETS

3DS


DWG

SKETCH UP

LDT



BACK TO INDEX


[DOWNLOAD](#)  
[SHARE](#)


PC	PC1164	PC1165
NAME	SMALL	LARGE
PRICE A	<b>1 486</b>	<b>1 926</b>
PRICE B	-	-
PRICE C	-	-
CASAMBI	+ 65	+ 65

**IMPORTANT:**

TABLE AND FLOOR LAMPS ARE EQUIPPED WITH A HAND DIMMER.  
 IT IS POSSIBLE TO USE BONBORI INDOOR VERSION TEMPORARILY OUTSIDE. TO DO SO, YOU CAN USE A SPECIAL RUBBER BLACK CABLE WITH A CONNECTOR AND A LAMP SWITCH WITH IP44 PROTECTION.  
 THIS CABLE CAN BE ORDERED FROM BROKIS UNDER CODE CP11499.

**TECHNICAL DETAILS:****GLASS COLOUR**

smoke grey - transparent glass (CGC516)  
 smoke brown - transparent glass (CGC538)  
 opaline - transparent glass (CGC38)  
 triplex opal (CGC39)

copper metallic (CCS2748)  
 grey metallic (CCS2749)

**RECOMMENDED BULBS**

230V, E27, 11W, 2700K, 1250lm, RA90, 360°, DIM  
 (CEBEU2750)

**GLASS SURFACE**

glossy surface (CGSU66)

**CONNECTION METHOD**

BROKIS connector 230V (CCM2876)

**DIMMABLE VERSION**

TRIAC - STANDARD OPTION (CEDV2865)  
 CASAMBI CBU-TED (CEDV2855)

**BODY FINISH**

metal - black matte powder coating (CCS846)


**CABLE COLOUR**

textile cable - black (CECL519)  
 textile cable - light grey (CECL1918)

**SOCKET**

E27

**Download:**[WWW](#)[MORE INFO.](#)[PHOTOS](#)[INSTALLATION MANUAL](#)[DATASHEETS](#)[3DS](#)[DWG](#)[SKETCH UP](#)[LDT](#)**BACK TO INDEX**

DOWNLOAD  
SHARE

PC	PC1166	PC1167	PC1251	PC1280
NAME	OUTDOOR SMALL	OUTDOOR LARGE	WALL UP	WALL DOWN
PRICE A	1 419	1 926	1 677	1 677
PRICE B	-	-	-	-
PRICE C	-	-	-	-
CASAMBI	+ 65	+ 65	+ 65	+ 65

**IMPORTANT:**

IT IS RECOMMENDED FOR MAINTENANCE REASONS TO USE FOR BONBORI OUTDOOR TRIPLEX OPAL OR OPALINE GLASS DUE TO OUTDOOR INFLUENCES.  
 BONBORI OUTDOOR IS ENGINEERED AS A POST LIGHT INTENDED FOR DIRECT WIRING USING TERMINAL CONNECTORS. THE LIGHT IS NOT FITTED WITH A POWER CABLE WITH PLUG AND THEREFORE CANNOT BE PLUGGED INTO A POWER OUTLET. THUS BONBORI OUTDOOR CAN ONLY BE USED IN EXTERIOR SETTINGS AND NOT IN THE INTERIOR. FOR USE INDOORS, THERE IS THE STANDARD BONBORI LIGHT.  
 BONBORI WALL UP AND BONBORI WALL DOWN ARE STRUCTURALLY DIFFERENT LIGHTS AND THUS CANNOT BE INSTALLED BOTH WAYS. FOR EXAMPLE, BONBORI WALL UP MUST BE INSTALLED WITH THE METAL FIXTURE FACING UPWARDS; IT IS THE ONLY WAY THIS LIGHT CAN BE INSTALLED.

**TECHNICAL DETAILS:****GLASS COLOUR**

smoke grey - transparent glass (CGC516)  
 smoke brown - transparent glass (CGC538)  
 opaline - transparent glass (CGC38)  
 triplex opal (CGC39)

**GLASS SURFACE**

glossy surface (CGSU66)

**BODY FINISH**

metal - black matte powder coating (CCS846)  
 copper metallic (CCS2748)  
 grey metallic (CCS2749)

**RECOMMENDED BULBS**

230V, E27, 11W, 2700K, 1250lm, RA90, 360°, DIM  
 (CEBEU2750)

**DIMMABLE VERSION**

TRIAC - STANDARD OPTION (CEDV2865)  
 CASAMBI CBU-TED (CEDV2855)

**SOCKET**

E27

**BACK TO INDEX****Download:**

WWW

MORE INFO.

PHOTOS

INSTALLATION MANUAL

DATASHEETS

3DS

DWG

SKETCH UP

LDT



IP44



FAQ






## SFERA PORTABLE

BATTERY-POWERED

Lucie Koldova / 2021

BROKIS EUR

SRP (Suggested Retail Price) VAT Excl.

DOWNLOAD  
SHARE

PC	PC1271	PC1273
NAME	PORTABLE SMALL	PORTABLE LARGE
PRICE A	964	1 519
PRICE B	-	-
PRICE C	-	-

**IMPORTANT:**

WITH REGARD FOR THE DESIGN OF THE LIGHT, THE COMBINATION OF GLASS AND GLASS FINISH IS PRECISELY SPECIFIED. THE TRIPLEX OPAL GLASS (WHITE) ALWAYS HAS A MATTE FINISH, WHILE THE SMOKE GREY GLASS AND SMOKE BROWN GLASS ALWAYS HAVE A GLOSS FINISH.  
 SFERA PORTABLE IS FITTED WITH A USB CHARGING CABLE.  
 THE LIGHT CAN ALSO BE CHARGED WIRELESSLY VIA AN INDUCTION SYSTEM, WHICH IS SOLD SEPARATELY.  
 THE LIGHT CAN BE TOUCH DIMMED TO 3 INTENSITY LEVELS.

**TECHNICAL DETAILS:****GLASS COLOUR**

smoke grey - transparent glass (CGC516)  
 smoke brown - transparent glass (CGC538)  
 triplex opal (CGC39)

**GLASS SURFACE**

glossy surface (CGSU66)  
 acid-etched both side surface (CGSU881)

**BODY FINISH**

brushed stainless steel (CCS68)  
 metal - black matte powder coating (CCS846)

**BASE FINISH**

high performance concrete - natural (CSFB2840)  
 high performance concrete - terracotta (CSFB2842)

**CABLE COLOUR**

black charging cable USB 2/USB-C, 5V (CECL2837)

**LED SOURCE**

12V, LED, 2.8W, 2700K, 310lm, RA80+, DIM (LEDS2870)  
 12V, LED, 4W, 2700K, 696lm, RA80+, DIM (LEDS2845)

**VOLTAGE/FREQUENCY**

5V/max.2A USB-C, Max.5.9W-LED (PC1271)  
 5V/max.2A USB-C, Max.2.8W-LED (PC1273)

**BACK TO INDEX****Download:**

WWW

MORE INFO.

PHOTOS

INSTALLATION MANUAL

DATASHEETS

3DS

DWG

SKETCH UP

LDT



IP44 FAQ




## GEOMETRIC LIGHT

INTERIOR


Boris Klimek, Lenka Damova / 2020, 2021

BROKIS EUR

SRP (Suggested Retail Price) VAT Excl.

DOWNLOAD  
SHARE

PC	PC1140	PC1141	PC1142	PC1143	PC1144	PC1145
NAME	CIRCLE FULL	CIRCLE 1/2 TOP	CIRCLE 1/2 BOTTOM	oval full bottom	oval 2/3 top	oval 1/3 bottom
PRICE A	4 099	3 121	3 121	4 668	4 075	3 428
SURCHARGES (NET)						
EXTRA CABLE UP TO 5M	+ 48	+ 48	+ 48	+ 48	+ 48	+ 48
DIM	+ 45	+ 45	+ 45	+ 45	+ 45	+ 45
DIM (TW)	+ 65	+ 65	+ 65	+ 65	+ 65	+ 65



PC	PC1146	PC1147	PC1150	PC1270
NAME	oval full top	oval 1/3 top	oval 2/3 bottom	table
PRICE A	4 668	3 428	4 075	2 076
SURCHARGES (NET)				
EXTRA CABLE UP TO 5M	+ 48	+ 48	+ 48	-
DIM	+ 45	+ 45	+ 45	-
DIM (TW)	+ 65	+ 65	+ 65	+ 65

**IMPORTANT:**

THE PRICE OF THE LIGHT APPLIES TO THE NON-DIMMABLE VERSION. FOR THE DIMMABLE VERSIONS DIM OR DIM (TW) TUNABLE WHITE, A SURCHARGE WILL APPLY. TUNABLE WHITE IS AVAILABLE IN SELECTED COLLECTIONS ONLY.

THE COLLECTION IS AVAILABLE WITH TUNABLE WHITE, WHICH ALLOWS THE USER TO ADJUST THE COLOUR TEMPERATURE OF THE LIGHT SOURCE. THIS SOLUTION BEARS THE DESIGNATION DIM (TW). IT IS POSSIBLE TO COMBINE DIFFERENT COLOURS OF BROKISGLASS FOR INDIVIDUAL GLASS PARTS (TOP AND BOTTOM).

**TECHNICAL DETAILS:****TOP BROKISGLASS COLOUR**

triplex opal BROKISGLASS (CGC2676)  
smoke grey BROKISGLASS (CGC2677)  
smoke brown BROKISGLASS (CGC2720)  
yellow - triplex opal BROKISGLASS (CGC2722)  
light pink - triplex opal BROKISGLASS (CGC2723)  
orange - triplex opal BROKISGLASS (CGC2724)  
red - triplex opal BROKISGLASS (CGC2725)  
light blue - triplex opal BROKISGLASS (CGC2726)  
turquoise - triplex opal BROKISGLASS (CGC2727)  
dark green - triplex opal BROKISGLASS (CGC2804)  
green apple - triplex opal BROKISGLASS (CGC2728)  
amber - triplex opal BROKISGLASS (CGC2730)  
cognac - triplex opal BROKISGLASS (CGC2731)  
grey - triplex opal BROKISGLASS (CGC2747)

**BOTTOM BROKISGLASS COLOUR**

triplex opal BROKISGLASS (CGGB2768)  
smoke grey - BROKISGLASS (CGGB2799)  
smoke brown BROKISGLASS (CGGB2792)  
yellow - triplex opal BROKISGLASS (CGGB2797)  
light pink - triplex opal BROKISGLASS (CGGB2796)  
orange - triplex opal BROKISGLASS (CGGB2798)  
red - triplex opal BROKISGLASS (CGGB2793)  
light blue - triplex opal BROKISGLASS (CGGB2795)  
turquoise - triplex opal BROKISGLASS (CGGB2794)  
dark green - triplex opal BROKISGLASS (CGGB2805)  
green apple - triplex opal BROKISGLASS (CGGB2803)

amber - triplex opal BROKISGLASS (CGGB2800)  
cognac - triplex opal BROKISGLASS (CGGB2802)  
grey - triplex opal BROKISGLASS (CGGB2770)

**GLASS SURFACE**  
glossy finish (front face) (CGSU2736)  
acid-etched finish (front face) (CGSU2737)

**BODY FINISH**  
metal - black matte powder coating with structure (CCS2673)

**CANOPY FINISH**  
metal - black matte powder coating with structure (CCSC2674)

**CABLE COLOUR**  
textile cable - black (CECL519)

**LED SOURCE**  
24V, LED, 40W, 2700K, 4600lm, RA90+, DIM (LEDS2778)  
(PC1140, PC1270)  
DIM (TW), 24V, LED, 40W, 2700K-6500K, RA90+ (LEDS2966)  
(PC1140, PC1270)  
24V, LED, 20W, 2700K, 2300lm, RA90+, DIM (LEDS2781)  
(PC1141, PC1142, PC1145, PC1147)  
DIM (TW), 24V, LED, 20W, 2700K-6500K, RA90+ (LEDS2967)

(PC1141, PC1142, PC1145, PC1147)  
24V, LED, 50W, 2700K, 7900lm, RA90+, DIM (LEDS2787)  
(PC1143, PC1146)  
DIM (TW), 24V, LED, 50W, 2700K-6500K, RA90+ (LEDS2968)  
(PC1143, PC1146)  
24V, LED, 30W, 2700K, 5600lm, RA90+, DIM (LEDS2784)  
(PC1144, PC1150)  
DIM (TW), 24V, LED, 30W, 2700K-6500K, RA90+ (LEDS2969)  
(PC1144, PC1150)

**DIMMABLE VERSION**  
DIM RF system - remote control version (CEDV1461)  
DIM PWM signal (CEDV1459)  
DIM 1-10V (CEDV1460)  
DIM DALI version (CEDV1458)  
DIM CASAMBI CBU-PWM4 (CEDV2854)  
DIM (TW) CASAMBI CBU-PWM4 (CEDV2942)  
DIM (TW) DALI version (CEDV2944)  
touch dimming (CEDV2871)

**VOLTAGE/FREQUENCY**  
120-240VAC, 50/60Hz, 70W LED (PC1143, PC1146)  
120-240VAC, 50/60Hz, 50W LED (PC1144, PC1150)  
120-240VAC, 50/60Hz, 40W LED (PC1140, PC1270)  
120-240VAC, 50/60Hz, 20W LED (PC1141, PC1142, PC1145, PC1147)

**BACK TO INDEX****Download:**

WWW

MORE INFO.

PHOTOS

INSTALLATION MANUAL

DATASHEETS


3DS

DWG


SKETCH UP

LDT



DOWNLOAD  
SHARE

PC	PC1234	PC1235	PC1236	PC1237	PC1238	PC1239
NAME	1	2	3	4	5	6
PRICE A	1 447	2 264	3 036	3 866	5 195	6 259
PRICE B	-	-	-	-	-	-
PRICE C	-	-	-	-	-	-
SURCHARGES (NET)						
DIM	+ 45	+ 45	+ 45	+ 45	+ 45	+ 45
DIM (TW)	+ 65	+ 65	+ 65	+ 65	+ 65	+ 65



PC	PC1240	PC1241	PC1242	PC1243	PC1244	PC1245
NAME	7	8	9	10	11	12
PRICE A	7 400	8 622	10 387	11 786	13 265	14 824
PRICE B	-	-	-	-	-	-
PRICE C	-	-	-	-	-	-
SURCHARGES (NET)						
DIM	+ 45	+ 45	+ 45	+ 45	+ 45	+ 45
DIM (TW)	+ 65	+ 65	+ 65	+ 65	+ 65	+ 65

**IMPORTANT:**

THE PRICE OF THE LIGHT APPLIES TO THE NON-DIMMABLE VERSION. FOR THE DIMMABLE VERSIONS DIM OR DIM (TW) TUNABLE WHITE, A SURCHARGE WILL APPLY. TUNABLE WHITE IS AVAILABLE IN SELECTED COLLECTIONS ONLY.

THE COLLECTION IS AVAILABLE WITH TUNABLE WHITE, WHICH ALLOWS THE USER TO ADJUST THE COLOUR TEMPERATURE OF THE LIGHT SOURCE. THIS SOLUTION BEARS THE DESIGNATION DIM (TW).

IT IS POSSIBLE TO COMBINE DIFFERENT TYPES OF GLASS SHADES ACCORDING TO THE CLIENT'S REQUIREMENT. THE SHAPES OF THE SHADES AND THE LENGTHS IN THE PICTOGRAMS ARE ONLY ILLUSTRATIVE. PLEASE USE THE CONFIGURATOR.

**TECHNICAL DETAILS:**

**GLASS COLOUR**  
smoke grey - transparent glass (CGC516)  
triplex opal (CGC39)

(CCSC2810)

DIM CASAMBI CBU-PWM4 (CEDV2854)  
DIM (TW) CASAMBI CBU-PWM4 (CEDV2942)  
DIM (TW) DALI version (CEDV2944)

**GLASS SURFACE**  
acid-etched both side surface (CGSU881)

**CABLE COLOUR**

textile cable - black (CECL519)  
textile cable - white (CECL521)

**VOLTAGE/FREQUENCY**

100-260VAC, 50-60Hz, 87.5W LED (PC1240)

**BODY FINISH**  
metal - black matte powder coating with structure (CCS2673)  
metal - white matte powder coating with structure (CCS2809)

**LED SOURCE**

DIM, 24V, LED, 19.7W, 2700K, 2147lm, RA90+ (LEDS2868)  
DIM (TW), 24V, LED, 19.7W, 2700K-6500K, 2147lm-2304lm, RA90+ (LEDS2946)

100-260VAC, 50-60Hz, 75W LED (PC1239)

**CANOPY FINISH**  
metal - black matte powder coating with structure (CCSC2674)  
metal - white matte powder coating with structure (CCSC2674)

**DIMMABLE VERSION**


non-dimmable version (CEDV1457)  
DIM RF system - remote control version (CEDV1461)  
DIM 1-10V (CEDV1460)  
DIM DALI version (CEDV1458)  
DIM AC phase-cut (CEDV1730)

100-260VAC, 50-60Hz, 62.5W LED (PC1238)


**Download:**

Click this image to configure light.



CAPSULE



CONE




SPHERE


[BACK TO INDEX](#)
[Download:](#)

## DOME NOMAD

BATTERY-POWERED

LCM MARIN design studio / 2021

BROKIS EUR  
SRP (Suggested Retail Price) VAT Excl.DOWNLOAD  
SHARE

PC	PC1265	PC1266	PC1287	PC1288
NAME	SMALL	LARGE	LINES SMALL	LINES LARGE
PRICE A	<b>1 894</b>	<b>2 014</b>	<b>1 964</b>	<b>2 118</b>
PRICE B	-	-	-	-
PRICE C	-	-	-	-

**IMPORTANT:**

DOME NOMAD IS FITTED WITH A USB CHARGING CABLE.  
THE LAMP IS EQUIPPED WITH A TOUCH DIMMER.

**TECHNICAL DETAILS:****GLASS COLOUR**

transparent glass (CGC23)  
smoke grey - transparent glass (CGC516)  
smoke brown - transparent glass (CGC538)  
opaline - transparent glass (CGC38)  
triplex opal (CGC39)

**BODY FINISH**

copper (CCS584)  
brass (CCS69)  
metal - black matte powder coating with structure (CCS2673)  
brushed stainless steel (CCS68)

**LED SOURCE**

240mA, LED, 4W, 2700K, 950lm, RA80+, DIM (LEDS2836)

**GLASS SURFACE**

glossy surface (CGSU66)

**CABLE COLOUR**

black charging cable USB 2/Mag, 5V (CECL2838)

**VOLTAGE/FREQUENCY**

USB 5V, 1,4A, IP44; 4W LED

**BACK TO INDEX****Download:**

WWW

MORE INFO.

PHOTOS

INSTALLATION MANUAL

DATASHEETS

3DS

DWG

SKETCH UP

LDT




IP44



FAQ




[DOWNLOAD](#)  
[SHARE](#)


PC	PC1289	PC1290	PC1291
NAME	150	300	500
PRICE A	681	982	1 845
PRICE B	-	-	-
PRICE C	-	-	-
SURCHARGES (NET)			
EXTRA CABLE UP TO 5M	+ 30	+ 30	+ 30
TRIMLESS	+ 100	+ 100	-
DIM	+ 45	+ 45	+ 45
DIM (TW)	+ 65	+ 65	+ 65

**IMPORTANT:**

THE PRICE OF THE LIGHT APPLIES TO THE NON-DIMMABLE VERSION. FOR THE DIMMABLE VERSIONS DIM OR DIM (TW) TUNABLE WHITE, A SURCHARGE WILL APPLY. TUNABLE WHITE IS AVAILABLE IN SELECTED COLLECTIONS ONLY.

THE COLLECTION IS AVAILABLE WITH TUNABLE WHITE, WHICH ALLOWS THE USER TO ADJUST THE COLOUR TEMPERATURE OF THE LIGHT SOURCE. THIS SOLUTION BEARS THE DESIGNATION DIM (TW).

WITH REGARD TO THE DESIGN OF THE LIGHT, THE COMBINATIONS OF GLASS, METAL COMPONENTS, AND CABLE ARE STRICTLY PREDEFINED. FOR INSTANCE, LIGHT PINK-TRANSPARENT GLASS IS COMBINED WITH METAL COMPONENTS IN MATTE PINK POWDER COAT AND A LIGHT GREY CABLE. THESE DEFINED COMBINATIONS ARE LISTED UNDER THE ORBIS COLLECTION IN THE PRIVATE SECTION OF MY BROKIS.

FOR PROPER BALANCING, ORBIS 500 IS SUPPORTED WITH THREE WIRE ROPES ANCHORED IN THE CEILING CANOPY. THESE THREE WIRE ROPES FUNCTIONALLY SUBSTITUTE TRIMLESS SOLUTION AND THEREFORE THERE IS NO NEED TO PURCHASE TRIMLESS FOR ORBIS 500.

**TECHNICAL DETAILS:****GLASS COLOUR**

smoke grey - transparent glass (CGC516)  
 transparent glass (CGC23)  
 light pink - transparent glass (CGC46)  
 amber - transparent glass (CGC515)  
 light smoke brown - transparent glass (CGC2889)

**GLASS SURFACE**

glossy surface (CGSU66)

**BODY FINISH**

metal - black matte powder coating (CCS846)  
 metal - grey-beige matte powder coat (CCS2910)  
 metal - pink matte powder coating (CCS2891)  
 metal - okra matte powder coating (CCS2893)  
 metal - khaki matte powder coating (CCS2895)

**CANOPY**

metal - black matte powder coating (CCSC619)  
 metal - grey-beige matte powder coat (CCSC2909)  
 metal - pink matte powder coating (CCSC2890)

metal - okra matte powder coating (CCSC2892)  
 metal - khaki matte powder coating (CCSC2894)

Trimless - cable version - white structure (CCSC2903)  
 Trimless - cable version - black structure (CCSC2904)

**CONNECTION METHOD**

BROKIS connector 24V (CCM1019)

**CABLE COLOUR**

textile cable - black (CECL519)  
 textile cable - light grey (CECL1918)

**LED SOURCE**

DIM, 24V, LED, 4.6W, 2700K, 538lm, RA90+ (LEDS2866)  
 (PC1289)  
 DIM (TW), 24V, LED, 4.6W, 2700K-6500K, 538lm-577lm, RA90+  
 (LEDS2941) (PC1289)  
 DIM, 24V, LED, 8.2W, 2700K, 949lm, RA90+ (LEDS2867)  
 (PC1290)  
 DIM (TW), 24V, LED, 8.2W, 2700K-6500K, 949lm-1019lm,  
 RA90+ (LEDS2945) (PC1290)

DIM, 24V, LED, 19.7W, 2700K, 2147lm, RA90+ (LEDS2868)  
 (PC1291)

DIM (TW), 24V, LED, 19.7W, 2700K-6500K, 2147lm-2304lm,  
 RA90+ (LEDS2946) (PC1291)


**DIMMABLE VERSION**

non-dimmable version (CEDV1457)  
 DIM RF system - remote control version (CEDV1461)  
 DIM PWM signal (CEDV1459)  
 DIM 1-10V (CEDV1460)  
 DIM DALI version (CEDV1458)  
 DIM AC phase-cut (CEDV1730)  
 DIM CASAMBI CBU-PWM4 (CEDV2854)  
 DIM (TW) CASAMBI CBU-PWM4 (CEDV2942)  
 DIM (TW) DALI version (CEDV2944)

**VOLTAGE/FREQUENCY**

100-240 VAC, 50/60 Hz, 8,2W LED (PC1290)  
 100-240 VAC, 50/60 Hz, 4,6W LED (PC1289)  
 100-240 VAC, 50/60 Hz, 19,7W LED (PC1291)

**Download:**



PC	PC1293	PC1294	PC1295	PC1296	PC1297
NAME	SHORT PENDENT	MEDIUM PENDENT	LONG PENDENT	TABLE	FLOOR
PRICE A	1 791	1 738	1 855	1 650	2 695
PRICE B	-	-	-	-	-
PRICE C	-	-	-	-	-
SURCHARGES (NET)					
EXTRA CABLE UP TO 5M	+ 36	+ 36	+ 36	-	-
DIM	+ 45	+ 45	+ 45	-	-
DIM (TW)	+ 65	+ 65	+ 65	-	-

**IMPORTANT:**

THE PRICE OF THE LIGHT APPLIES TO THE NON-DIMMABLE VERSION. FOR THE DIMMABLE VERSIONS DIM OR DIM (TW) TUNABLE WHITE, A SURCHARGE WILL APPLY. TUNABLE WHITE IS AVAILABLE IN SELECTED COLLECTIONS ONLY.

THE COLLECTION IS AVAILABLE WITH TUNABLE WHITE, WHICH ALLOWS THE USER TO ADJUST THE COLOUR TEMPERATURE OF THE LIGHT SOURCE. THIS SOLUTION BEARS THE DESIGNATION DIM (TW). TUNABLE WHITE IS NOT AVAILABLE FOR DOUBLE FLOOR.

**TECHNICAL DETAILS:****GLASS COLOUR**

transparent glass (CGC23)  
smoke grey - transparent glass (CGC516)  
smoke brown - transparent glass (CGC538)  
opaline - transparent glass (CGC38)  
triplex opal (CGC39)

**GLASS SURFACE**

glossy surface (CGSU66)

**BODY FINISH**

metal - black matte powder coating with structure (CCS2673)

**DIMMER CASE**

black matte powder coating with structure (DC2939) (PC1296, PC1297)

**CANOPY**

metal - black matte powder coating with structure (CCSC2674)

**CABLE COLOUR**

textile cable - black (CECL519)

**LED SOURCE**

DIM, 24V, LED, 9.4W, 2700K, 1064lm, RA90+ (LEDS2869) (PC1293, PC1294, PC1295, PC1296, PC1297)  
DIM (TW), 24V, LED, 9.4W, 2700K-6500K, 1064lm-1141lm, RA90+ (LEDS2940) (PC1293, PC1294, PC1295, PC1296)

**DIMMABLE VERSION**

non-dimmable version (CEDV1457) (PC1293, PC1294, PC1295)  
DIM RF system - remote control version (CEDV1461) (PC1293, PC1294, PC1295)

DIM PWM signal (CEDV1459) (PC1293, PC1294, PC1295)

DIM 1-10V (CEDV1460) (PC1293, PC1294, PC1295)

DIM DALI version (CEDV1458) (PC1293, PC1294, PC1295)

DIM AC phase-cut (CEDV1730) (PC1293, PC1294, PC1295)

DIM CASAMBI CBU-PWM4 (CEDV2854) (PC1293, PC1294, PC1295)

DIM (TW) CASAMBI CBU-PWM4 (CEDV2942) (PC1293, PC1294, PC1295)


DIM (TW) DALI version (CEDV2944) (PC1293, PC1294, PC1295)

**VOLTAGE/FREQUENCY**

100-240 VAC, 50/60 Hz, 9,4W LED (PC1293, PC1294, PC1295, PC1296)

100-240 VAC, 50/60 Hz, 11W LED (PC1297)

**Download:**

DOWNLOAD  
SHARE

PC	PC1299	PC1305	PC1300	PC1302	PC1298	PC1306
NAME	TABLE S	TABLE M	WALL M	WALL L DOUBLE	PENDANT L	PENDANT L DOUBLE
PRICE A	1 080	1 130	1 611	3 195	2 130	2 995
PRICE B	-	-	-	-	-	-
PRICE C	-	-	-	-	-	-
SURCHARGES (NET)						
EXTRA CABLE UP TO 5M	-	-	-	-	+ 48	+ 48

**IMPORTANT:**

WITH REGARD TO THE DESIGN OF THE LIGHT, THE COMBINATIONS OF CONCRETE FIXTURE AND CABLE ARE STRICTLY PREDEFINED. THE WHITE FIXTURE IS ALWAYS COMBINED WITH A WHITE CABLE, THE NATURAL FIXTURE WITH A LIGHT GREY CABLE, AND THE ANTHRACITE FIXTURE WITH A DARK GREY CABLE.

**TECHNICAL DETAILS:****GLASS COLOUR**

transparent glass (CGC23)  
smoke grey - transparent glass (CGC516)  
amber - transparent glass (CGC515)

**GLASS SURFACE**

glossy surface (CGSU66)  
acid-etched outside surface (CGSU67)

**BASE FINISH**

High-performance concrete with glass fragments – white (CSFB2879)  
High-performance concrete with glass fragments – natural (CSFB2880)

High-performance concrete with glass fragments – anthracite (CSFB2881)

textile cable - dark grey (CECL520)

**CANOPY FINISH**

High-performance concrete with glass fragments – white (CCSC2882)  
High-performance concrete with glass fragments – natural (CCSC2883)  
High-performance concrete with glass fragments – anthracite (CCSC2884)

**RECOMMENDED BULBS**

1000 mm, 230V, LED, 8W, 2700K, 700 lm, RA90, DIM (CEB2900)  
300 mm, 230V, LED, 6.2W, 2700K, 460 lm, RA90, DIM (CEB2898)  
500 mm, 230V, LED, 6.2W, 2700K, 460 lm, RA90, DIM (CEB2899)

**CABLE COLOUR**

textile cable - white (CECL521)  
textile cable - light grey (CECL1918)

**SOCKET**  
S14d

**BACK TO INDEX****Download:**

WWW

MORE INFO.

PHOTOS

INSTALLATION MANUAL

DATASHEETS

3DS

DWG

SKETCH UP

LDT




IP20




FAQ



DOWNLOAD  
SHARE

PC	PC1311	PC1312	PC1313	PC1314	PC1318	PC1315
NAME	PENDENT SINGLE SMALL 350	PENDENT SINGLE SMALL 700	PENDENT SINGLE LARGE 500	PENDENT DOUBLE SMALL 700	PENDENT DOUBLE SMALL 1000	PENDENT DOUBLE LARGE 1000
PRICE A	2 861	3 122	3 095	3 539	3 539	4 112
PRICE B	-	-	-	-	-	-
PRICE C	-	-	-	-	-	-
SURCHARGES (NET)						
EXTRA CABLE UP TO 5M	+ 48	+ 48	+ 48	+ 48	+ 48	+ 48
DIM	+ 45	+ 45	+ 45	+ 45	+ 45	+ 45



PC	PC1316	PC1317
NAME	FLOOR SMALL 600	FLOOR LARGE 800
PRICE A	2 963	3 143
PRICE B	-	-
PRICE C	-	-

**IMPORTANT:**

THE PRICE OF THE LIGHT APPLIES TO THE NON-DIMMABLE VERSION. FOR THE DIMMABLE VERSIONS DIM OR DIM (TW) TUNABLE WHITE, A SURCHARGE WILL APPLY. TUNABLE WHITE IS AVAILABLE IN SELECTED COLLECTIONS ONLY.

**TECHNICAL DETAILS:****GLASS COLOUR**

transparent glass (CGC23)  
smoke grey - transparent glass (CGC516)

**GLASS SURFACE**

glossy surface (CGSU66)

**BODY FINISH**

Yellow zinc lacquer (CCS2964)

Brushed steel lacquered (CCS2887)

**CANOPY**

Yellow zinc lacquer (CCSC2965)

Brushed steel lacquered (CCSC2888)

**CABLE COLOUR**

coaxial cable - silver (CECL2772) (PC1311, PC1312, PC1313, PC1314, PC1315, PC1318)  
textile cable - light grey (CECL1918) (PC1316, PC1317)

**LED SOURCE**

24V, LED, 6W, 2700K, 683lm, RA90, DIM (LEDS2901) (PC1311, PC1312, PC1313, PC1314, PC1315, PC1318)  
350mA, LED, 6.7W, 2700K, 939lm, RA90, DIM (LEDS2915) (PC1316, PC1317)


**DIMMABLE VERSION**

non-dimmable version (CEDV1457)  
DIM RF system - remote control version (CEDV1461)  
DIM PWM signal (CEDV1459)  
DIM 1-10V (CEDV1460)  
DIM DALI version (CEDV1458)  
DIM AC phase-cut (CEDV1730)  
DIM CASAMBI CBU-PWM4 (CEDV2854)

**VOLTAGE/FREQUENCY**

100-240 VAC, 50/60 Hz, 6W LED (PC1311, PC1312, PC1313)  
100-240 VAC, 50/60 Hz, 6,7 W LED (PC1316, PC1317)  
100-240 VAC, 50/60 Hz, 12W LED (PC1314, PC1315, PC1318)

**BACK TO INDEX****Download:**



  
DOWNLOAD  
SHARE

PC	PC1327	PC1328	PC1329	PC1330	PC1331	PC1332
NAME	S	M UP	M DOWN	L UP	L DOWN	XL DOUBLE
PRICE A	895	1 095	1 095	1 295	1 295	1 395
PRICE B	-	-	-	-	-	-
PRICE C	-	-	-	-	-	-
SURCHARGES (NET)						
EXTRA CABLE UP TO 5M	+ 30	+ 30	+ 30	+ 30	+ 30	+ 30
TRIMLESS	+ 100	+ 100	+ 100	+ 100	+ 100	+ 100
DIM	+ 45	+ 45	+ 45	+ 45	+ 45	+ 45
DIM (TW)	+ 65	+ 65	+ 65	+ 65	+ 65	+ 65

**IMPORTANT:**

THE PRICE OF THE LIGHT APPLIES TO THE NON-DIMMABLE VERSION. FOR THE DIMMABLE VERSIONS DIM OR DIM (TW) TUNABLE WHITE, A SURCHARGE WILL APPLY. TUNABLE WHITE IS AVAILABLE IN SELECTED COLLECTIONS ONLY.

THE COLLECTION IS AVAILABLE WITH TUNABLE WHITE, WHICH ALLOWS THE USER TO ADJUST THE COLOUR TEMPERATURE OF THE LIGHT SOURCE. THIS SOLUTION BEARS THE DESIGNATION DIM (TW).

IN ADDITION TO INDIVIDUAL LIGHTS, BAMBOO FOREST CAN ALSO BE ORDERED IN STANDARDIZED SETS, WHICH YOU CAN FIND BY CLICKING ON THE CONFIG ICON IN THE BOTTOM RIGHT CORNER OF THE PAGE. PRICING FOR THESE SETS IS AVAILABLE IN MY BROKIS.

**TECHNICAL DETAILS:****GLASS COLOUR**

light smoke grey - transparent glass (CGC2932)  
smoke brown - transparent glass (CGC538)  
opaline - transparent glass (CGC38)

**GLASS SURFACE**

glossy surface (CGSU66)

**BODY FINISH**

black anodized (CCS1948)

**CANOPY FINISH**

metal - black matte powder coating with structure (CCSC2674)

Trimless – cable version – black structure (CCSC2904)

**CONNECTION METHOD**

BROKIS connector 24V (CCM1019)

**CABLE COLOUR**

textile cable - black (CECL519)

**LED SOURCE**

DIM, 24V, LED, 6.5W, 2700K, 735lm, RA90+ (LEDS2953)  
DIM (TW), 24V, LED, 6.5W, 2700K-6500K, 735lm-789lm, RA90+ (LEDS2954)

**DIMMABLE VERSION**

non-dimmable version (CEDV1457)  
DIM RF system - remote control version (CEDV1461)  
DIM PWM signal (CEDV1459)  
DIM 1-10V (CEDV1460)  
DIM DALI version (CEDV1458)  
DIM AC phase-cut (CEDV1730)  
DIM CASAMBI CBU-PWM4 (CEDV2854)  
DIM (TW) CASAMBI CBU-PWM4 (CEDV2942)  
DIM (TW) DALI version (CEDV2944)


**VOLTAGE/FREQUENCY**

100-240 VAC, 50/60 Hz, 6,5W LED

Download:



DOWNLOAD  
SHARE



PC	PC1323	PC1324	PC1321	PC1322
NAME	TABLE S	TABLE L	PENDANT S	PENDANT L
PRICE A	1 650	1 990	1 490	1 790
PRICE B	-	-	-	-
PRICE C	-	-	-	-
SURCHARGES (NET)				
EXTRA CABLE UP TO 5M	-	-	+ 36	+ 36
DIM	-	-	+ 45	+ 45
DIM (TW)	-	-	+ 65	+ 65

#### IMPORTANT:

THE PRICE OF THE LIGHT APPLIES TO THE NON-DIMMABLE VERSION. FOR THE DIMMABLE VERSIONS DIM OR DIM (TW) TUNABLE WHITE, A SURCHARGE WILL APPLY. TUNABLE WHITE IS AVAILABLE IN SELECTED COLLECTIONS ONLY.

THE COLLECTION IS AVAILABLE WITH TUNABLE WHITE, WHICH ALLOWS THE USER TO ADJUST THE COLOUR TEMPERATURE OF THE LIGHT SOURCE. THIS SOLUTION BEARS THE DESIGNATION DIM (TW).

#### TECHNICAL DETAILS:

##### GLASS COLOUR

opaline - transparent glass (CGC38)  
pearl grey - opaline glass (CGC1916)

metal - black matte powder coating with structure (CCSC2674)

RA90+ (LEDS2948) (PC1322, PC1324)

##### GLASS SURFACE

glossy surface (CGSU66)

##### CONNECTION METHOD

BROKIS connector 24V (CCM1019) (PC1323, PC1324)

##### DIMMABLE VERSION

non-dimmable version (CEDV1457)

DIM RF system - remote control version (CEDV1461)

DIM PWM signal (CEDV1459)

DIM 1-10V (CEDV1460)

DIM DALI version (CEDV1458)

DIM AC phase-cut (CEDV1730)

DIM CASAMBI CBU-PWM4 (CEDV2854)

DIM (TW) CASAMBI CBU-PWM4 (CEDV2942)

DIM (TW) DALI version (CEDV2944)

##### BODY FINISH

silver anodized (CCS1917)  
black anodized (CCS1948)

##### CABLE COLOUR

textile cable - black (CECL519)  
textile cable - light grey (CECL1918)

##### VOLTAGE/FREQUENCY

100-240 VAC, 50/60 Hz, 12W LED (PC1322, PC1324)

##### DIMMER CASE

black anodized (DC2937) (PC1323, PC1324)  
silver anodized (DC2938) (PC1323, PC1324)

##### LED SOURCE

DIM, 24V, LED, 9.4W, 2700K, 1064lm, RA90+ (LEDS2869)

(PC1321, PC1323)

100-240 VAC, 50/60 Hz, 11W LED (PC1321, PC1323)

DIM (TW), 24V, LED, 9.4W, 2700K-6500K, 1064lm-1141lm,

RA90+ (LEDS2940) (PC1321, PC1323)

DIM, 24V, LED, 10W, 2700K, 1261lm, RA90+ (LEDS2947)

(PC1322, PC1324)

DIM (TW), 24V, LED, 10W, 2700K-6500K, 1261lm-1354lm,

##### CANOPY FINISH

metal - white matte powder coating with structure (CCSC2810)

BACK TO INDEX

Download:

WWW

MORE INFO.

PHOTOS

INSTALLATION MANUAL

DATASHEETS

3DS

DWG


SKETCH UP

LDT



IP20





PC	PC1326
NAME	ELO
PRICE A	<b>9 990</b>
PRICE B	-
PRICE C	-
SURCHARGES (NET)	
EXTRA CABLE UP TO 5M	+ 48
DIM	+ 45
DIM (TW)	+ 65

**IMPORTANT:**

THE PRICE OF THE LIGHT APPLIES TO THE NON-DIMMABLE VERSION. FOR THE DIMMABLE VERSIONS DIM OR DIM (TW) TUNABLE WHITE, A SURCHARGE WILL APPLY. TUNABLE WHITE IS AVAILABLE IN SELECTED COLLECTIONS ONLY.  
 THE COLLECTION IS AVAILABLE WITH TUNABLE WHITE, WHICH ALLOWS THE USER TO ADJUST THE COLOUR TEMPERATURE OF THE LIGHT SOURCE. THIS SOLUTION BEARS THE DESIGNATION DIM (TW).  
 ELO COMPRISSES THREE ARMS, THE OUTER TWO OF WHICH CAN BE POSITIONED TO CREATE IMPRESSIVE LIGHTING COMPOSITIONS.

**TECHNICAL DETAILS:****GLASS COLOUR**

triplex opal BROKISGLASS (CGC2676)  
 smoke grey BROKISGLASS (CGC2677)

**GLASS SURFACE**

glossy finish (front face) (CGSU2736)  
 acid-etched finish (front face) (CGSU2737)

**BODY FINISH**

metal - black matte powder coating with structure (CCS2673)  
 sandblasted aluminium transparent powder coating (CCS2935)

**CANOPY FINISH**

metal - black matte powder coating with structure (CCSC2674)  
 sandblasted aluminium transparent powder coating (CCSC2934)

**DIMMABLE VERSION**

non-dimmable version (CEDV1457)  
 DIM 1-10V (CEDV1460)  
 DIM DALI version (CEDV1458)  
 DIM (TW) DALI version (CEDV2944)

**CABLE COLOUR**

textile cable - black (CECL519)  
 textile cable - light grey (CECL1918)

**VOLTAGE/FREQUENCY**


100-240 VAC, 50/60Hz, 140W LED

**LED SOURCE**


DIM, 24V, LED, 140W, 2700K, lm, RA90+ (LEDS2955)  
 DIM (TW), 24V, LED, 140W, 2700K-6500K, RA90+ (LEDS2957)

**Download:****BACK TO INDEX**

## PENDENT LIGHTS CABLE LENGTHS AND SURCHARGES



ILLUSTRATIVE IMAGE



ILLUSTRATIVE IMAGE

A standard length of electrical cable or steel wire is included in the price of the pendant. The standard length is depicted as H1. Hc length is an additional length added to the standard length. H1 and Hc lengths for specific pendant lights can be found at [www.mybrokis.cz](http://www.mybrokis.cz). The extra charge for cable length up to 5m is shown in the following table. The price for extra length is net and is added to the price of the light after discount. Lengths over 5m must be consulted and priced individually by BROKIS.

FAMILY	PC	STANDARD LENGTH IN CM (H1)	EXTRA CABLE UP TO 5M (NET)
MUFFINS	PC986, PC865, PC851	200	36
SHADOWS	PC894, PC895, PC896, PC897	200	30
SHADOWS	PC891, PC929, PC931	200	120
SHADOWS	PC921	200	240
SHADOWS XL	PC911, PC939, PC940, PC976	200	30
SHADOWS XL	PC1000	200	120
SHADOWS EXTERIOR	PC1160, PC1161, PC1162, PC1163	200	30
CAPSULA	PC937	200	48
CAPSULA	PC943	200	144
CAPSULA	PC966	200	240
WHISTLE	PC952, PC953	200	30
WHISTLE	PC961	200	84
FLUTES	PC956, PC977, PC978	200	30
NIGHT BIRDS	PC962, PC963, PC964	200	30
NIGHT BIRDS EXTERIOR	PC1111, PC1112, PC1113	200	30
PURO SOLO	PC1155, PC1122, PC1123, PC1124	200	30
PURO SOLO	PC1156, PC1125, PC1126, PC1127	200	60
PURO SINGLE	PC1157, PC1013, PC1014, PC1015, PC1121	200	30
PURO SINGLE	PC1158, PC1010, PC1011, PC1012	200	60
PURO ECLECTIC	PC1114, PC1115	200	108
PURO CONTOUR	PC1133, PC1118	200	108
PURO CONTOUR	PC1057, PC1073	200	144
PURO CONTOUR	PC1135, PC1119	200	180
PURO CONTOUR	PC1137, PC1120	200	216

BACK TO INDEX

## CONTACT:

## PENDENT LIGHTS CABLE LENGTHS AND SURCHARGES


FAMILY	PC	STANDARD LENGTH IN CM (H1)	EXTRA CABLE UP TO 5M (NET)
PURO CONTOUR	PC1137, PC1120	200	216
PURO SPARKLE	PC1053, PC1054, PC1055	200	300
JACK O'LANTERN SMALL	PC1101, PC1103, PC1104	200	36
JACK O'LANTERN LARGE	PC1082	200	36
BIG ONE	PC1335, PC1336	200	48
IVY VERTICAL	PC1059, PC1060, PC1061, PC1062, PC1063, PC1064	200	48
IVY HORIZONTAL	PC1065, PC1066, PC1067, PC1068, PC1069, PC1070	200	48
IVY SINGLE	PC1215, PC1216, PC1217	200	30
AWA	PC1129, PC1130	200	30
SFERA	PC1168, PC1285, PC1286, PC1246, PC1247, PC1169, PC1170, PC1171, PC1172, PC1284	200	30
GEOMETRIC LIGHT	PC1140, PC1141, PC1142, PC1143, PC1144, PC1145, PC1146, PC1147, PC1150	200	48
ORBIS	PC1289, PC1290, PC1291	200	30
DOUBLE	PC1293, PC1294, PC1295	200	36
OVERLAY	PC1298, PC1306	200	48
PRISMA	PC1311, PC1312, PC1313, PC1314, PC1318, PC1315	200	48
BAMBOO FOREST	PC1327, PC1328, PC1329, PC1330, PC1331, PC1332	200	30
TROTTOLA	PC1321, PC1322	200	36
ELO	PC1326	200	48

[BACK TO INDEX](#)

## CONTACT:

tel.: +420 567 211 517  
email: info@brokis.czBROKIS  
Španielova 1315/25, Praha 6, 163 00  
Czech RepublicID: 64940799  
VAT: CZ64940799[www.brokis.cz](#)


## PENDENT LIGHTS CABLE LENGTHS AND SURCHARGES



ILLUSTRATIVE IMAGE

A standard length of leather strap is included in the price of the pendant. The standard length is depicted as H1. Hc length is an additional length added to the standard length. H1 and Hc lengths for specific pendant lights can be found at [www.mybrokis.cz](http://www.mybrokis.cz). The extra charge for 1m of strap is shown in the following table. The price for extra length is net and is added to the price of the light after discount. Lengths over 5m must be consulted and priced individually by BROKIS.

FAMILY	PC	STANDARD LENGTH IN CM (H1)	STRAPS FOR 1M EXTRA (NET)
MONA MEDIUM	PC979 - MEDIUM PENDENT	200	83
MONA LARGE	PC938 - LARGE PENDENT	200	94
MONA XL	PC1030 - XL PENDENT	200	108



ILLUSTRATIVE IMAGE

A standard length of rope is included in the price of the pendant. The standard length is depicted as H1. Hc length is an additional length added to the standard length. H1 and Hc lengths for specific pendant lights can be found at [www.mybrokis.cz](http://www.mybrokis.cz). The extra charge for 1m of rope is shown in the following table. The price for extra length is net and is added to the price of the light after discount. Lengths over 5m must be consulted and priced individually by BROKIS.

FAMILY	PC	STANDARD LENGTH IN CM (H1)	ROPE FOR 1M EXTRA (NET)
KNOT SMALL	PC1035 - SMALL SFERA	264	72
KNOT SMALL	PC1037 - SMALL DISCO	279,5	72
KNOT SMALL	PC1036 - SMALL UOVO	265	72
KNOT SMALL	PC1034 - SMALL CILINDRO	266	72
KNOT	PC1016 - SFERA	245	90
KNOT	PC1017 - DISCO	270,5	90
KNOT	PC1018 - UOVO	246	90
KNOT	PC1019 - CILINDRO	248	90

[BACK TO INDEX](#)

CONTACT:

tel.: +420 567 211 517  
email: [info@brokis.cz](mailto:info@brokis.cz)

BROKIS  
Španielova 1315/25, Praha 6, 163 00  
Czech Republic

ID: 64940799  
VAT: CZ64940799

[www.brokis.cz](http://www.brokis.cz)

**MAINTENANCE****CLEANING BROKIS LIGHTS**

As with all products, BROKIS lights require periodic cleaning. Dust, grease, and film affect the visual quality of any item made of glass.

It is in the interest of the user to maintain the singular appearance of the lights.

This can only be achieved through regular cleaning. When neglected, the cleaning process becomes unnecessarily time consuming. The cleaning interval depends on the environment the lights are installed in and is primarily influenced by humidity levels, temperature stability, and the amount of dust in the air.

BROKIS applies the highest possible quality standards in manufacturing its lights.

Prior to shipping, each light undergoes several quality controls and stages of cleaning. Lights may require additional cleaning as a result of transportation, storage, and the amount of time that passes between packing and subsequent unpacking by the client. Therefore, we recommend cleaning the lights prior to installation.

**RECOMMENDED CLEANING METHODS**

When cleaning lights from any of our collections, we recommend first disassembling them according to the instructions in the installation manual and then securing the glass components against mechanical damage.

The glass must first be rinsed in hot water and a dilution of dish detergent to remove all foreign particles and dust. Repeat this process if necessary. The glass must then be cleaned a second time using hot water and a dilution of degreaser (such as ammonia or vinegar) and thoroughly rinsed under running hot water. Repeat this process if necessary. Next, dry the glass thoroughly with a paper or a soft cotton towel. Only reassemble the light once the glass has cooled completely.

Do not use mineral spirits, highly concentrated thinners, or other substances not intended for use on glass surfaces. Do not use products containing silicone, since they quickly attract more dust and grease.

**cleaning information and  
unpacking the box**



**BACK TO INDEX**

**CONTACT:**

tel.: +420 567 211 517  
email: info@brokis.cz

BROKIS  
Španielova 1315/25, Praha 6, 163 00  
Czech Republic

ID: 64940799  
VAT: CZ64940799

[www.brokis.cz](http://www.brokis.cz)

## PRICE LIST

BROKIS EUR  
SRP (Suggested Retail Price) VAT Excl.BROKIS  
WEBSITEMY  
BROKISVIRTUAL  
PROJECTSPROMO  
VIDEOBROKIS  
PROJECTS

PR KIT

BROKIS  
CATALOGUESTECHNICAL INFORMATION  
ABOUT PRODUCTScleaning information  
and unpacking the boxtechnical  
informationproduct  
registration

## SOCIAL MEDIA



BROKISGLASS

ARCHI  
TONIC

archiproducts



archilovers



CM16718

BACK TO INDEX

CONTACT:

tel.: +420 567 211 517  
email: info@brokis.czBROKIS  
Španielova 1315/25, Praha 6, 163 00  
Czech RepublicID: 64940799  
VAT: CZ64940799

www.brokis.cz