

FLOS



DECORATIVE COLLECTION

LISTINO PREZZI CONSIGLIATI EUROPA FEBBRAIO 2024

EUROPE RECOMMENDED PRICE LIST FEBRUARY 2024

DECORATIVE COLLECTION

LISTINO PREZZI CONSIGLIATI EUROPA FEBBRAIO 2024

EUROPE RECOMMENDED PRICE LIST FEBRUARY 2024

ITALIANO • ENGLISH

FLOS

TABLE LAMPS

Collezione di lampade da tavolo



Bellhop
P. 18



Bellhop Matte Black
P. 18



Biagio
P. 20



Bilboquet
P. 20



Bon Jour
P. 21

INDICE • INDEX



Bon Jour unplugged
P. 22



C eramique
P. 23



Chiara T
P. 24



Copycat
P. 29



Gatto
P. 30 - 31



Glo-Ball Mini
P. 35



Glo-Ball Basic
P. 31 - 32



Glo-Ball T
P. 35



Goldman
P. 35



Gustave
P. 35 - 36



2 IC T1 High
P. 38



IC T1 Low
P. 38



IC T2
P. 39



In Vitro Unplugged
P. 39



Kelvin Edge
P. 40



Kelvin Led
P. 40



KTribe
P. 41 - 42



Lampadina
P. 43



Last Order
P. 42



Mayday
P. 44



Miss K
P. 44



Oblique
P. 53 - 54



Ray T
P. 59



Snoopy
P. 62



Spun Light T
P. 63



Tab T
P. 66



Taccia
P. 67



Tatou T
P. 69



To-Tie
P. 70

FLOOR LAMPS

Collezione di lampade da terra



Arco
P. 14 - 15



Arco K
P. 14



Bellhop Floor
P. 19



Bibliotheque Nationale
P. 20



Captain Flint
P. 23

INDICE • INDEX



Chiara F
P. 24



Coordinates F
P. 26



Glo-Ball F
P. 33 - 34



IC F
P. 37



Kelvin F
P. 40



Ktribe F
P. 40 - 41



Luminator
P. 44



Noctambule F
P. 50 - 53



Oblique Floor
P. 55 - 56



Ray F
P. 58



4 Rosy Angelis
P. 59



Skynest Motion
P. 61



Spun Light F
P. 63



Stylos
P. 65



Superarchimoon
P. 65



Superloon
P. 66



Tab F
P. 66



Tatou F
P. 69



Toio Led
P. 70

SUSPENSION LAMPS

Collezione di lampade a sospensione



2097
P. 11 - 12




Aim
P. 13



Almendra
P. 13 - 14




Arrangements
P. 15 - 18



Belt
P. 19

INDEX • INDEX



Belt Fabric
P. 19



Chasen
P. 24



Coordinates
P. 26 - 28



Frisbi
P. 30



Glo-Ball
P. 34



IC S
P. 38



Ktribe
P. 41



Luce Orizzontale
P. 43



My Disc
P. 45



My Dome
P. 45



My Lines
P. 45 - 46



My Sphere
P. 46



Noctambule
P. 46 - 50



OK
P. 56



Overlap
P. 57



Parentesi
P. 57 - 58



Romeo Moon S
P. 59



Skygarden
P. 60



Skynest
P. 60



Smithfield
P. 62

INDICE • INDEX



Splügen Braü
P. 62



String Light Cone
P. 63 - 65



String Light Sphere
P. 63 - 65



Taraxacum S Cocoon
P. 67 - 68



Taraxacum S
P. 68



Tatou S
P. 69



Viscontea
P. 71



Wan S
P. 71



Wireline
P. 71



Zeppelin
P. 72

WALL & CEILING LAMPS

Collezione di lampade da parete e soffitto



265
P. 10



265 Small
P. 10



265 Chromatica
P. 10



265 Small Chromatica
P. 10



Ariette
P. 15



Bellhop Wall Up
P. 19



Black Flag
P. 20 - 21



Mini Button
P. 22



Button
P. 22



Clara
P. 24

INDICE • INDEX



Clessidra
P. 25



Coordinates
P. 25



Coordinates Wall
P. 28 - 29



Flauta
P. 29 - 30



Foglio
P. 30



Glo-Ball C/W
P. 32 - 33



Glo-Ball W
P. 33



Glo-Ball Wall Mini
P. 32



IC CW
P. 36 - 37



IC CW Double
P. 37



KTribe W
P. 42




La Plus Belle
P. 42



Oplight W1
P. 56



Pochette
P. 58



Skynest Ceiling
P. 61



Smithfield
P. 61



Taraxacum C/W
P. 68



Tight Light
P. 69



Wan C/W
P. 71



Wirering
P. 72

INDICE • INDEX



Abajourd'hui
P. 72



Soft Spun
P. 73 - 74

OUTDOOR/INDOOR LAMPS


Collezione di lampade da esterno/interno



Clessidra
P. 25



In Vitro Unplugged
P. 39



Ipnos
P. 39



Last Order
P. 43







Mayday Outdoor
P. 44




Superarchimoon Outdoor
P. 66

	<p>265 Paolo Rizzatto, 1973 Potenza · Power MAX 75W Tensione · Voltage 220-250V</p> <p>Fonte luminosa · Light source LED 11,5W E27 1100 lm [esclusa - excluded]</p> <p>Materiali · Materials acciaio · steel</p> <p>Peso · Weight 5,7 Kg</p>	<p>Finiture Finishes bianco · white nero · black</p>	<p>Colori Colors ○ A0300009 ● A0300030</p>	<p>€ IVA inc / incl VAT 1.160,00 1.160,00</p>
	<p>265 SMALL Paolo Rizzatto, 2022 Potenza · Power MAX 75W Tensione · Voltage 220-250V</p> <p>Fonte luminosa · Light source LED 11,5W E27 1100 lm [esclusa - excluded]</p> <p>Materiali · Materials acciaio · steel</p> <p>Peso · Weight 5 Kg</p>	<p>Finiture Finishes bianco · white nero · black</p>	<p>Colori Colors ○ A0320009 ● A0320030</p>	<p>€ IVA inc / incl VAT 930,00 930,00</p>
	<p>265 CHROMATICA Paolo Rizzatto, 1973 Potenza · Power MAX 75W Tensione · Voltage 220-250V</p> <p>Fonte luminosa · Light source LED 11,5W E27 1100 lm [esclusa - excluded]</p> <p>Materiali · Materials acciaio · steel</p> <p>Peso · Weight 5,7 Kg</p>	<p>Finiture Finishes chromatica</p>	<p>Colori Colors ● A0300099</p>	<p>€ IVA inc / incl VAT 1.160,00</p>
	<p>265 SMALL CHROMATICA Paolo Rizzatto, 2022 Potenza · Power MAX 75W Tensione · Voltage 220-250V</p> <p>Fonte luminosa · Light source LED 11,5W E27 1100 lm [esclusa - excluded]</p> <p>Materiali · Materials acciaio · steel</p> <p>Peso · Weight 5 Kg</p>	<p>Finiture Finishes chromatica</p>	<p>Colori Colors ● A0320099</p>	<p>€ IVA inc / incl VAT 930,00</p>

Per le relative sorgenti luminose consigliate da Flos ed i codici da ordinare si rimanda alle specifiche tecniche a pag. 75-84-
For the related light sources recommended by Flos and the codes to order please refer to the technical specifications at pages 75-84

 <p>510 mm 2800 ø 670 mm</p>	<p>2097/18 CLEAR BULBS</p> <p>Gino Sarfatti, 1958</p> <p>Potenza · Power 18 x MAX 15W</p> <p>Tensione · Voltage 220-250V</p> <p>Fonte luminosa · Light source LED 2W E14 95lm [inclusa - included] Supplied with 20xclear LED lamps (2xspare)</p> <p>Materiali · Materials acciaio · steel</p> <p>Peso · Weight 3,57 Kg</p>	<table border="0"> <thead> <tr> <th>Finiture Finishes</th> <th>Colori Colors</th> <th>€ IVA inc I incl VAT</th> </tr> </thead> <tbody> <tr> <td>cromo · chrome</td> <td> A1352057</td> <td>1.800,00</td> </tr> <tr> <td>ottone · brass</td> <td>● A1352059</td> <td>1.800,00</td> </tr> <tr> <td>nero opaco · matte black</td> <td>● A1352031</td> <td>1.800,00</td> </tr> <tr> <td>bianco opaco · matte white</td> <td>○ A1352009</td> <td>1.800,00</td> </tr> </tbody> </table> <p>CE L P 20</p>	Finiture Finishes	Colori Colors	€ IVA inc I incl VAT	cromo · chrome	A1352057	1.800,00	ottone · brass	● A1352059	1.800,00	nero opaco · matte black	● A1352031	1.800,00	bianco opaco · matte white	○ A1352009	1.800,00
Finiture Finishes	Colori Colors	€ IVA inc I incl VAT															
cromo · chrome	A1352057	1.800,00															
ottone · brass	● A1352059	1.800,00															
nero opaco · matte black	● A1352031	1.800,00															
bianco opaco · matte white	○ A1352009	1.800,00															
 <p>510 mm 2800 ø 670 mm</p>	<p>2097/18 FROSTED BULBS</p> <p>Gino Sarfatti, 1958</p> <p>Potenza · Power 18 x MAX 15W</p> <p>Tensione · Voltage 220-250V</p> <p>Fonte luminosa · Light source LED 2,7W E14 150lm [inclusa - included] Supplied with 20xfrosted LED lamps (2xspare)</p> <p>Materiali · Materials acciaio · steel</p> <p>Peso · Weight 3,57 Kg</p>	<table border="0"> <thead> <tr> <th>Finiture Finishes</th> <th>Colori Colors</th> <th>€ IVA inc I incl VAT</th> </tr> </thead> <tbody> <tr> <td>cromo · chrome</td> <td> A1351057</td> <td>1.800,00</td> </tr> <tr> <td>ottone · brass</td> <td>● A1351059</td> <td>1.800,00</td> </tr> <tr> <td>nero opaco · matte black</td> <td>● A1351031</td> <td>1.800,00</td> </tr> <tr> <td>bianco opaco · matte white</td> <td>○ A1351009</td> <td>1.800,00</td> </tr> </tbody> </table> <p>CE L P 20</p>	Finiture Finishes	Colori Colors	€ IVA inc I incl VAT	cromo · chrome	A1351057	1.800,00	ottone · brass	● A1351059	1.800,00	nero opaco · matte black	● A1351031	1.800,00	bianco opaco · matte white	○ A1351009	1.800,00
Finiture Finishes	Colori Colors	€ IVA inc I incl VAT															
cromo · chrome	A1351057	1.800,00															
ottone · brass	● A1351059	1.800,00															
nero opaco · matte black	● A1351031	1.800,00															
bianco opaco · matte white	○ A1351009	1.800,00															
 <p>720 mm 2800 ø 880 mm</p>	<p>2097/30 CLEAR BULBS</p> <p>Gino Sarfatti, 1958</p> <p>Potenza · Power 30 x MAX 15W</p> <p>Tensione · Voltage 220-250V</p> <p>Fonte luminosa · Light source LED 2W E14 95lm [inclusa - included] Supplied with 32xclear LED lamps (2xspare)</p> <p>Materiali · Materials acciaio · steel</p> <p>Peso · Weight 5,6 Kg</p>	<table border="0"> <thead> <tr> <th>Finiture Finishes</th> <th>Colori Colors</th> <th>€ IVA inc I incl VAT</th> </tr> </thead> <tbody> <tr> <td>cromo · chrome</td> <td> A1402057</td> <td>2.400,00</td> </tr> <tr> <td>ottone · brass</td> <td>● A1402059</td> <td>2.400,00</td> </tr> <tr> <td>nero opaco · matte black</td> <td>● A1402031</td> <td>2.400,00</td> </tr> <tr> <td>bianco opaco · matte white</td> <td>○ A1402009</td> <td>2.400,00</td> </tr> </tbody> </table> <p>CE L P 20</p>	Finiture Finishes	Colori Colors	€ IVA inc I incl VAT	cromo · chrome	A1402057	2.400,00	ottone · brass	● A1402059	2.400,00	nero opaco · matte black	● A1402031	2.400,00	bianco opaco · matte white	○ A1402009	2.400,00
Finiture Finishes	Colori Colors	€ IVA inc I incl VAT															
cromo · chrome	A1402057	2.400,00															
ottone · brass	● A1402059	2.400,00															
nero opaco · matte black	● A1402031	2.400,00															
bianco opaco · matte white	○ A1402009	2.400,00															
 <p>720 mm 2800 ø 880 mm</p>	<p>2097/30 FROSTED BULBS</p> <p>Gino Sarfatti, 1958</p> <p>Potenza · Power 30 x MAX 15W</p> <p>Tensione · Voltage 220-250V</p> <p>Fonte luminosa · Light source LED 2,7W E14 150lm [inclusa - included] Supplied with 32xfrosted LED lamps (2xspare)</p> <p>Materiali · Materials acciaio · steel</p> <p>Peso · Weight 5,6 Kg</p>	<table border="0"> <thead> <tr> <th>Finiture Finishes</th> <th>Colori Colors</th> <th>€ IVA inc I incl VAT</th> </tr> </thead> <tbody> <tr> <td>cromo · chrome</td> <td> A1401057</td> <td>2.400,00</td> </tr> <tr> <td>ottone · brass</td> <td>● A1401059</td> <td>2.400,00</td> </tr> <tr> <td>nero opaco · matte black</td> <td>● A1401031</td> <td>2.400,00</td> </tr> <tr> <td>bianco opaco · matte white</td> <td>○ A1401009</td> <td>2.400,00</td> </tr> </tbody> </table> <p>CE L P 20</p>	Finiture Finishes	Colori Colors	€ IVA inc I incl VAT	cromo · chrome	A1401057	2.400,00	ottone · brass	● A1401059	2.400,00	nero opaco · matte black	● A1401031	2.400,00	bianco opaco · matte white	○ A1401009	2.400,00
Finiture Finishes	Colori Colors	€ IVA inc I incl VAT															
cromo · chrome	A1401057	2.400,00															
ottone · brass	● A1401059	2.400,00															
nero opaco · matte black	● A1401031	2.400,00															
bianco opaco · matte white	○ A1401009	2.400,00															

**2097/50 CLEAR BULBS**

Gino Sarfatti, 1958
 Potenza · Power 50 x MAX 15W
 Tensione · Voltage 220-250V



Fonte luminosa · Light source
 LED 2W E14 95lm
 [inclusa - included]
 Supplied with 52xclear LED lamps (2xspare)

Materiali · Materials
 acciaio · steel

Peso · Weight 10,03 Kg

Finiture
 Finishes


cromo · chrome
 ottone · brass
 nero opaco · matte black
 bianco opaco · matte white

Colori
 Colors

■ A1502057
 ■ A1502059
 ● A1502031
 ○ A1502009

€ IVA inc / incl VAT

3.500,00
 3.500,00
 3.500,00
 3.500,00

**2097/50 FROSTED BULBS**

Gino Sarfatti, 1958
 Potenza · Power 50 x MAX 15W
 Tensione · Voltage 220-250V



Fonte luminosa · Light source
 LED 2,7W E14 150lm
 [inclusa - included]
 Supplied with 52xfrosted LED lamps (2xspare)

Materiali · Materials
 acciaio · steel

Peso · Weight 10,03 Kg

Finiture
 Finishes


cromo · chrome
 ottone · brass
 nero opaco · matte black
 bianco opaco · matte white

Colori
 Colors

■ A1501057
 ■ A1501059
 ● A1501031
 ○ A1501009

€ IVA inc / incl VAT

3.500,00
 3.500,00
 3.500,00
 3.500,00

**2097/75 CLEAR BULBS**

Gino Sarfatti, 2023
 Potenza · Power 75 x MAX 15W
 Tensione · Voltage 220-250V



Fonte luminosa · Light source
 LED 2W E14 95lm
 [inclusa - included]
 Supplied with 80xclear LED lamps (5xspare)

Materiali · Materials
 acciaio · steel

Peso · Weight 34 Kg

Finiture
 Finishes


cromo · chrome
 ottone · brass
 nero opaco · matte black
 bianco opaco · matte white

Colori
 Colors

■ A1552057
 ■ A1552059
 ● A1552031
 ○ A1552009

€ IVA inc / incl VAT

12.500,00
 12.500,00
 12.500,00
 12.500,00

**2097/75 FROSTED BULBS**

Gino Sarfatti, 2023
 Potenza · Power 75 x MAX 15W
 Tensione · Voltage 220-250V



Fonte luminosa · Light source
 LED 2,7W E14 150lm
 [inclusa - included]
 Supplied with 80xfrosted LED lamps (5xspare)

Materiali · Materials
 acciaio · steel

Peso · Weight 34 Kg

Finiture
 Finishes

cromo · chrome
 ottone · brass
 nero opaco · matte black
 bianco opaco · matte white

Colori
 Colors

■ A1551057
 ■ A1551059
 ● A1551031
 ○ A1551009

















€ IVA inc / incl VAT

12.500,00
 12.500,00
 12.500,00
 12.500,00



Per le relative sorgenti luminose consigliate da Flos ed i codici da ordinare si rimanda alle specifiche tecniche a pag. 75-84-

For the related light sources recommended by Flos and the codes to order please refer to the technical specifications at pages 75-84

 <p>149 mm ø 170 mm</p>	<p>AIM SMALL R. & E. Bouroullec, 2014 Potenza · Power 12W Tensione · Voltage 220-240V</p>	<p>Finiture Finishes bianco · white nero · black</p>	<p>Colori Colors ○ F0095009 540,00 ● F0095030 540,00</p>	<p>€ IVA inc / incl VAT</p>
	<p>LED INCLUDED Fonte luminosa · Light source 1 LED module 12W 725lm 2700K CRI90 DIMMABLE</p>	<p>bianco · white nero · black</p>	<p>ROSONE MULTIPLD / MULTIPLE ROSE ○ F0093009 130,00 ● F0093030 130,00</p>	
	<p>Materiali · Materials alluminio, PC · aluminum, PC</p>	<p>Peso · Weight 1,35 Kg (1 Aim small)</p>	<p>CE   </p>	
 <p>211 mm ø 243 mm</p>	<p>AIM R. & E. Bouroullec, 2013 Potenza · Power 16W Tensione · Voltage 220-240V</p>	<p>Finiture Finishes bianco · white nero · black</p>	<p>Colori Colors ○ F0090009 745,00 ● F0090030 745,00</p>	<p>€ IVA inc / incl VAT</p>
	<p>LED INCLUDED Fonte luminosa · Light source 1 LED module 16W 895lm 2700K CRI90 DIMMABLE</p>	<p>bianco · white nero · black</p>	<p>ROSONE MULTIPLD / MULTIPLE ROSE ○ F0093009 130,00 ● F0093030 130,00</p>	
	<p>Materiali · Materials alluminio, PC · aluminum, PC</p>	<p>Peso · Weight 3,2 Kg (1 AIM)</p>	<p>CE   </p>	
 <p>1286 mm 371 mm</p>	<p>ALMENDRA S3 Patricia Urquiola, 2022 Potenza · Power 45W Tensione · Voltage 220/240V</p>	<p>Finiture Finishes off-white nude anthracite bay blue metallized</p>	<p>Colori Colors ROSONE BIANCO / WHITE ROSE ○ F0420009 3.250,00 ● F0420026 3.250,00 ● F0420033 3.250,00 ● F0420039 3.560,00</p>	<p>€ IVA inc / incl VAT</p>
	<p>LED INCLUDED Fonte luminosa · Light source LED 45W 1755lm* 2700K CRI95</p> <p>* Il flusso luminoso si riferisce al prodotto con finitura off-white. Si prega di consultare il nostro sito web per informazioni dettagliate sulle altre finiture.</p> <p>* The lumen output refers to the product with the off-white finish. Please consult our website for detailed information about the other finishes.</p>	<p>off-white nude anthracite bay blue metallized</p>	<p>ROSONE PRIMER / PRIMER ROSE¹ ○ F0391009 3.250,00 ● F0391026 3.250,00 ● F0391033 3.250,00 ● F0391039 3.560,00</p>	
	<p>Materiali · Materials polycarbonato sostenibile, alluminio · sustainable polycarbonate, aluminum</p>	<p>Peso · Weight 7,14 Kg</p>	<p>CE   </p>	
 <p>1665 mm 371 mm</p>	<p>ALMENDRA S4 Patricia Urquiola, 2022 Potenza · Power 60W Tensione · Voltage 220/240V</p>	<p>Finiture Finishes off-white nude anthracite bay blue metallized</p>	<p>Colori Colors ROSONE BIANCO / WHITE ROSE ○ F0422009 3.810,00 ● F0422026 3.810,00 ● F0422033 3.810,00 ● F0422039 4.270,00</p>	<p>€ IVA inc / incl VAT</p>
	<p>LED INCLUDED Fonte luminosa · Light source LED 60W 2340lm* 2700K CRI95</p> <p>* Il flusso luminoso si riferisce al prodotto con finitura off-white. Si prega di consultare il nostro sito web per informazioni dettagliate sulle altre finiture.</p> <p>* The lumen output refers to the product with the off-white finish. Please consult our website for detailed information about the other finishes.</p>	<p>off-white nude anthracite bay blue metallized</p>	<p>ROSONE PRIMER / PRIMER ROSE¹ ○ F0392009 3.810,00 ● F0392026 3.810,00 ● F0392033 3.810,00 ● F0392039 4.270,00</p>	
	<p>Materiali · Materials polycarbonato sostenibile, alluminio · sustainable polycarbonate, aluminum</p>	<p>Peso · Weight 10,18 Kg</p>	<p>CE   </p>	

¹ Il rosone primer può essere dipinto dopo l'installazione con normali finiture a base d'acqua (tempera, stucco, vernice a base d'acqua) per garantire un'integrazione perfetta con la costruzione.
¹ The primer rose can be painted after installation with normal water-based finishes (tempera, stucco, water-based paint) to guarantee flawless integration with the building.

**ALMENDRA S2 Y SHORT**

Patricia Urquiola, 2022

Potenza · Power 30W

Tensione · Voltage 220/240V

Fonte luminosa · Light source
LED 30W 1170lm* 2700K CRI95

LED INCLUDED

* Il flusso luminoso si riferisce al prodotto con finitura off-white. Si prega di consultare il nostro sito web per informazioni dettagliate sulle altre finiture.

* The lumen output refers to the product with the off-white finish. Please consult our website for detailed information about the other finishes.

Materiali · Materials

policarbonato sostenibile, alluminio · sustainable
polycarbonate, aluminum


Peso · Weight 8,17 Kg

Finiture
Finishesoff-white
nude
anthracite
bay blue metallizedoff-white
nude
anthracite
bay blue metallizedColori
Colors

ROSONE BIANCO / WHITE ROSE

 F0442009
 F0442026
 F0442033
 F0442039
ROSONE PRIMER / PRIMER ROSE¹
 F0396009
 F0396026
 F0396033
 F0396039

€ IVA inc / incl VAT

2.950,00
2.950,00
2.950,00
3.250,002.950,00
2.950,00
2.950,00
3.250,00**ALMENDRA S3 Y SHORT**

Patricia Urquiola, 2022

Potenza · Power 45W

Tensione · Voltage 220/240V

Fonte luminosa · Light source
LED 45W 1755lm* 2700K CRI95

LED INCLUDED

* Il flusso luminoso si riferisce al prodotto con finitura off-white. Si prega di consultare il nostro sito web per informazioni dettagliate sulle altre finiture.

* The lumen output refers to the product with the off-white finish. Please consult our website for detailed information about the other finishes.

Materiali · Materials

policarbonato sostenibile, alluminio · sustainable
polycarbonate, aluminum


Peso · Weight 9,83 Kg

Finiture
Finishesoff-white
nude
anthracite
bay blue metallizedoff-white
nude
anthracite
bay blue metallizedColori
Colors

ROSONE BIANCO / WHITE ROSE

 F0436009
 F0436026
 F0436033
 F0436039
ROSONE PRIMER / PRIMER ROSE¹
 F0398009
 F0398026
 F0398033
 F0398039

€ IVA inc / incl VAT

3.610,00
3.610,00
3.610,00
3.960,003.610,00
3.610,00
3.610,00
3.960,00**ARCO**

Achille and Pier Giacomo Castiglioni, 1962

Potenza · Power MAX 70W

Tensione · Voltage 220-250V

Fonte luminosa · Light source
LED 11W E27 1060lm
[esclusa - excluded]

Materiali · Materials

marmo, acciaio inox, alluminio · marble,
stainless steel, aluminum

Peso · Weight 63,4 Kg SWITCH INCLUDED

Finiture
Finishes



acciaio · steel

Colori
Colors

F0300000

€ IVA inc / incl VAT

2.620,00

**ARCO K LTD EDITION (2022 PIECES AVAILABLE)***

Achille and Pier Giacomo Castiglioni, 1962

Potenza · Power MAX 70W

Tensione · Voltage 220-250V

Fonte luminosa · Light source
LED 11W E27 1060lm
[inclusa - included]

Materiali · Materials

glass, acciaio inox, alluminio · glass,
stainless steel, aluminum

Peso · Weight 63,9 Kg SWITCH INCLUDED

Finiture
Finishes

vetro · glass

Colori
Colors

F0304000





€ IVA inc / incl VAT

10.000,00



















*Condizioni commerciali dedicate · Dedicated business conditions

¹ Il rosone primer può essere dipinto dopo l'installazione con normali finiture a base d'acqua (tempera, stucco, vernice a base d'acqua) per garantire un'integrazione perfetta con la costruzione.¹ The primer rose can be painted after installation with normal water-based finishes (tempera, stucco, water-based paint) to guarantee flawless integration with the building.

















	<p>ARCO LED Achille and Pier Giacomo Castiglioni, 1962 Potenza · Power 28W Tensione · Voltage 100-240V/48V</p> <p>LED INCLUDED Fonte luminosa · Light source 1 MULTICHIP LED 28W 1224lm 2700K CRI93 DIMMABLE</p> <p>Materiali · Materials marmo, acciaio inox, alluminio · marble, stainless steel, aluminum</p> <p>Peso · Weight 63,85 Kg DIMMER INCLUDED</p>	<p>Finiture Finishes acciaio · steel</p> <p>Colori Colors F0303000</p>	<p>€ IVA inc / incl VAT 2.670,00</p>
	<p>ARIETTE 1/2 Tobia Scarpa, 1973 Potenza · Power 4 x MAX 40W Tensione · Voltage 220-250V</p> <p>Fonte luminosa · Light source LED 11,5W E27 1100lm [esclusa - excluded]</p> <p>Materiali · Materials tessuto · fabric</p> <p>Peso · Weight 0,8 Kg (1) - 1 Kg (2)</p>	<p>Finiture Finishes tessuto · fabric tessuto · fabric</p> <p>Colori Colors F0400009 ARIETTE.1 F0500009 ARIETTE.2</p>	<p>€ IVA inc / incl VAT 330,00 350,00</p>
	<p>ARRANGEMENTS - LINE Michael Anastassiades, 2018 Potenza · Power 29W Tensione · Voltage 48V</p> <p>LED INCLUDED Fonte luminosa · Light source FLEX STRIP LED 29W 1480lm 2700K CRI90</p> <p>Materiali · Materials alluminio · aluminum</p> <p>Rosone escluso Ceiling rose excluded</p> <p>Peso · Weight 0,6 Kg</p>	<p>Finiture Finishes nero opaco · matte black</p> <p>Colori Colors F0401030</p>	<p>€ IVA inc / incl VAT 640,00</p>
	<p>ARRANGEMENTS - BROKEN LINE Michael Anastassiades, 2018 Potenza · Power 29W Tensione · Voltage 48V</p> <p>LED INCLUDED Fonte luminosa · Light source FLEX STRIP LED 29W 1200lm 2700K CRI90</p> <p>Materiali · Materials alluminio · aluminum</p> <p>Rosone escluso Ceiling rose excluded</p> <p>Peso · Weight 0,5 Kg</p>	<p>Finiture Finishes nero opaco · matte black</p> <p>Colori Colors F0405030</p>	<p>€ IVA inc / incl VAT 650,00</p>


Per le relative sorgenti luminose consigliate da Flos ed i codici da ordinare si rimanda alle specifiche tecniche a pag. 75-84 -
For the related light sources recommended by Flos and the codes to order please refer to the technical specifications at pages 75-84

	<p>ARRANGEMENTS - DROP UP</p> <p>Michael Anastassiades, 2018</p> <p>Potenza · Power 32W</p> <p>Tensione · Voltage 48V</p> <p>LED INCLUDED</p> <p>Fonte luminosa · Light source FLEX STRIP LED 32W 1530lm 2700K CRI90</p> <p>Materiali · Materials alluminio · aluminum</p> <p>Rosone escluso Ceiling rose excluded</p> <p>Peso · Weight 0,65 Kg</p>	<p>Finiture Finishes</p> <p>nero opaco · matte black</p> <p>CE   </p>	<p>Colori Colors</p> <p>● F0414030</p>	<p>€ IVA inc I incl VAT</p> <p>850,00</p>
	<p>ARRANGEMENTS - DROP DOWN</p> <p>Michael Anastassiades, 2018</p> <p>Potenza · Power 30W</p> <p>Tensione · Voltage 48V</p> <p>LED INCLUDED</p> <p>Fonte luminosa · Light source FLEX STRIP LED 30W 1530lm 2700K CRI90</p> <p>Materiali · Materials alluminio · aluminum</p> <p>Rosone escluso Ceiling rose excluded</p> <p>Peso · Weight 0,65 Kg</p>	<p>Finiture Finishes</p> <p>nero opaco · matte black</p> <p>CE   </p>	<p>Colori Colors</p> <p>● F0413030</p>	<p>€ IVA inc I incl VAT</p> <p>850,00</p>
	<p>ARRANGEMENTS - SQUARE SMALL</p> <p>Michael Anastassiades, 2018</p> <p>Potenza · Power 20W</p> <p>Tensione · Voltage 48V</p> <p>LED INCLUDED</p> <p>Fonte luminosa · Light source FLEX STRIP LED 20W 883lm 2700K CRI90</p> <p>Materiali · Materials alluminio · aluminum</p> <p>Rosone escluso Ceiling rose excluded</p> <p>Peso · Weight 0,39 Kg</p>	<p>Finiture Finishes</p> <p>nero opaco · matte black</p> <p>CE   </p>	<p>Colori Colors</p> <p>● F0410030</p>	<p>€ IVA inc I incl VAT</p> <p>720,00</p>
	<p>ARRANGEMENTS - SQUARE LARGE</p> <p>Michael Anastassiades, 2018</p> <p>Potenza · Power 34W</p> <p>Tensione · Voltage 48V</p> <p>LED INCLUDED</p> <p>Fonte luminosa · Light source FLEX STRIP LED 34W 1657lm 2700K CRI90</p> <p>Materiali · Materials alluminio · aluminum</p> <p>Rosone escluso Ceiling rose excluded</p> <p>Peso · Weight 0,67 Kg</p>	<p>Finiture Finishes</p> <p>nero opaco · matte black</p> <p>CE   </p>	<p>Colori Colors</p> <p>● F0409030</p>	<p>€ IVA inc I incl VAT</p> <p>840,00</p>

Per le relative sorgenti luminose consigliate da Flos ed i codici da ordinare si rimanda alle specifiche tecniche a pag. 75-84-

For the related light sources recommended by Flos and the codes to order please refer to the technical specifications at pages 75-84

 <p>Ø 398 mm</p> <p>Rosone escluso Ceiling rose excluded</p>	<p>ARRANGEMENTS - ROUND SMALL</p> <p>Michael Anastassiades, 2018</p> <p>Potenza · Power 21W</p> <p>Tensione · Voltage 48V</p> <p>LED INCLUDED</p> <p>Fonte luminosa · Light source FLEX STRIP LED 21W 1068lm 2700K CRI90</p> <p>Materiali · Materials alluminio · aluminum</p> <p>Peso · Weight 0,41 Kg</p>	<p>Finiture Finishes</p> <p>Colori Colors</p> <p>nero opaco · matte black ● F0406030</p> <p>€ IVA inc I incl VAT</p> <p>680,00</p> <p>CE   </p>
 <p>Ø 665mm</p> <p>Rosone escluso Ceiling rose excluded</p>	<p>ARRANGEMENTS - ROUND MEDIUM</p> <p>Michael Anastassiades, 2018</p> <p>Potenza · Power 35W</p> <p>Tensione · Voltage 48V</p> <p>LED INCLUDED</p> <p>Fonte luminosa · Light source FLEX STRIP LED 35W 1770lm 2700K CRI90</p> <p>Materiali · Materials alluminio · aluminum</p> <p>Peso · Weight 0,75 Kg</p>	<p>Finiture Finishes</p> <p>Colori Colors</p> <p>nero opaco · matte black ● F0407030</p> <p>€ IVA inc I incl VAT</p> <p>850,00</p> <p>CE   </p>
 <p>Ø 1020 mm</p> <p>Rosone escluso Ceiling rose excluded</p>	<p>ARRANGEMENTS - ROUND LARGE</p> <p>Michael Anastassiades, 2018</p> <p>Potenza · Power 54W</p> <p>Tensione · Voltage 48V</p> <p>LED INCLUDED</p> <p>Fonte luminosa · Light source FLEX STRIP LED 54W 2751lm 2700K CRI90</p> <p>Materiali · Materials alluminio · aluminum</p> <p>Peso · Weight 1,2 Kg</p>	<p>Finiture Finishes</p> <p>Colori Colors</p> <p>nero opaco · matte black ● F0408030</p> <p>€ IVA inc I incl VAT</p> <p>1.100,00</p> <p>CE   </p>
 <p>ø 150 mm</p> <p>70 mm</p> <p>2400 mm</p> <p>Rosone escluso Ceiling rose excluded</p>	<p>ARRANGEMENTS SMALL ROSE</p> <p>ACCESSORI · ACCESSORIES</p> <p>Tensione · Voltage 120-270V</p> <p>Descrizione · Description Rosone dimmerabile piccolo da soffitto per l'installazione di combinazioni fino a max 70W · Small dimmable ceiling rose for the installation of combinations within max 70W</p> <p>DIMMER INCLUDED 1-10/PUSH/DALI</p> <p>Peso · Weight 1,25 Kg</p>	<p>Finiture Finishes</p> <p>Colori Colors</p> <p>nero · black ● F0416030</p> <p>€ IVA inc I incl VAT</p> <p>570,00</p> <p>CE   </p>

**ARRANGEMENTS BIG ROSE****ACCESSORI · ACCESSORIES**

Tensione · Voltage 100-240V

Descrizione · Description

Rosone dimmerabile grande da soffitto per l'installazione di combinazioni fino a max 190W ·
Big dimmable ceiling rose for the installation of combinations within max 190W

Finiture
Finishes

nero · black


Colori
Colors

● F0415030

€ IVA inc / incl VAT

650,00

Peso · Weight 3,06 Kg

DIMMER INCLUDED
1-10/PUSH/DALI**ARRANGEMENTS RECESSED ROSE****ACCESSORI · ACCESSORIES**

Tensione · Voltage 100-240V

Descrizione · Description

Rosone da soffitto con alimentazione remota per l'installazione di combinazioni fino a max 190W ·
Ceiling rose with remote power supply for the installation of combinations within max 190W

Finiture
Finishes

nero · black

Colori
Colors

● F0418030

€ IVA inc / incl VAT

700,00

Peso · Weight 3,3 Kg

DIMMER INCLUDED
1-10/PUSH/DALI**BELLHOP BATTERY**

E. Barber & J. Osgerby, 2018

Potenza · Power 2,5W

Tensione · Voltage IN 100-240/5V

Finiture
Finishes

bianco · white

cioko

grigio · grey

rosso mattone · brick red

giallo · yellow

grey blue

Colori
Colors

○ F1060009

● F1060026

● F1060020

● F1060075

● F1060019

● F1060014

€ IVA inc / incl VAT

255,00

255,00

255,00

255,00

255,00

255,00


Fonte luminosa · Light source
 LED INCLUDED 84 LED 2,5W 151lm 2700K CRI90
 6/24 HOURS BATTERY LIFE, RECHARGEABLE
 WITH MICRO-USB-C KIT

Materiali · Materials

policarbonato · polycarbonate

Peso · Weight 1,30 Kg

DIMMER INCLUDED

**BELLHOP MATTE BLACK**

E. Barber & J. Osgerby, 2022 Edition

Potenza · Power 2,5W

Tensione · Voltage IN 100-240/5V

Finiture
Finishes

matte black

Colori
Colors

● F1060031

€ IVA inc / incl VAT

300,00

Fonte luminosa · Light source
 LED INCLUDED 84 LED 2,5W 151lm 2700K CRI90
 6/24 HOURS BATTERY LIFE, RECHARGEABLE
 WITH MICRO-USB-C KIT

Materiali · Materials

policarbonato · polycarbonate

Peso · Weight 1,30 Kg



DIMMER INCLUDED





Per le relative sorgenti luminose consigliate da Flos ed i codici da ordinare si rimanda alle specifiche tecniche a pag. 75-84-

For the related light sources recommended by Flos and the codes to order please refer to the technical specifications at pages 75-84-

 <p>ø 125 mm 1780 mm ø 260 mm</p>	BELLHOP FLOOR E. Barber & J. Osgerby, 2021 Potenza · Power 26W Tensione · Voltage 100-240/48V	Finiture Finishes bianco/cioko · white/cioko bianco/verde · white/green bianco/rosso mattone · white/brick red	Colori Colors ● F1070026 ● F1070039 ● F1070075	€ IVA inc I incl VAT 900,00 900,00 900,00
	Fonte luminosa · Light source (white body)1 COB LED 26W 1232lm 2700K CRI90 DIMMABLE (other colors body) 1 COB LED 26W 1023lm 2700K CRI90 DIMMABLE LED INCLUDED	Materiali · Materials alluminio, vetro, cemento · aluminum, glass, concrete	Peso · Weight 9,82 Kg DIMMER INCLUDED	

 <p>150 mm 108 mm</p>	BELLHOP WALL UP E. Barber & J. Osgerby, 2022 Potenza · Power 17W Tensione · Voltage 220-240V	Finiture Finishes bianco · white cioko grigio · grey rosso mattone · brick red giallo · yellow grey blue	Colori Colors ○ F1080009 ● F1080026 ● F1080020 ● F1080075 ● F1080019 ● F1080014	€ IVA inc I incl VAT 300,00 300,00 300,00 300,00 300,00 300,00
	Fonte luminosa · Light source LED 17W 1314lm 2700K CRI90 LED INCLUDED	Materiali · Materials plastica, alluminio · plastic, aluminum	Peso · Weight 1,2 Kg REMOTE DIMMABLE	

 <p>1500 mm 2000 mm</p>	BELT Ronan & Erwan Bouroullec, 2020 Potenza · Power MAX 55,5W Tensione · Voltage 48V	Finiture Finishes nero · black verde · green pelle naturale · natural leather	Colori Colors ● 03.8530.14.CB ● 03.8530.GN.CB ● 03.8530.18.CB	€ IVA inc I incl VAT 4.200,00 4.200,00 4.200,00
	Fonte luminosa · Light source TOP LED 55,5W 1830lm UP - 4000lm DOWN 2700K CRI95 CASAMBI DIMMABLE LED INCLUDED	Materiali · Materials alluminio estruso rivestito in pelle naturale, policarbonato opale · extruded aluminum covered in real leather, opal polycarbonate	Peso · Weight 6,5 Kg REMOTE DRIVER INCLUDED	


 <p>1500 mm 2000 mm</p>	BELT FABRIC Ronan & Erwan Bouroullec, 2022 Potenza · Power MAX 55,5W Tensione · Voltage 48V	Finiture Finishes olive green copper brown	Colori Colors ● 03.8530.GO.CB ● 03.8530.M5.CB	€ IVA inc I incl VAT 3.600,00 3.600,00
	Fonte luminosa · Light source TOP LED 55,5W 1830lm UP - 4000lm DOWN 2700K CRI95 CASAMBI DIMMABLE LED INCLUDED	Materiali · Materials alluminio estruso rivestito in tessuto, policarbonato opale · extruded aluminum covered in fabric, opal polycarbonate	Peso · Weight 6,5 Kg REMOTE DRIVER INCLUDED	

Per le relative sorgenti luminose consigliate da Flos ed i codici da ordinare si rimanda alle specifiche tecniche a pag. 75-84 -
 For the related light sources recommended by Flos and the codes to order please refer to the technical specifications at pages 75-84

	<p>BIAGIO Tobia Scarpa, 1968 Potenza · Power MAX 70W Tensione · Voltage 220-250V</p>	<p>Finiture Finishes marmo · marble</p>	<p>Colori Colors ○ F0700000</p>	<p>€ IVA inc / incl VAT 6.200,00</p>
	<p>Fonte luminosa · Light source LED 8W E27 740lm [esclusa - excluded]</p>			
<p>Materiali · Materials marmo · marble</p>		<p>Peso · Weight 7,5 Kg SWITCH INCLUDED</p>		
	<p>BIBLIOTHEQUE NATIONALE Philippe Starck, 2013 Potenza · Power MAX 150W Tensione · Voltage 220-240V</p>	<p>Finiture Finishes trasparente · transparent bronzo · bronze tessuto · fabric fumè · fumée</p>	<p>Colori Colors ● F1011000 ● F1011046 ● F1011007 ● F1011030</p>	<p>€ IVA inc / incl VAT 2.250,00 2.250,00 2.250,00 2.250,00</p>
	<p>Fonte luminosa · Light source LED 21W E27 2452lm [esclusa - excluded] + CHARGER USB 5VDC</p>			
<p>Materiali, Materia/s PC, acciaio inox, metacrilato · PC, stainless steel, methacrylate</p>		<p>Peso · Weight 10,87 Kg DIMMER INCLUDED</p>		
	<p>BILBOQUET Philippe Malouin, 2023 Potenza · Power 7.5W Tensione · Voltage 220-240V</p>	<p>Finiture Finishes linen sage tomato</p>	<p>Colori Colors ● F0995017 ● F0995039 ● F0995035</p>	<p>€ IVA inc / incl VAT 280,00 280,00 280,00</p>
	<p>Fonte luminosa · Light source GU10 Led Bulb 620lm 2700K CRI>80 [inclusa - included]</p>			
<p>Materiali · Materials policarbonato, ferro · polycarbonate, iron</p>		<p>Peso · Weight 1,8 Kg SWITCH INTEGRATED ON THE CORD</p>		
	<p>BLACK FLAG Konstantin Grcic, 2023 Potenza · Power 75W Tensione · Voltage 220-240V</p>	<p>Finiture Finishes matte black</p>	<p>Colori Colors ● F1090031</p>	<p>€ IVA inc / incl VAT 5.800,00</p>
<p>LED INCLUDED</p>	<p>Fonte luminosa · Light source Power LED 2700K CRI 90</p>			
<p>Materiali · Materials policarbonato, alluminio · polycarbonate, aluminum</p>		<p>Peso · Weight 15 Kg DIMMER INCLUDED</p>		

Per le relative sorgenti luminose consigliate da Flos ed i codici da ordinare si rimanda alle specifiche tecniche a pag. 75-84-

For the related light sources recommended by Flos and the codes to order please refer to the technical specifications at pages 75-84



BLACK FLAG PRO

Konstantin Grcic, 2023
 Potenza · Power 82W
 Tensione · Voltage 220-240V

Finiture
 Finishes

matte black

Colori
 Colors

● F1091031

€ IVA inc / incl VAT

6.600,00

LED INCLUDED Fonte luminosa · Light source
 Tunable white 2700-5000K CRI 90

Materiali · Materials
 policarbonato, alluminio · polycarbonate, aluminum

Peso · Weight 15 Kg

DIMMER INCLUDED



BLACK FLAG & BLACK FLAG PRO ACCESSORI · ACCESSORIES

Descrizione · Description
 Cavo di alimentazione per installazione con presa a parete · Feed cable for wall socket installation

Finiture
 Finishes

nero · black

Colori
 Colors

● F1096031

€ IVA inc / incl VAT

50,00



BON JOUR

Philippe Starck, 2015
 Potenza · Power 13W
 Tensione · Voltage 100-240V/24V

Finiture
 Finishes

bianco · white
 cromo · chrome
 rame · copper
 cromo opaco · matte
 chrome

Colori
 Colors

○ F1032009
 || F1032057
 ● F1032015
 ● F1032046

€ IVA inc / incl VAT



530,00
 550,00
 600,00
 530,00

LED INCLUDED Fonte luminosa · Light source
 EDGE LIGHTING 13W 811lm 2700K
 CRI90 DIMMABLE

Materiali · Materials
 polimetilmetacrilato · polymethylmethacrylate

Peso · Weight 1,65 Kg

DIMMER INCLUDED



BON JOUR ACCESSORI · ACCESSORIES

Descrizione · Description
 Corona in PMMA trasparente stampato ad iniezione
 oppure in tessuto o rafia intrecciati a mano, per
 versioni personalizzate · Crown in transparent
 injection-printed PMMA or in hand-woven fabric or
 rattan, for customised versions.

Finiture
 Finishes

rafia · rattan
 tessuto · fabric
 trasparente · transparent
 fumè · fumée





Colori
 Colors






● F1033088
 ● F1033007
 ● F1033000
 ● F1033030






€ IVA inc / incl VAT





115,00
 115,00
 50,00
 60,00

*Ad esaurimento scorte - While
 stocks last





 <p>ø 103 mm 270 mm ø 91 mm</p>	BON JOUR UNPLUGGED Philippe Starck, 2015 Potenza · Power 2,5W Tensione · Voltage 100-240V/5V	Finiture <i>Finishes</i> bianco · white cromo · chrome rame · copper cromo opaco · matte chrome	Colori <i>Colors</i> ○ F1037009 ▨ F1037057 ● F1037015 ● F1037046	€ IVA inc / incl VAT 305,00 325,00 325,00 325,00
	LED INCLUDED Fonte luminosa · Light source EDGE LIGHTING 2,5W 181lm 2700K CRI 90 DIMMABLE 6/24 HOURS BATTERY LIFE RECHARGEABLE WITH MICRO-USB KIT	Materiali · Materials alluminio, ABS, PMMA · aluminum, ABS, PMMA	Peso · Weight 0,55 Kg DIMMER INCLUDED	  












 <p>ø 131,5 mm 55 mm</p>	BON JOUR UNPLUGGED ACCESSORI · ACCESSORIES	Finiture <i>Finishes</i> ambra · amber rafia · rattan tessuto · fabric trasparente · transparent fumè · fumée	Colori <i>Colors</i> ● F1036070 ● F1036088 ● F1036007 ● F1036000 ● F1036030	€ IVA inc / incl VAT 30,00 65,00 65,00 25,00 30,00
	Descrizione · Description Corona in PMMA trasparente stampato ad iniezione oppure in tessuto o rafia intrecciati a mano, per versioni personalizzate · Crown in transparent injection-printed PMMA or in hand-woven fabric or rattan, for customised versions.	Peso · Weight 0,32 Kg (pol.) - 0,6 Kg (vetro/glass)	   	

 <p>ø 140 mm 46 mm</p>	MINI BUTTON Piero Lissoni, 2005 Potenza · Power MAX 25W Tensione · Voltage 220-250V	Finiture <i>Finishes</i> policarbonato · polycarbonate vetro · glass	Colori <i>Colors</i> ○ F1491009* ● F1490009	€ IVA inc / incl VAT 200,00 220,00
	Fonte luminosa · Light source LED 3,2W G9 400lm o · or LED 2W G9 240lm [esclusa - excluded]	Materiali · Materials policarbonato o vetro · polycarbonate or glass	Peso · Weight 0,32 Kg (pol.) - 0,6 Kg (vetro/glass)	   

 <p>100 mm ø 470 mm</p>	BUTTON Piero Lissoni, 2005 Potenza · Power 5 x MAX 40W Tensione · Voltage 220-250V	Finiture <i>Finishes</i> bianco · white	Colori <i>Colors</i> ○ F3190009	€ IVA inc / incl VAT 650,00
	Fonte luminosa · Light source LED 3,2W G9 400lm o · or LED 2W G9 240lm [esclusa - excluded]	Materiali · Materials vetro · glass	Peso · Weight 7 Kg	  

Per le relative sorgenti luminose consigliate da Flos ed i codici da ordinare si rimanda alle specifiche tecniche a pag. 75-84-
 For the related light sources recommended by Flos and the codes to order please refer to the technical specifications at pages 75-84

	<p>CAPTAIN FLINT Michael Anastassiades, 2015 Potenza · <i>Power</i> 20W Tensione · <i>Voltage</i> 100-240V/48V</p> <p>LED INCLUDED</p> <p>Fonte luminosa · <i>Light source</i> 1 COB LED 20W 554lm 2700K CRI93] DIMMABLE</p> <p>Materiali · <i>Materials</i> acciaio, policarbonato, marmo · <i>steel, polycarbonate, marble</i></p> <p>Peso · <i>Weight</i> 8,2 Kg DIMMER INCLUDED</p>	<p>Finiture <i>Finishes</i></p> <p>ottone spazzolato · <i>brushed brass</i> antracite · <i>anthracite</i></p>	<p>Colori <i>Colors</i></p> <p>● F1530059 ● F1530030</p>	<p>€ IVA inc / incl VAT</p> <p>1.595,00 1.595,00</p>
	<p>CÉRAMIQUE UP Ronan Bouroullec, 2023 Potenza · <i>Power</i> 8W Tensione · <i>Voltage</i> 220-240V</p> <p>Fonte luminosa · <i>Light source</i> LED 8W E27 740lm CRI>80 [esclusa - <i>excluded</i>]</p> <p>Materiali · <i>Materials</i> policarbonato, ceramica · <i>polycarbonate, ceramics</i></p> <p>Peso · <i>Weight</i> 3,5 Kg DIMMER INTEGRATED ON THE CORD</p>	<p>Finiture <i>Finishes</i></p> <p>moss green navy blue rust red</p>	<p>Colori <i>Colors</i></p> <p>● F1632039 ● F1632014 ● F1632035</p>	<p>€ IVA inc / incl VAT</p> <p>870,00 870,00 870,00</p>
	<p>CÉRAMIQUE SIDE Ronan Bouroullec, 2023 Potenza · <i>Power</i> 8W Tensione · <i>Voltage</i> 220-240V</p> <p>Fonte luminosa · <i>Light source</i> LED 8W E27 740lm CRI>80 [esclusa - <i>excluded</i>]</p> <p>Materiali · <i>Materials</i> policarbonato, ceramica · <i>polycarbonate, ceramics</i></p> <p>Peso · <i>Weight</i> 3,5 Kg DIMMER INTEGRATED ON THE CORD</p>	<p>Finiture <i>Finishes</i></p> <p>moss green navy blue rust red</p>	<p>Colori <i>Colors</i></p> <p>● F1633039 ● F1633014 ● F1633035</p>	<p>€ IVA inc / incl VAT</p> <p>870,00 870,00 870,00</p>
	<p>CÉRAMIQUE DOWN Ronan Bouroullec, 2023 Potenza · <i>Power</i> 8W Tensione · <i>Voltage</i> 220-240V</p> <p>Fonte luminosa · <i>Light source</i> LED 8W E27 740lm CRI>80 [esclusa - <i>excluded</i>]</p> <p>Materiali · <i>Materials</i> policarbonato, ceramica · <i>polycarbonate, ceramics</i></p> <p>Peso · <i>Weight</i> 3,5 Kg DIMMER INTEGRATED ON THE CORD</p>	<p>Finiture <i>Finishes</i></p> <p>moss green navy blue rust red</p>	<p>Colori <i>Colors</i></p> <p>● F1634039 ● F1634014 ● F1634035</p>	<p>€ IVA inc / incl VAT</p> <p>870,00 870,00 870,00</p>

 <p>760/850 mm 2700 mm ø 285/485 mm</p>	<p>CHASEN Patricia Urquiola, 2007 Potenza · Power 120W Tensione · Voltage 220-250V</p>	<p>Finiture Finishes bianco · white nero · black</p>	<p>Colori Colors ○ F1636009 ● F1636030</p>	<p>€ IVA inc / incl VAT 2.000,00 2.000,00</p>
	<p>Fonte luminosa · Light source LED 16W E27 1600lm [esclusa - excluded]</p>			
<p>Materiali · Materials acciaio inox, alluminio, vetro · stainless steel, aluminum, glass</p>				
<p>Peso · Weight 7,6 Kg</p>				
 <p>500 mm 720 mm 1450 mm ø 320 mm</p>	<p>CHIARA F Mario Bellini, 1969 -2020 Potenza · Power 105W Tensione · Voltage 100-240V</p>	<p>Finiture Finishes stainless steel with black edge</p>	<p>Colori Colors ● F1590056</p>	<p>€ IVA inc / incl VAT 2.150,00</p>
	<p>Fonte luminosa · Light source LED 15W E27 2000lm [inclusa - included]</p>			
<p>Materiali · Materials acciaio inox, tpu · stainless steel, tpu</p>				
<p>Peso · Weight 10,5 Kg DIMMER INCLUDED</p>				
 <p>216 mm 280 mm 410 mm ø 88 mm</p>	<p>CHIARA T Mario Bellini, 2020 Potenza · Power 1 x MAX 10W LED Tensione · Voltage 100-240V</p>	<p>Finiture Finishes aluminum with anthra- cite edge</p>	<p>Colori Colors ● F1595004</p>	<p>€ IVA inc / incl VAT 520,00</p>
	<p>Fonte luminosa · Light source LED 8W E14 900lm o · or LED 9W E14 900lm [excluida - excluded]</p>			
<p>Materiali · Materials alluminio, tpu · aluminum, tpu</p>				
<p>Peso · Weight 1,32 Kg DIMMER INCLUDED</p>				
 <p>50 mm ø 600 mm</p>	<p>CLARA Piero Lissoni, 2014 Potenza · Power 57W Tensione · Voltage 220-240V</p>	<p>Finiture Finishes bianco · white</p>	<p>Colori Colors ○ F1570009</p>	<p>€ IVA inc / incl VAT 815,00</p>
<p>LED INCLUDED</p>	<p>Fonte luminosa · Light source TOP LED 57W 3141lm 2700K CRI>90 DIMMABLE</p>	<p>cromo · chrome rame · copper trasparente · transparent fumè · fumée</p>	<p>FINITURE FREGIO / FRIEZE FINISHES ▮ F1571057 330,00 ● F1571015 390,00 ○ F1571000 120,00 ● F1571030A 135,00</p>	<p>DIMMABLE PARETE / WALL DIMMABLE RF34169 (DALI) 218,00</p>
<p>Materiali · Materials policarbonato · polycarbonate</p>				
<p>Peso · Weight 3 Kg</p>				



CLESSIDRA OUTDOOR/INDOOR

Antonio Citterio, 2011
 Potenza · Power 10W
 Tensione · Voltage 100-240V

Fonte luminosa · Light source
 2 LED 10W 637lm* 3000K CRI80

LED INCLUDED * Il flusso luminoso si riferisce al prodotto con 20°+20°. Si prega di consultare il nostro sito web per informazioni dettagliate sulle finiture con 40°+40°.
 * The lumen output refers to the product with 20°+20°. Please consult our website for detailed information about the finishes with 40°+40°.

Materiali · Materials
 alluminio, PMMA · aluminum, PMMA

Peso · Weight 1,1 Kg

Finiture
 Finishes


grigio · grey
 deep brown
 grigio · grey
 deep brown

Colori
 Colors

● F1583006 20°+20° OUTDOOR
 ● F1583018 20°+20° OUTDOOR
 ● F1584006 40°+40° OUTDOOR
 ● F1584018 40°+40° OUTDOOR

€ IVA inc / incl VAT

450,00
 450,00
 450,00
 450,00



CLESSIDRA INDOOR

Antonio Citterio, 2011
 Potenza · Power 10W
 Tensione · Voltage 100-240V

Fonte luminosa · Light source
 2 LED 10W 637lm* 3000K CRI80

LED INCLUDED * Il flusso luminoso si riferisce al prodotto con 20°+20°. Si prega di consultare il nostro sito web per informazioni dettagliate sulle finiture con 40°+40°.
 * The lumen output refers to the product with 20°+20°. Please consult our website for detailed information about the finishes with 40°+40°.

Materiali · Materials
 alluminio, PMMA · aluminum, PMMA

Peso · Weight 1,1 Kg

Finiture
 Finishes


bianco · white
 bianco · white

Colori
 Colors

○ F1583009 20°+20°
 ○ F1584009 40°+40°

€ IVA inc / incl VAT

450,00
 450,00



COORDINATES C4

Michael Anastassiades, 2020
 Potenza · Power 157W
 Tensione · Voltage 100 - 240V

LED INCLUDED Fonte luminosa · Light source
 STRIP LED 157W 8830lm 2700K CRI95

Materiali · Materials
 alluminio estruso, silicone platinico opale estruso ·
 extruded aluminum, platinic silicone extruded opal

Peso · Weight 8,1 Kg DIMMER INCLUDED
 1-10/PUSH/DALI

Finiture
 Finishes


champagne anodizzato ·
 anodized champagne
 argent

Colori
 Colors

● F1856044
 ● F1856033

€ IVA inc / incl VAT

5.100,00
 5.100,00



COORDINATES C4 CL III

Michael Anastassiades, 2020
 Potenza · Power 147W
 Tensione · Voltage 48V

LED INCLUDED Fonte luminosa · Light source
 STRIP LED 147W 8830lm 2700K CRI95

Materiali · Materials
 alluminio estruso, silicone platinico opale estruso ·
 extruded aluminum, platinic silicone extruded opal

Peso · Weight 5,2 Kg

Finiture
 Finishes

champagne anodizzato ·
 anodized champagne
 argent

Colori
 Colors

● F1840044
 ● F1840033

€ IVA inc / incl VAT


4.800,00
 4.800,00

ALIMENTATORE / POWER SUPPLY
 RF29209


121,00

DIMMER LED / LED DIMMER
 RF26994

85,00



Per le relative sorgenti luminose consigliate da Flos ed i codici da ordinare si rimanda alle specifiche tecniche a pag. 75-84 -
 For the related light sources recommended by Flos and the codes to order please refer to the technical specifications at pages 75-84



COORDINATES F

Michael Anastassiades, 2020
 Potenza · Power 57W
 Tensione · Voltage 100 - 240/48V

LED INCLUDED Fonte luminosa · Light source
 STRIP LED 57W 3240lm 2700K
 CRI95 DIMMABLE

Materiali · Materials
 alluminio estruso, silicone platinico opale estruso ·
 extruded aluminum, platinic silicone extruded opal

Peso · Weight 9,2 Kg DIMMER INCLUDED

Finiture
 Finishes


champagne anodizzato ·
 anodized champagne
 argent

Colori
 Colors

● F1801044
 ● F1801033

€ IVA inc / incl VAT

1.560,00
 1.560,00



COORDINATES MODULE S

Michael Anastassiades, 2020
 Potenza · Power 180W
 Tensione · Voltage 100 - 240V

LED INCLUDED Fonte luminosa · Light source
 STRIP LED 180W 10230lm 2700K
 CRI90

Materiali · Materials
 alluminio estruso, silicone platinico opale estruso ·
 extruded aluminum, platinic silicone extruded opal

Peso · Weight 8,7 Kg DIMMER INCLUDED
 1-10/PUSH/DALI

Finiture
 Finishes


champagne anodizzato ·
 anodized champagne
 argent

Colori
 Colors

● F1880044
 ● F1880033

€ IVA inc / incl VAT

5.000,00
 5.000,00



COORDINATES MODULE S CL III

Michael Anastassiades, 2020
 Potenza · Power 180W
 Tensione · Voltage 48V

LED INCLUDED Fonte luminosa · Light source
 STRIP LED 180W 10230lm 2700K
 CRI90

Materiali · Materials
 alluminio estruso, silicone platinico opale estruso ·
 extruded aluminum, platinic silicone extruded opal

Peso · Weight 6 Kg

Finiture
 Finishes

champagne anodizzato ·
 anodized champagne
 argent

Colori
 Colors

● F1889044
 ● F1889033

€ IVA inc / incl VAT


4.700,00
 4.700,00

ALIMENTATORE / POWER SUPPLY
 RF27617

121,00

DIMMER LED / LED DIMMER
 RF26994

85,00



COORDINATES S1

Michael Anastassiades, 2020
 Potenza · Power 37W
 Tensione · Voltage 120 - 240V

LED INCLUDED Fonte luminosa · Light source
 STRIP LED 37W 1920lm 2700K CRI95

Materiali · Materials
 alluminio estruso, silicone platinico opale estruso ·
 extruded aluminum, platinic silicone extruded opal

Peso · Weight 2,1 Kg DIMMER INCLUDED
 1-10/PUSH/DALI

Finiture
 Finishes

champagne anodizzato ·
 anodized champagne
 argent





Colori
 Colors





● F1860044
 ● F1860033

€ IVA inc / incl VAT

1.820,00
 1.820,00







	<p>COORDINATES S1 CL III Michael Anastassiades, 2020 Potenza · Power 32W Tensione · Voltage 48V</p> <p>LED INCLUDED Fonte luminosa · Light source STRIP LED 32W 1920lm 2700K CRI95</p> <p>Materiali · Materials alluminio estruso, silicone platinico opale estruso · extruded aluminum, platinic silicone extruded opal</p> <p>Peso · Weight 1,2 Kg</p>	<p>Finiture Finishes</p> <p>champagne anodizzato · anodized champagne argent</p>	<p>Colori Colors</p> <p>● F1842044 ● F1842033</p> <p>ALIMENTATORE / POWER SUPPLY RF29208</p> <p>DIMMER LED / LED DIMMER RF26994</p>	<p>€ IVA inc / incl VAT</p> <p>1.650,00 1.650,00 81,00 85,00</p>
	<p>COORDINATES S2 Michael Anastassiades, 2020 Potenza · Power 55W Tensione · Voltage 120 - 240V</p> <p>LED INCLUDED Fonte luminosa · Light source STRIP LED 55W 2960lm 2700K CRI95</p> <p>Materiali · Materials alluminio estruso, silicone platinico opale estruso · extruded aluminum, platinic silicone extruded opal</p> <p>Peso · Weight 2,7 Kg</p>	<p>Finiture Finishes</p> <p>champagne anodizzato · anodized champagne argent</p>	<p>Colori Colors</p> <p>● F1862044 ● F1862033</p> <p>DIMMER INCLUDED 1-10/PUSH/DALI</p>	<p>€ IVA inc / incl VAT</p> <p>2.100,00 2.100,00</p>
	<p>COORDINATES S2 CLIII Michael Anastassiades, 2020 Potenza · Power 50W Tensione · Voltage 48V</p> <p>LED INCLUDED Fonte luminosa · Light source STRIP LED 55W 2960lm 2700K CRI95</p> <p>Materiali · Materials alluminio estruso, silicone platinico opale estruso · extruded aluminum, platinic silicone extruded opal</p> <p>Peso · Weight 1,8 Kg</p>	<p>Finiture Finishes</p> <p>champagne anodizzato · anodized champagne argent</p>	<p>Colori Colors</p> <p>● F1844044 ● F1844033</p> <p>ALIMENTATORE / POWER SUPPLY RF29208</p> <p>DIMMER LED / LED DIMMER RF26994</p>	<p>€ IVA inc / incl VAT</p> <p>2.000,00 2.000,00 81,00 85,00</p>
	<p>COORDINATES S3 Michael Anastassiades, 2020 Potenza · Power 71W Tensione · Voltage 100 - 240V</p> <p>LED INCLUDED Fonte luminosa · Light source STRIP LED 71W 3850lm 2700K CRI95</p> <p>Materiali · Materials alluminio estruso, silicone platinico opale estruso · extruded aluminum, platinic silicone extruded opal</p> <p>Peso · Weight 3,2 Kg</p>	<p>Finiture Finishes</p> <p>champagne anodizzato · anodized champagne argent</p>	<p>Colori Colors</p> <p>● F1850044 ● F1850033</p> <p>DIMMER INCLUDED 1-10/PUSH/DALI</p>	<p>€ IVA inc / incl VAT</p> <p>3.000,00 3.000,00</p>


	<p>COORDINATES S3 CL III Michael Anastassiades, 2020 Potenza · Power 64W Tensione · Voltage 48V</p> <p>LED INCLUDED Fonte luminosa · Light source STRIP LED 64W 3850lm 2700K CRI95</p> <p>Materiali · Materials alluminio estruso, silicone platinico opale estruso · extruded aluminum, platinic silicone extruded opal</p> <p>Peso · Weight 2,3 Kg</p>	<p>Finiture Finishes champagne anodizzato · anodized champagne argent</p>	<p>Colori Colors ● F1846044 ● F1846033</p> <p>ALIMENTATORE / POWER SUPPLY RF29209</p> <p>DIMMER LED / LED DIMMER RF26994</p>	<p>€ IVA inc / incl VAT</p> <p>2.850,00 2.850,00 121,00 85,00</p>
	<p>COORDINATES S4 Michael Anastassiades, 2020 Potenza · Power 161W Tensione · Voltage 100 - 240V</p> <p>LED INCLUDED Fonte luminosa · Light source STRIP LED 161W 8830lm 2700K CRI95</p> <p>Materiali · Materials alluminio estruso, silicone platinico opale estruso · extruded aluminum, platinic silicone extruded opal</p> <p>Peso · Weight 7,9 Kg</p>	<p>Finiture Finishes champagne anodizzato · anodized champagne argent</p>	<p>Colori Colors ● F1854044 ● F1854033</p>	<p>€ IVA inc / incl VAT</p> <p>5.120,00 5.120,00</p>
	<p>COORDINATES S4 CLIII Michael Anastassiades, 2020 Potenza · Power 147W Tensione · Voltage 48V</p> <p>LED INCLUDED Fonte luminosa · Light source STRIP LED 147W 8830lm 2700K CRI95</p> <p>Materiali · Materials alluminio estruso, silicone platinico opale estruso · extruded aluminum, platinic silicone extruded opal</p> <p>Peso · Weight 5,2 Kg</p>	<p>Finiture Finishes champagne anodizzato · anodized champagne argent</p>	<p>Colori Colors ● F1848044 ● F1848033</p> <p>ALIMENTATORE / POWER SUPPLY RF29209</p> <p>DIMMER LED / LED DIMMER RF26994</p>	<p>€ IVA inc / incl VAT</p> <p>4.800,00 4.800,00 121,00 85,00</p>
	<p>COORDINATES WALL 1 Michael Anastassiades, 2020 Potenza · Power 15W Tensione · Voltage 230V</p> <p>LED INCLUDED Fonte luminosa · Light source LED module 15W 961lm 2700K CRI90</p> <p>Materiali · Materials alluminio estruso, silicone platinico opale estruso · extruded aluminum, platinic silicone extruded opal</p> <p>Peso · Weight 0,8 Kg</p>	<p>Finiture Finishes champagne anodizzato · anodized champagne argent</p>	<p>Colori Colors ● F1810044 ● F1810033</p> <p>DIMMABLE PARETE / WALL DIMMABLE RF34169 (DALI)</p>	<p>€ IVA inc / incl VAT</p> <p>730,00 730,00 218,00</p>


Per le relative sorgenti luminose consigliate da Flos ed i codici da ordinare si rimanda alle specifiche tecniche a pag. 75-84-


For the related light sources recommended by Flos and the codes to order please refer to the technical specifications at pages 75-84

	<p>COORDINATES WALL 2 Michael Anastassiades, 2020 Potenza · Power 24W Tensione · Voltage 230V</p> <p>LED INCLUDED Fonte luminosa · Light source LED module 24W 1402lm 2700K CRI90</p> <p>Materiali · Materials alluminio estruso, silicone platinico opale estruso · extruded aluminum, platinum silicone extruded opal</p> <p>Peso · Weight 1 Kg</p>	<p>Finiture Finishes champagne anodizzato · anodized champagne argent</p>	<p>Colori Colors ● F1811044 ● F1811033</p> <p>DIMMABLE PARETE / WALL DIMMABLE RF34169 (DALI)</p>	<p>€ IVA inc I incl VAT 950,00 950,00 218,00</p>
	<p>COPYCAT Michael Anastassiades, 2015 Potenza · Power 16W Tensione · Voltage 100-240V/24V</p> <p>LED INCLUDED Fonte luminosa · Light source 1 COB LED 16W 900lm total 2700K CRI83 DIMMABLE</p> <p>Materiali · Materials alluminio, vetro soffiato · aluminum, blown glass</p> <p>Peso · Weight 3,6 Kg DIMMER INCLUDED</p>	<p>Finiture Finishes oro 24K · 24K gold</p>	<p>Colori Colors ● F1952044</p>	<p>€ IVA inc I incl VAT 720,00</p>
	<p>FLAUTA H225 RIGA/INDOOR Patricia Urquiola, 2020 Potenza · Power 12W Tensione · Voltage 220-240V</p> <p>LED INCLUDED Fonte luminosa · Light source 2 LED 12W 493lm 2700K CRI95</p> <p>Materiali · Materials alluminio · aluminum</p> <p>Peso · Weight 0,8 Kg DIMMER INCLUDED PUSH/DALI</p>	<p>Finiture Finishes nero · black bianco · white anodized copper</p>	<p>Colori Colors ● F2340030 ○ F2340009 ● F2340015</p>	<p>€ IVA inc I incl VAT 753,00 753,00 753,00</p>
	<p>FLAUTA H500 RIGA/INDOOR Patricia Urquiola, 2020 Potenza · Power 12W Tensione · Voltage 220-240V</p> <p>LED INCLUDED Fonte luminosa · Light source 2 LED 12W 493lm 2700K CRI95</p> <p>Materiali · Materials alluminio · aluminum</p> <p>Peso · Weight 1,5 Kg DIMMER INCLUDED PUSH/DALI</p>	<p>Finiture Finishes nero · black bianco · white anodized copper</p>	<p>Colori Colors ● F2342030 ○ F2342009 ● F2342015</p>	<p>€ IVA inc I incl VAT 850,00 850,00 850,00</p>

 <p>ø 45 mm 1000 mm ø 73 mm</p>	<p>FLAUTA H1000 RIGA/INDOOR</p> <p>Patricia Urquiola, 2020</p> <p>Potenza · Power 12W</p> <p>Tensione · Voltage 220-240V</p>	<p>Finiture Finishes</p> <p>nero · black bianco · white anodized copper</p>	<p>Colori Colors</p> <p>● F2344030 ○ F2344009 ● F2344015</p>	<p>€ IVA inc / incl VAT</p> <p>1.097,00 1.097,00 1.097,00</p>
	<p>LED INCLUDED Fonte luminosa · Light source 2 LED 12W 493lm 2700K CRI95</p> <p>Materiali · Materials alluminio · aluminum</p> <p>Peso · Weight 2,7 Kg</p>	<p>DIMMER INCLUDED PUSH/DALI</p> <p>CE □ ▽ IP 40</p>		

 <p>370 mm 210 mm 97 mm</p>	<p>FOGLIO</p> <p>Tobia Scarpa, 1966</p> <p>Potenza · Power 2 x MAX 100W</p> <p>Tensione · Voltage 220-250V</p>	<p>Finiture Finishes</p> <p>bianco · white nero · black cromo · chrome black nickel oro 22K · gold 22K</p>	<p>Colori Colors</p> <p>○ F2400009 ● F2400030 ▨ F2400057 ● F2400063 ● F2400044</p>	<p>€ IVA inc / incl VAT</p> <p>300,00 300,00 640,00 720,00 720,00</p>
	<p>Fonte luminosa · Light source LED 11,5W E27 1100lm [esclusa - excluded]</p> <p>Materiali · Materials acciaio · steel</p> <p>Peso · Weight 3,63 Kg</p>	<p>LED</p> <p>CE □ ▽ IP 20</p>		

 <p>730 mm 2700 mm ø 600 mm</p>	<p>FRISBI</p> <p>Achille Castiglioni, 1978</p> <p>Potenza · Power 1 x MAX 105W</p> <p>Tensione · Voltage 220-250V</p>	<p>Finiture Finishes</p> <p>cromo · chrome</p>	<p>Colori Colors</p> <p>● F2500000</p>	<p>€ IVA inc / incl VAT</p> <p>525,00</p>
	<p>Fonte luminosa · Light source LED 13W E27 1250lm [esclusa - excluded]</p> <p>Materiali · Materials polimetilmetacrilato, acciaio · polymethylmethacrylate, steel</p> <p>Peso · Weight 2,65 Kg</p>	<p>LED</p> <p>CE □ ▽ IP 20</p>		

 <p>ø 350 mm 560 mm ø 140 mm</p>	<p>GATTO NEW EDITION 2005</p> <p>Achille and Pier Giacomo Castiglioni, 1960</p> <p>Potenza · Power MAX 60W</p> <p>Tensione · Voltage 220-240V</p>	<p>Finiture Finishes</p> <p>bianco · white</p>	<p>Colori Colors</p> <p>○ F2601009</p>	<p>€ IVA inc / incl VAT</p> <p>610,00</p>
	<p>Fonte luminosa · Light source LED 11,5W E27 1100lm [esclusa - excluded]</p> <p>Materiali · Materials cocoon, acciaio · cocoon, steel</p> <p>Peso · Weight 1,7 Kg</p>	<p>LED</p> <p>DIMMER INCLUDED</p> <p>CE □ ▽ IP 20</p>		

Per le relative sorgenti luminose consigliate da Flos ed i codici da ordinare si rimanda alle specifiche tecniche a pag. 75-84-
For the related light sources recommended by Flos and the codes to order please refer to the technical specifications at pages 75-84


 <p> ø 190 mm 300 mm ø 100 mm </p>	<p>GATTO PICCOLO NEW EDITION 2005</p> <p>Achille and Pier Giacomo Castiglioni, 1960</p> <p>Potenza · Power MAX 60W</p> <p>Tensione · Voltage 220-240V</p> <p>  Fonte luminosa · Light source LED 8W E14 900lm o · or LED 9W E14 900lm [esclusa - excluded] </p> <p> Materiali · Materials cocoon, acciaio · cocoon, steel </p> <p> Peso · Weight 0,8 Kg DIMMER INCLUDED </p>	<p> Finiture Finishes bianco · white </p>	<p> Colori Colors ○ F2701009 </p>	<p>€ IVA inc I incl VAT</p> <p>495,00</p>
 <p> ø 190 mm 160 mm ø 75 mm </p>	<p>GLO-BALL BASIC ZERO</p> <p>Jasper Morrison, 2009</p> <p>Potenza · Power MAX 60W</p> <p>Tensione · Voltage 220-240V</p> <p>  Fonte luminosa · Light source LED 8W E14 900lm o · or LED 9W E14 900lm [escluse - excluded] </p> <p> Materiali · Materials vetro · glass </p> <p> Peso · Weight 1 Kg DIMMER INCLUDED </p>	<p> Finiture Finishes bianco · white </p>	<p> Colori Colors ○ F3330009 </p>	<p>€ IVA inc I incl VAT</p> <p>375,00</p>
 <p> ø 190 mm 160 mm ø 75 mm </p>	<p>GLO-BALL BASIC ZERO SWITCH</p> <p>Jasper Morrison, 2009</p> <p>Potenza · Power MAX 60W</p> <p>Tensione · Voltage 220-240V</p> <p>  Fonte luminosa · Light source LED 8W E14 900lm o · or LED 9W E14 900lm [escluse - excluded] </p> <p> Materiali · Materials vetro · glass </p> <p> Peso · Weight 1 Kg </p>	<p> Finiture Finishes bianco · white </p>	<p> Colori Colors ○ F3331009 SWITCH </p>	<p>€ IVA inc I incl VAT</p> <p>290,00</p>
 <p> ø 330 mm 270 mm ø 110 mm </p>	<p>GLO-BALL BASIC 1</p> <p>Jasper Morrison, 1998</p> <p>Potenza · Power MAX 150W</p> <p>Tensione · Voltage 220-240V</p> <p>  Fonte luminosa · Light source LED 15W E27 2000lm [esclusa - excluded] </p> <p> Materiali · Materials vetro · glass </p> <p> Peso · Weight 2,61 Kg DIMMER INCLUDED </p>	<p> Finiture Finishes bianco · white </p>	<p> Colori Colors ○ F3021000 </p>	<p>€ IVA inc I incl VAT</p> <p>600,00</p>

	<p>GLO-BALL BASIC 2 Jasper Morrison, 1998 Potenza · Power MAX 150W Tensione · Voltage 220-240V</p>	<p>Finiture <i>Finishes</i> bianco · white</p>	<p>Colori <i>Colors</i> ○ F3026000</p>	<p>€ IVA inc / incl VAT 725,00</p>
	<p>Fonte luminosa · Light source LED 15W E27 2000lm o · or LED 18W E27 2000lm o · or LED 18W E27 1900lm [escluse - excluded]</p>			
	<p>Materiali · Materials vetro · glass</p>			
	<p>Peso · Weight 4,02 Kg DIMMER INCLUDED</p>	<p>CE IP 20</p>		
	<p>GLO-BALL WALL MINI Jasper Morrison, 2002 Potenza · Power MAX 25W Tensione · Voltage 220-250V</p>	<p>Finiture <i>Finishes</i> bianco · white bianco · white</p>	<p>Colori <i>Colors</i> ○ F4190009 MIRROR ○ F4194009 C/W</p>	<p>€ IVA inc / incl VAT 160,00 160,00</p>
	<p>Fonte luminosa · Light source LED 3,2W G9 400lm o · or LED 2W G9 240lm [esclusa - excluded]</p>			
	<p>Materiali · Materials vetro · glass</p>			
	<p>Peso · Weight 0,29 Kg</p>	<p>C/W CE IP 40</p>	<p>MIRROR MOUNTING CE IP 44</p>	
	<p>GLO-BALL C/W ZERO Jasper Morrison, 2009 Potenza · Power MAX 60W Tensione · Voltage 220-250V</p>	<p>Finiture <i>Finishes</i> bianco · white</p>	<p>Colori <i>Colors</i> ○ F3335009</p>	<p>€ IVA inc / incl VAT 290,00</p>
	<p>Fonte luminosa · Light source LED 8W E14 900lm o · or LED 9W E14 900lm [escluse - excluded]</p>			
	<p>Materiali · Materials vetro · glass</p>			
	<p>Peso · Weight 1 Kg</p>	<p>CE IP 40</p>		
	<p>GLO-BALL C1 Jasper Morrison, 1999 Potenza · Power MAX 150W Tensione · Voltage 220-250V</p>	<p>Finiture <i>Finishes</i> bianco · white</p>	<p>Colori <i>Colors</i> ○ F3023000</p>	<p>€ IVA inc / incl VAT 490,00</p>
	<p>Fonte luminosa · Light source LED 15W E27 2000lm [esclusa - excluded]</p>			
	<p>Materiali · Materials vetro · glass</p>			
	<p>Peso · Weight 2,47 Kg</p>	<p>CE IP 40</p>		

Per le relative sorgenti luminose consigliate da Flos ed i codici da ordinare si rimanda alle specifiche tecniche a pag. 75-84-

For the related light sources recommended by Flos and the codes to order please refer to the technical specifications at pages 75-84

	<p>GLO-BALL C2</p> <p>Jasper Morrison, 1999</p> <p>Potenza · <i>Power</i> MAX 150W</p> <p>Tensione · <i>Voltage</i> 220-250V</p> <p>Fonte luminosa · <i>Light source</i> LED 15W E27 2000lm o · or LED 18W E27 2000lm o · or LED 18W E27 1900lm [escluse - <i>excluded</i>]</p> <p>Materiali · <i>Materials</i> vetro · <i>glass</i></p> <p>Peso · <i>Weight</i> 3,77 Kg</p>	<p>Finiture <i>Finishes</i></p> <p>bianco · <i>white</i></p>	<p>Colori <i>Colors</i></p> <p>○ F3028000</p>	<p>€ IVA inc / <i>incl VAT</i></p> <p>725,00</p>
	<p>GLO-BALL W</p> <p>Jasper Morrison, 1999</p> <p>Potenza · <i>Power</i> MAX 100W</p> <p>Tensione · <i>Voltage</i> 220-250V</p> <p>Fonte luminosa · <i>Light source</i> LED 11,5 E27 1100lm [escluse - <i>excluded</i>]</p> <p>Materiali · <i>Materials</i> vetro · <i>glass</i></p> <p>Peso · <i>Weight</i> 1,8 Kg</p>	<p>Finiture <i>Finishes</i></p> <p>bianco · <i>white</i></p>	<p>Colori <i>Colors</i></p> <p>○ F3022000</p>	<p>€ IVA inc / <i>incl VAT</i></p> <p>350,00</p>
	<p>GLO-BALL F1</p> <p>Jasper Morrison, 1998</p> <p>Potenza · <i>Power</i> MAX 150W</p> <p>Tensione · <i>Voltage</i> 220-240V</p> <p>Fonte luminosa · <i>Light source</i> LED 15W E27 2000lm [esclusa - <i>excluded</i>]</p> <p>Materiali · <i>Materials</i> vetro, acciaio · <i>glass, steel</i></p> <p>Peso · <i>Weight</i> 12 Kg DIMMER INCLUDED</p>	<p>Finiture <i>Finishes</i></p> <p>argento · <i>silver</i> nero opaco · <i>matte black</i></p>	<p>Colori <i>Colors</i></p> <p>● F3031020 ● F3031031</p>	<p>€ IVA inc / <i>incl VAT</i></p> <p>910,00 910,00</p>
	<p>GLO-BALL F2</p> <p>Jasper Morrison, 1998</p> <p>Potenza · <i>Power</i> MAX 150W</p> <p>Tensione · <i>Voltage</i> 220-240V</p> <p>Fonte luminosa · <i>Light source</i> LED 15W E27 2000lm [esclusa - <i>excluded</i>]</p> <p>Materiali · <i>Materials</i> vetro, acciaio · <i>glass, steel</i></p> <p>Peso · <i>Weight</i> 12,36 Kg DIMMER INCLUDED</p>	<p>Finiture <i>Finishes</i></p> <p>argento · <i>silver</i> nero opaco · <i>matte black</i></p>	<p>Colori <i>Colors</i></p> <p>● F3032020 ● F3032031</p>	<p>€ IVA inc / <i>incl VAT</i></p> <p>970,00 970,00</p>

**GLO-BALL F3**

Jasper Morrison, 1998
 Potenza · Power MAX 150W
 Tensione · Voltage 220-240V



Fonte luminosa · Light source
 LED 15W E27 2000lm o · or
 LED 18W E27 2000lm o · or
 LED 18W E27 1900lm
 [escluse - excluded]

Materiali · Materials
 vetro, acciaio · glass, steel

Peso · Weight 17,65 Kg DIMMER INCLUDED

Finiture
 Finishes


argento · silver
 nero opaco · matte black

Colori
 Colors

● F3030000
 ● F3030031

€ IVA inc / incl VAT

1.030,00
 1.030,00

**MINI GLO-BALL S**

Jasper Morrison, 1998
 Potenza · Power MAX 25W
 Tensione · Voltage 220-250V



Fonte luminosa · Light source
 LED 3,2W G9 400lm o · or
 LED 2W G9 240lm
 [esclusa - excluded]

Materiali · Materials
 vetro · glass

Peso · Weight 0,67 Kg

Finiture
 Finishes

bianco · white

Colori
 Colors

○ F4195009

€ IVA inc / incl VAT

230,00

**GLO-BALL S1**

Jasper Morrison, 1998
 Potenza · Power MAX 150W
 Tensione · Voltage 220-250V



Fonte luminosa · Light source
 LED 15W E27 2700lm
 [esclusa - excluded]

Materiali · Materials
 vetro · glass

Peso · Weight 2,55 Kg

Finiture
 Finishes

bianco · white

Colori
 Colors

○ F3005061

€ IVA inc / incl VAT

490,00

**GLO-BALL S2**

Jasper Morrison, 1998
 Potenza · Power MAX 150W
 Tensione · Voltage 220-250V



Fonte luminosa · Light source
 LED 15W E27 2000lm o · or
 LED 18W E27 2000lm o · or
 LED 18W E27 1900lm
 [escluse - excluded]

Materiali · Materials
 vetro · glass

Peso · Weight 3,77 Kg

Finiture
 Finishes

bianco · white

Colori
 Colors

○ F3010061





€ IVA inc / incl VAT

650,00



Per le relative sorgenti luminose consigliate da Flos ed i codici da ordinare si rimanda alle specifiche tecniche a pag. 75-84-

For the related light sources recommended by Flos and the codes to order please refer to the technical specifications at pages 75-84

 <p>90 mm ø 112 mm</p>	<p>MINI GLO-BALL T Jasper Morrison, 2003 Potenza · Power MAX 25W Tensione · Voltage 220-250V</p> <p>Fonte luminosa · Light source LED 3,2W G9 400lm o · or LED 2W G9 240lm [esclusa - excluded]</p> <p>Materiali · Materials vetro · glass</p> <p>Peso · Weight 0,43 Kg SWITCH INCLUDED</p>	<p>Finiture Finishes bianco · white</p>	<p>Colori Colors ○ F4191009</p>	<p>€ IVA inc I incl VAT 210,00</p>
 <p>ø 330 mm 600 mm 270 mm ø 240 mm</p>	<p>GLO-BALL T1 Jasper Morrison, 1998 Potenza · Power MAX 150W Tensione · Voltage 220-240V</p> <p>Fonte luminosa · Light source LED 15W E27 2000lm [esclusa - excluded]</p> <p>Materiali · Materials vetro, acciaio · glass, steel</p> <p>Peso · Weight 6,7 Kg DIMMER INCLUDED</p>	<p>Finiture Finishes argento · silver nero opaco · matte black</p>	<p>Colori Colors ● F3020000 ● F3020031</p>	<p>€ IVA inc I incl VAT 680,00 680,00</p>
 <p>255 mm 400 mm 150 mm</p>	<p>GOLDMAN Ron Gilad, 2013 Potenza · Power 8W Tensione · Voltage 100-240/24V</p> <p>LED INCLUDED Fonte luminosa · Light source 42 LED 8W 248lm total 2700K CRI 85 + CHARGER USB 5VDC 1,5A DIMMABLE</p> <p>Materiali · Materials alluminio, metacrilato · aluminum, methacrylate</p> <p>Peso · Weight 0,8 Kg DIMMER INCLUDED</p>	<p>Finiture Finishes ottone/verde · brass/green nero/fumè · black/fumée</p>	<p>Colori Colors ● F3440044* ● F3440030*</p>	<p>€ IVA inc I incl VAT 690,00 690,00</p> <p>*Ad esaurimento scorte - While stocks last</p>
 <p>ø 160 mm 230 mm ø 120 mm</p>	<p>GUSTAVE RESIDENTIAL Vincent Van Duysen, 2022 Potenza · Power 2,5W Tensione · Voltage IN 5V</p> <p>LED INCLUDED Fonte luminosa · Light source LED Array DC 60 mA 2,5W 159lm 2700K 6/18 HOURS BATTERY LIFE, RECHARGEABLE WITH MICRO-USB-C KIT [BATTERY INCLUDED]</p> <p>Materiali · Materials alluminio pressofuso, metacrilato · die cast aluminum, methacrylate</p> <p>Peso · Weight 0,78 Kg DIMMER INCLUDED</p>	<p>Finiture Finishes matte anthracite matte white lacquered brown lacquered green smooth black raw aluminum polished silver nero · black bianco · white</p>	<p>Colori Colors ● 09.8405.DR ○ 09.8405.DY ● 09.8405.MR ● 09.8405.GX ● 09.8405.SB ● 09.8405.VL ● 09.8405.05 ADATTATORE / ADAPTER ● RF27576 ○ RF25965</p>	<p>€ IVA inc I incl VAT 350,00 350,00 415,00 415,00 415,00 415,00 415,00 50,00 50,00</p>





	GUSTAVE RESIDENTIAL Vincent Van Duysen, 2022 Potenza · Power 2,5W Tensione · Voltage IN 5V	Finiture <i>Finishes</i> matte anthracite matte white lacquered brown lacquered green smooth black raw aluminum polished silver	Colori <i>Colors</i> ● 09.8406.DR 350,00 ○ 09.8406.DY 350,00 ● 09.8406.MR 415,00 ● 09.8406.GX 415,00 ● 09.8406.SB 415,00 ● 09.8406.VL 415,00 ● 09.8406.O5 415,00	€ IVA inc / incl VAT
	LED INCLUDED Fonte luminosa · Light source LED Array DC 60 mA 2,5W 169lm 3000K 6/18 HOURS BATTERY LIFE, RECHARGEABLE WITH MICRO-USB-C KIT [BATTERY INCLUDED]	ADATTATORE / ADAPTER ● RF2576 50,00 ○ RF25965 50,00		
	Materiali · Materials alluminio pressofuso, metacrilato · die cast aluminum, methacrylate Peso · Weight 0,78 Kg DIMMER INCLUDED	CE		


	GUSTAVE HOSPITALITY Vincent Van Duysen, 2022 Potenza · Power 2,3W Tensione · Voltage IN 11.1 V	Finiture <i>Finishes</i> matte anthracite matte white lacquered brown lacquered green smooth black raw aluminum polished silver	Colori <i>Colors</i> ● 09.8400.DR 265,00 ○ 09.8400.DY 265,00 ● 09.8400.MR 330,00 ● 09.8400.GX 330,00 ● 09.8400.SB 330,00 ● 09.8400.VL 330,00 ● 09.8400.O5 330,00	€ IVA inc / incl VAT
	LED INCLUDED Fonte luminosa · Light source LED Array DC 60 mA 2,3W 159lm 2700K 6/18 HOURS BATTERY LIFE [3 X 18650 LI-ION BATTERIES NOT INCLUDED]	BATTERIE / BATTERIES 08.0745.00 (3 units) 41,00 08.0746.00 (6 units) 69,00 08.0747.00 (12 units) 123,00 08.0748.00 (24 units) 233,00		
	Materiali · Materials alluminio pressofuso, metacrilato · die cast aluminum, methacrylate Peso · Weight 0,67 Kg DIMMER INCLUDED	CE	CARICABATTERIE / BATTERIES CHARGER 60.9848 75,00	

	GUSTAVE HOSPITALITY Vincent Van Duysen, 2022 Potenza · Power 2,3W Tensione · Voltage IN 5V	Finiture <i>Finishes</i> matte anthracite matte white lacquered brown lacquered green smooth black raw aluminum polished silver	Colori <i>Colors</i> ● 09.8401.DR 265,00 ○ 09.8401.DY 265,00 ● 09.8401.MR 330,00 ● 09.8401.GX 330,00 ● 09.8401.SB 330,00 ● 09.8401.VL 330,00 ● 09.8401.O5 330,00	€ IVA inc / incl VAT
	LED INCLUDED Fonte luminosa · Light source LED Array DC 60 mA 2,3W 169lm 3000K 6/18 HOURS BATTERY LIFE [3 X 18650 LI-ION BATTERIES NOT INCLUDED]	BATTERIE / BATTERIES 08.0745.00 (3 units) 41,00 08.0746.00 (6 units) 69,00 08.0747.00 (12 units) 123,00 08.0748.00 (24 units) 233,00		
	Materiali · Materials alluminio pressofuso, metacrilato · die cast aluminum, methacrylate Peso · Weight 0,67 Kg DIMMER INCLUDED	CE	CARICABATTERIE / BATTERIES CHARGER 60.9848 75,00	

	IC C/W1 Michael Anastassiades, 2014 Potenza · Power MAX 60W Tensione · Voltage 220-250V	Finiture <i>Finishes</i> cromo · chrome ottone · brass nero · black	Colori <i>Colors</i> ■ F3178057 480,00 ■ F3178059 480,00 ● F3178030 480,00	€ IVA inc / incl VAT
	LED INCLUDED Fonte luminosa · Light source LED 8W E14 900lm o · or LED 9W E14 900lm [esclusa - excluded]			
	Materiali · Materials acciaio, ottone, vetro soffiato · steel, brass, blown glass Peso · Weight 1,85 Kg	CE		

Per le relative sorgenti luminose consigliate da Flos ed i codici da ordinare si rimanda alle specifiche tecniche a pag. 75-84 -
 For the related light sources recommended by Flos and the codes to order please refer to the technical specifications at pages 75-84

 <p>245 mm 420 mm ø 200 mm</p>	<p>IC C/W1 DOUBLE Michael Anastassiades, 2020 Potenza · Power MAX 60W Tensione · Voltage 220-250V</p> <p>Fonte luminosa · Light source LED 8W E14 900lm o · or LED 9W E14 900lm [esclusa - excluded]</p> <p>Materiali · Materials acciaio, ottone, vetro soffiato · steel, brass, blown glass</p> <p>Peso · Weight 2,7 Kg</p>	<p>Finiture Finishes cromo · chrome ottone · brass nero · black</p>	<p>Colori Colors F3157057 F3157059 F3157030</p>	<p>€ IVA inc I incl VAT 550,00 550,00 550,00</p>
 <p>381 mm ø 110 mm 316 mm ø 300 mm</p>	<p>IC C/W2 Michael Anastassiades, 2014 Potenza · Power MAX 205W Tensione · Voltage 220-250V</p> <p>Fonte luminosa · Light source LED 15W E27 2000lm o · or LED 18W E27 2000lm o · or LED 18W E27 1900lm [esclusa - excluded]</p> <p>Materiali · Materials acciaio, ottone, vetro soffiato · steel, brass, blown glass</p> <p>Peso · Weight 2,7 Kg</p>	<p>Finiture Finishes cromo · chrome ottone · brass nero · black</p>	<p>Colori Colors F3179057 F3179059 F3179030</p>	<p>€ IVA inc I incl VAT 630,00 630,00 630,00</p>
 <p>ø 200 mm 1350 mm ø 275 mm</p>	<p>IC F1 Michael Anastassiades, 2014 Potenza · Power MAX 60W Tensione · Voltage 220-240V</p> <p>Fonte luminosa · Light source LED 8W E14 900lm o · or LED 9W E14 900lm [esclusa - excluded]</p> <p>Materiali · Materials acciaio, ottone, vetro soffiato · steel, brass, blown glass</p> <p>Peso · Weight 5,1 Kg DIMMER INCLUDED</p>	<p>Finiture Finishes cromo · chrome ottone · brass nero · black</p>	<p>Colori Colors F3173057 F3173059 F3173030</p>	<p>€ IVA inc I incl VAT 750,00 750,00 750,00</p>
 <p>ø 300 mm 1852 mm ø 380 mm</p>	<p>IC F2 Michael Anastassiades, 2014 Potenza · Power MAX 205W Tensione · Voltage 220-240V</p> <p>Fonte luminosa · Light source LED 15W E27 2000lm o · or LED 18W E27 2000lm o · or LED 18W E27 1900lm [esclusa - excluded]</p> <p>Materiali · Materials acciaio, ottone, vetro soffiato · steel, brass, blown glass</p> <p>Peso · Weight 8,3 Kg DIMMER INCLUDED</p>	<p>Finiture Finishes cromo · chrome ottone · brass nero · black</p>	<p>Colori Colors F3174057 F3174059 F3174030</p>	<p>€ IVA inc I incl VAT 1.150,00 1.150,00 1.150,00</p>




IC S1

Michael Anastassiades, 2014

Potenza · Power MAX 60W

Tensione · Voltage 220-250V

Fonte luminosa · Light source
 LED 8W E14 900lm o · or
 LED 9W E14 900lm
 [esclusa - excluded]

Materiali · Materials




acciaio, ottone, vetro soffiato · steel, brass, blown glass

Peso · Weight 1,95 Kg

Finiture Finishes


cromo · chrome
 ottone · brass
 nero · black

Colori Colors

 F3175057
 F3175059
 F3175030

€ IVA inc / incl VAT

480,00
 480,00
 480,00




IC S2

Michael Anastassiades, 2014

Potenza · Power MAX 205W

Tensione · Voltage 220-250V

Fonte luminosa · Light source
 LED 15W E27 2000lm o · or
 LED 18W E27 1900lm o · or
 LED 18W E27 2000lm
 [esclusa - excluded]

Materiali · Materials




acciaio, ottone, vetro soffiato · steel, brass, blown glass

Peso · Weight 2,9 Kg

Finiture Finishes


cromo · chrome
 ottone · brass
 nero · black

Colori Colors

 F3176057
 F3176059
 F3176030

€ IVA inc / incl VAT

630,00
 630,00
 630,00




IC T1 HIGH

Michael Anastassiades, 2014

Potenza · Power MAX 60W

Tensione · Voltage 220-240V

Fonte luminosa · Light source
 LED 8W E14 900lm o · or
 LED 9W E14 900lm
 [esclusa - excluded]

Materiali · Materials

acciaio, ottone, vetro soffiato · steel, brass, blown glass




Peso · Weight 1,4 Kg

DIMMER INCLUDED

Finiture Finishes


cromo · chrome
 ottone · brass
 nero · black

Colori Colors

 F3170057
 F3170059
 F3170030

€ IVA inc / incl VAT

530,00
 530,00
 530,00




IC T1 LOW

Michael Anastassiades, 2014

Potenza · Power MAX 60W

Tensione · Voltage 220-240V

Fonte luminosa · Light source
 LED 8W E14 900lm o · or
 LED 9W E14 900lm
 [esclusa - excluded]

Materiali · Materials

acciaio, ottone, vetro soffiato · steel, brass, blown glass




Peso · Weight 1,4 Kg

DIMMER INCLUDED

Finiture Finishes

cromo · chrome
 ottone · brass
 nero · black

Colori Colors

 F3171057
 F3171059
 F3171030


€ IVA inc / incl VAT

530,00
 530,00
 530,00



Per le relative sorgenti luminose consigliate da Flos ed i codici da ordinare si rimanda alle specifiche tecniche a pag. 75-84-

For the related light sources recommended by Flos and the codes to order please refer to the technical specifications at pages 75-84



IC T2

Michael Anastassiades, 2014
 Potenza · Power MAX 205W
 Tensione · Voltage 220-240V



Fonte luminosa · Light source
 LED 15W E27 200lm o · or
 LED 18W E27 2000lm o · or
 LED 18W E27 1900lm
 [esclusa - excluded]

Materiali · Materials
 acciaio, ottone, vetro soffiato · steel, brass,
 blown glass

Peso · Weight 2,35 Kg DIMMER INCLUDED

Finiture
 Finishes
 cromo · chrome
 ottone · brass
 nero · black

Colori
 Colors
 F3172057
 F3172059
 F3172030

€ IVA inc / incl VAT

640,00
 640,00
 640,00



IN VITRO UNPLUGGED

Philippe Starck, 2020
 Potenza · Power 2,5W
 Tensione · Voltage 5/100-240V

LED INCLUDED

Fonte luminosa · Light source
 LED EDGE LIGHTING 2,5W 182lm ≠
 FIXT 103lm 2700K CRI 90 DIMMABLE
 6/24 HOURS BATTERY LIFE RECHARGEABLE WITH
 MICRO-USB KIT

Materiali · Materials
 alluminio, vetro, silicone · aluminum, glass, silicone

Peso · Weight 1 Kg DRIVER INCLUDED

Finiture
 Finishes
 bianco · white
 nero · black
 antracite · anthracite
 deep brown
 forest green
 pale green
 terracotta

Colori
 Colors
 F018E21K001
 F018E21K030
 F018E21K033
 F018E21K018
 F018E21K012
 F018E21K013
 F018E21K025

€ IVA inc / incl VAT

980,00
 980,00
 980,00
 980,00
 980,00
 980,00
 980,00



per gamma completa e accessori
 consultare flos.com · for full range
 and accessories consult flos.com



IN VITRO UNPLUGGED

Philippe Starck, 2020
 Potenza · Power 2,5W
 Tensione · Voltage 5/100-240V

LED INCLUDED

Fonte luminosa · Light source
 LED EDGE LIGHTING 2,5W 195lm ≠
 FIXT 110lm 3000K CRI 90 DIMMABLE
 6/24 HOURS BATTERY LIFE RECHARGEABLE WITH
 MICRO-USB KIT

Materiali · Materials
 alluminio, vetro, silicone · aluminum, glass, silicone

Peso · Weight 1 Kg DRIVER INCLUDED

Finiture
 Finishes
 bianco · white
 nero · black
 antracite · anthracite
 deep brown
 forest green
 pale green
 terracotta


Colori
 Colors
 F018E31K001
 F018E31K030
 F018E31K033
 F018E31K018
 F018E31K012
 F018E31K013
 F018E31K025

€ IVA inc / incl VAT

980,00
 980,00
 980,00
 980,00
 980,00
 980,00
 980,00



per gamma completa e accessori
 consultare flos.com · for full range
 and accessories consult flos.com



IPNOS OUTDOOR

Nicoletta Rossi and Guido Bianchi, 2014
 Potenza · Power 15W
 Tensione · Voltage 100-240V

LED INCLUDED

Fonte luminosa · Light source
 196 TOP LED 15W 665lm 3500K
 CRI 85

Materiali · Materials
 alluminio, policarbonato · aluminum,
 polycarbonate

Peso · Weight 1,15 Kg ON/OFF

Finiture
 Finishes
 nero · black
 naturale · natural
 bronzo · bronze
 trasparente · transparent

Colori
 Colors
 F3150030
 F3150054
 F3150046
 F3125000 TOP PLATE
 OPTIONAL





€ IVA inc / incl VAT

1.000,00
 1.000,00
 1.000,00
 125,00







per gamma completa e accessori
 consultare flos.com · for full range
 and accessories consult flos.com

Per le relative sorgenti luminose consigliate da Flos ed i codici da ordinare si rimanda alle specifiche tecniche a pag. 75-84 -
 For the related light sources recommended by Flos and the codes to order please refer to the technical specifications at pages 75-84

	<p>KELVIN EDGE BASE Antonio Citterio, 2015 Potenza · Power 7W Tensione · Voltage 100-240V/24</p> <p>Fonte luminosa · Light source LED INCLUDED EDGE LIGHTING 7W 306lm 2700/3200K CRI 90 DIMMABLE K SELECTION</p> <p>Materiali · Materials alluminio · aluminum</p> <p>Peso · Weight 3,9 Kg DIMMER INCLUDED</p>	<p>Finiture Finishes bianco · white nero · black titanio · titanium</p>	<p>Colori Colors ○ F3452009 ● F3452030 ● F3452033</p>	<p>€ IVA inc / incl VAT 430,00 430,00 440,00</p>
	<p>KELVIN LED BASE Antonio Citterio assistant Toan Nguyen, 2009 Potenza · Power 8W Tensione · Voltage 100-240V/24</p> <p>Fonte luminosa · Light source LED INCLUDED 30 TOP LED 8W 285lm total 3000K CRI 95 DIMMABLE GREEN MODE</p> <p>Materiali · Materials alluminio · aluminum</p> <p>Peso · Weight 3,9 Kg DIMMER INCLUDED</p>	<p>Finiture Finishes bianco · white nero · black antracite · anthracite</p>	<p>Colori Colors ○ F3311009 ● F3311030 ● F3311033</p>	<p>€ IVA inc / incl VAT 430,00 430,00 430,00</p>
	<p>KELVIN LED F Antonio Citterio, 2011 Potenza · Power 8W Tensione · Voltage 100-240V/24</p> <p>Fonte luminosa · Light source LED INCLUDED 30 TOP LED 8W 285lm total 2700K CRI 95</p> <p>Materiali · Materials alluminio · aluminum</p> <p>Peso · Weight 3,8 Kg DIMMER INCLUDED</p>	<p>Finiture Finishes bianco · white nero · black antracite · anthracite</p>	<p>Colori Colors ○ F3305009 ● F3305030 ● F3305033</p>	<p>€ IVA inc / incl VAT 520,00 520,00 520,00</p>
	<p>KTRIBE F2 Philippe Starck, 2007 Potenza · Power MAX 150W Tensione · Voltage 220-240V</p> <p>Fonte luminosa · Light source LED 21W E27 2452lm o · or LED 21W E27 2350lm [esclusa - excluded]</p> <p>Materiali · Materials alluminio, policarbonato, PMMA, tessuto · aluminum, polycarbonate, PMMA, fabric</p> <p>Peso · Weight 6,7 Kg DIMMER INCLUDED</p>	<p>Finiture Finishes trasparente · transparent bronzo alluminizzato · aluminized bronze tessuto · fabric fumè · fumée</p>	<p>Colori Colors ○ F6305000 ● F6305046 ● F6305007 ● F6305030</p>	<p>€ IVA inc / incl VAT 1.000,00 1.100,00 1.100,00 1.000,00</p>

Per le relative sorgenti luminose consigliate da Flos ed i codici da ordinare si rimanda alle specifiche tecniche a pag. 75-84-
For the related light sources recommended by Flos and the codes to order please refer to the technical specifications at pages 75-84

	<p>KTRIBE F3 Philippe Starck, 2007 Potenza · Power MAX 250W Tensione · Voltage 220-240V</p> <p>Fonte luminosa · Light source LED 21W E27 2452lm o · or LED 21W E27 2350lm [esclusa - excluded]</p> <p>Materiali · Materials alluminio, policarbonato, PMMA, tessuto · aluminum, polycarbonate, PMMA, fabric</p> <p>Peso · Weight 16 Kg DIMMER INCLUDED</p>	<p>Finiture Finishes</p> <p>trasparente · transparent bronzo alluminizzato · aluminized bronze tessuto · fabric fumè · fumée</p>	<p>Colori Colors</p> <p>F6301000 F6301046 F6301007 F6301030</p>	<p>€ IVA inc I incl VAT</p> <p>1.650,00 1.850,00 1.850,00 1.650,00</p>
	<p>KTRIBE S2 Philippe Starck, 2005 Potenza · Power MAX 150W Tensione · Voltage 220-250V</p> <p>Fonte luminosa · Light source LED 21W E27 2452lm o · or LED 21W E27 2250lm [esclusa - excluded]</p> <p>Materiali · Materials policarbonato, PMMA · polycarbonate, PMMA</p> <p>Peso · Weight 2,45 Kg</p>	<p>Finiture Finishes</p> <p>bronzo alluminizzato · aluminized bronze fumè · fumée</p>	<p>Colori Colors</p> <p>F6257046 F6257030</p>	<p>€ IVA inc I incl VAT</p> <p>525,00 480,00</p>
	<p>KTRIBE T1 Philippe Starck, 2007 Potenza · Power MAX 100W Tensione · Voltage 220-240V</p> <p>Fonte luminosa · Light source LED 11,5W E27 1100lm [esclusa - excluded]</p> <p>Materiali · Materials alluminio, metacrilato, policarbonato · aluminum, methacrylate, polycarbonate</p> <p>Peso · Weight 3,13 Kg DIMMER INCLUDED</p>	<p>Finiture Finishes</p> <p>trasparente · transparent fumè · fumée</p>	<p>Colori Colors</p> <p>F6263000 F6263030</p>	<p>€ IVA inc I incl VAT</p> <p>680,00 680,00</p>
	<p>KTRIBE T1 GLASS Philippe Starck, 2007 Potenza · Power MAX 100W Tensione · Voltage 220-240V</p> <p>Fonte luminosa · Light source LED 11,5W E27 1100lm [esclusa - excluded]</p> <p>Materiali · Materials alluminio, vetro, policarbonato · aluminum, glass, polycarbonate</p> <p>Peso · Weight 4,58 Kg DIMMER INCLUDED</p>	<p>Finiture Finishes</p> <p>trasparente · transparent</p>	<p>Colori Colors</p> <p>F6281000</p>	<p>€ IVA inc I incl VAT</p> <p>830,00</p>

**KTRIBE T2**

Philippe Starck, 2007
 Potenza · Power MAX 150W
 Tensione · Voltage 220-240V



Fonte luminosa · Light source
 LED 15W E27 2000lm
 [esclusa - excluded]

Materiali · Materials
 alluminio, policarbonato, PMMA, tessuto ·
 aluminum, polycarbonate, PMMA, fabric

Peso · Weight 4,5 Kg DIMMER INCLUDED

Finiture
 Finishes


trasparente · transparent
 bronzo alluminizzato ·
 aluminized bronze
 tessuto · fabric
 fumè · fumée

Colori
 Colors

● F6303000
 ● F6303046
 ● F6303007
 ● F6303030

€ IVA inc I incl VAT

820,00
 930,00
 930,00
 820,00

**KTRIBE W**

Philippe Starck, 2007
 Potenza · Power MAX 100W
 Tensione · Voltage 220-240V



Fonte luminosa · Light source
 LED 11,5W E27 1100lm
 [esclusa - excluded]

Materiali · Materials
 alluminio, policarbonato, PMMA, tessuto ·
 aluminum, polycarbonate, PMMA, fabric

Peso · Weight 1,7 Kg DIMMER INCLUDED

Finiture
 Finishes

trasparente · transparent
 bronzo alluminizzato ·
 aluminized bronze
 tessuto · fabric
 fumè · fumée

Colori
 Colors

● F6307000
 ● F6307046
 ● F6307007
 ● F6307030

€ IVA inc I incl VAT

430,00
 460,00
 460,00
 430,00

**LAMPADINA**

Achille Castiglioni, 1972
 Potenza · Power MAX 5W
 Tensione · Voltage 230V



Fonte luminosa · Light source
 LED 2W E27 241lm
 [inclusa - included]

Materiali · Materials
 alluminio · aluminum

Peso · Weight 0,35 Kg SWITCH INCLUDED

Finiture
 Finishes

nero · black
 arancio · orange
 bianco · white
 verde · green

Colori
 Colors

● F3300000
 ● F3299075
 ● F3299009
 ● F3299039

€ IVA inc I incl VAT

140,00
 140,00
 140,00
 140,00

**LA PLUS BELLE**

Philippe Starck, 2019
 Potenza · Power 60W
 Tensione · Voltage 120 - 277V

LED INCLUDED

Fonte luminosa · Light source
 560 TOP LED 60W 2700K CRI 95

Materiali · Materials
 alluminio · aluminum

Peso · Weight 24,5 Kg DIMMER INCLUDED

Finiture
 Finishes

bronzo lucido ·
 polished bronze
 oro spazzolato ·
 brushed gold
 brill · brill





Colori
 Colors

● F3680046
 ● F3680044
 || F3680064

€ IVA inc I incl VAT





4.500,00
 4.500,00
 4.500,00



	<p>LAST ORDER FLUTED</p> <p>Michael Anastassiades, 2020</p> <p>Potenza · Power 2,5W</p> <p>Tensione · Voltage 100-240/5V</p> <p>Fonte luminosa · Light source LED 2,5W 87lm 2700K CRI90 6/24 HOURS BATTERY LIFE RECHARGEABLE WITH MICRO-USB KIT</p> <p>Materiali · Materials cristallo, ottone, policarbonato · crystal, brass, polycarbonate</p> <p>Peso · Weight 2,04 Kg DIMMER INCLUDED</p>	<p>Finiture Finishes</p> <p>ottone lucido · polished brass (INDOOR)</p> <p>rame satinato · satin copper (INDOOR)</p> <p>verde opaco · matte green (OUTDOOR)</p> <p>acciaio lucido · polished inox (OUTDOOR)</p>	<p>Colori Colors</p> <p>F3694059</p> <p>F3694015</p> <p>F3694039</p> <p>F3694056</p>	<p>€ IVA inc I incl VAT</p> <p>520,00</p> <p>520,00</p> <p>520,00</p> <p>520,00</p>
	<p>LUCE ORIZZONTALE S1</p> <p>Ronan & Erwan Bouroullec, 2022</p> <p>Potenza · Power 110W</p> <p>Tensione · Voltage 100-240V</p> <p>Fonte luminosa · Light source LED 100W 5345lm 2700K CRI95</p> <p>Materiali · Materials vetro, alluminio, acciaio, policarbonato PMMA · glass, aluminum, steel, polycarbonate, PMMA</p> <p>Peso · Weight 27,95 Kg DIMMER INCLUDED PUSH/DALI</p>	<p>Finiture Finishes</p> <p>vetro · glass</p>	<p>Colori Colors</p> <p>F3743000</p>	<p>€ IVA inc I incl VAT</p> <p>5.500,00</p>
	<p>LUCE ORIZZONTALE S2</p> <p>Ronan & Erwan Bouroullec, 2022</p> <p>Potenza · Power 145W</p> <p>Tensione · Voltage 100-240V</p> <p>Fonte luminosa · Light source LED 100W 6682lm 2700K CRI95</p> <p>Materiali · Materials vetro, alluminio, acciaio, policarbonato PMMA · glass, aluminum, steel, polycarbonate, PMMA</p> <p>Peso · Weight 34,5 Kg DIMMER INCLUDED PUSH/DALI</p>	<p>Finiture Finishes</p> <p>vetro · glass</p>	<p>Colori Colors</p> <p>F3744000</p>	<p>€ IVA inc I incl VAT</p> <p>6.250,00</p>
	<p>LUCE ORIZZONTALE S3</p> <p>Ronan & Erwan Bouroullec, 2022</p> <p>Potenza · Power 165W</p> <p>Tensione · Voltage 100-240V</p> <p>Fonte luminosa · Light source LED 100W 8018lm 2700K CRI95</p> <p>Materiali · Materials vetro, alluminio, acciaio, policarbonato PMMA · glass, aluminum, steel, polycarbonate, PMMA</p> <p>Peso · Weight 41 Kg DIMMER INCLUDED PUSH/DALI</p>	<p>Finiture Finishes</p> <p>vetro · glass</p>	<p>Colori Colors</p> <p>F3745000</p>	<p>€ IVA inc I incl VAT</p> <p>7.000,00</p>


LISTINO PREZZI CONSIGLIATI EUROPA FEBBRAIO 2024 - EUROPE RECOMMENDED PRICE LIST FEBRUARY 2024

Per le relative sorgenti luminose consigliate da Flos ed i codici da ordinare si rimanda alle specifiche tecniche a pag. 75-84 - For the related light sources recommended by Flos and the codes to order please refer to the technical specifications at pages 75-84



 <p>ø 58 mm 1890 mm 600 mm</p>	<p>LUMINATOR Achille and Pier Giacomo Castiglioni, 1954 Potenza · Power 105W Tensione · Voltage 220-250V</p> <p>Fonte luminosa · Light source LED 12W E27 1180lm [esclusa - excluded]</p> <p>Materiali · Materials metallo · metal</p> <p>Peso · Weight 3,7 Kg DIMMER INCLUDED</p>	<p>Finiture Finishes</p> <p>antracite · anthracite lite blue bianco · white rosso · red giallo · yellow</p>	<p>Colori Colors</p> <p>● F3772033 ● F3772003 ○ F3772009 ● F3772035 ● F3772019</p>	<p>€ IVA inc I incl VAT</p> <p>710,00 710,00 710,00 710,00 710,00</p>
 <p>530 mm ø 220 mm</p>	<p>MAYDAY Konstantin Grcic, 2000 Potenza · Power MAX 60W Tensione · Voltage 220-250V</p> <p>Fonte luminosa · Light source LED 11,5W E27 1100lm [esclusa - excluded]</p> <p>Materiali · Materials polipropilene sostenibile · sustainable polypropylene</p> <p>Peso · Weight 0,75 Kg SWITCH INCLUDED</p>	<p>Finiture Finishes</p> <p>nero · black arancio · orange</p>	<p>Colori Colors</p> <p>● F3780030 ● F3780002</p>	<p>€ IVA inc I incl VAT</p> <p>140,00 140,00</p>
 <p>530 mm ø 220 mm</p>	<p>MAYDAY OUTDOOR Konstantin Grcic, 2022 Potenza · Power MAX 10W Tensione · Voltage 220-240V</p> <p>Fonte luminosa · Light source LED 8W E14 900lm [esclusa - excluded]</p> <p>Materiali · Materials polipropilene sostenibile · sustainable polypropylene</p> <p>Peso · Weight 0,9 Kg SWITCH INCLUDED</p>	<p>Finiture Finishes</p> <p>nero · black leaf green mustard yellow</p>	<p>Colori Colors</p> <p>● F038AAA0ZZ ● F038AAC0ZZ ● F038AAB0ZZ</p>	<p>€ IVA inc I incl VAT</p> <p>252,00 252,00 252,00</p>
 <p>ø 236 mm 432 mm ø 162 mm</p>	<p>MISS K Philippe Starck, 2003 Potenza · Power MAX 100W Tensione · Voltage 220-240V</p> <p>Fonte luminosa · Light source LED 11,5W E27 1100lm [esclusa - excluded]</p> <p>Materiali · Materials PMMA, policarbonato, tessuto · PMMA, polycarbonate, fabric</p> <p>Peso · Weight 1,22 Kg DIMMER INCLUDED</p>	<p>Finiture Finishes</p> <p>argento · silver nero · black tessuto · fabric trasparente · transparent</p>	<p>Colori Colors</p> <p>● F6255000 ● F6255030 ● F6255007 ● F6255078</p>	<p>€ IVA inc I incl VAT</p> <p>360,00 360,00 360,00 360,00</p>


Per le relative sorgenti luminose consigliate da Flos ed i codici da ordinare si rimanda alle specifiche tecniche a pag. 75-84-

For the related light sources recommended by Flos and the codes to order please refer to the technical specifications at pages 75-84

 <p>3000 mm 218 mm ø 600 mm</p>	MY DISC Michael Anastassiades, 2023 Potenza · Power 44W Tensione · Voltage 48V	Finiture Finishes Matte White	Colori Colors ● F1903009	€ IVA inc I incl VAT 1.220,00
	LED INCLUDED Fonte luminosa · Light source LED 44W 2194lm 2700K CRI90	Materiali · Materials alluminio, policarbonato, PMMA · aluminum, polycarbonate, PMMA		
Rosone escluso Ceiling rose excluded	Peso · Weight 10,06 Kg	CE IP 20 RoHS PENDING		

 <p>ø 152 mm 73 mm</p>	MY DISC ROSE ACCESSORI · ACCESSORIES Tensione · Voltage 120-270V Descrizione · Description Rosone dimmerabile da soffitto · Dimmable ceiling rose.	Finiture Finishes matte white	Colori Colors ● F1908009	€ IVA inc I incl VAT 570,00
	Peso · Weight 1,25 Kg	DIMMER INCLUDED 1-10/PUSH/DALI		
Rosone incluso Ceiling rose included	Peso · Weight 5,2 Kg	CE IP 20 RoHS PENDING		

 <p>max 3000 mm 336,3 mm ø 504 mm</p>	MY DOME Michael Anastassiades, 2023 Potenza · Power 2X15W Tensione · Voltage 220-240V	Finiture Finishes Matte White	Colori Colors ● F1915009	€ IVA inc I incl VAT 795,00
	Fonte luminosa · Light source  LED 2X15W E27 2000lm [esclusa - excluded]	Materiali · Materials alluminio, PMMA · aluminum, PMMA		
Rosone incluso Ceiling rose included	Peso · Weight 5,2 Kg	CE IP 20 RoHS PENDING		

 <p>3000 mm 1672 mm ø 23 mm</p>	MY LINES Michael Anastassiades, 2023 Potenza · Power 2x52W Tensione · Voltage 48V	Finiture Finishes matte white	Colori Colors ● F1906009	€ IVA inc I incl VAT 1.630,00
	LED INCLUDED Fonte luminosa · Light source 2 x LED 52W 2786lm 2700K CRI90	Materiali · Materials alluminio, acciaio, policarbonato, silicone platinico opale estruso · aluminum, steel, polycarbonate, platinic silicone extruded opal		
Rosone escluso Ceiling rose excluded	Peso · Weight 4,76 Kg	CE IP 20 RoHS PENDING		

Per le relative sorgenti luminose consigliate da Flos ed i codici da ordinare si rimanda alle specifiche tecniche a pag. 75-84 -
For the related light sources recommended by Flos and the codes to order please refer to the technical specifications at pages 75-84



MY LINES ROSE
ACCESSORI · ACCESSORIES

Tensione · Voltage 120-270V
Descrizione · Description
Rosone dimmerabile da soffitto · Dimmable ceiling rose.

Finiture
Finishes
matte white

Colori
Colors
● F1907009

€ IVA inc I incl VAT
570,00

Peso · Weight 1,25 Kg

DIMMER INCLUDED
1-10/PUSH/DALI



MY SPHERE
Michael Anastassiades, 2023
Potenza · Power 20W
Tensione · Voltage 220-240V

Finiture
Finishes
matte white

Colori
Colors
● F1920009


€ IVA inc I incl VAT
995,00

Fonte luminosa · Light source
LED 20W E27 2300lm
[esclusa - excluded]

Materiali · Materials
alluminio, vetro · aluminum, glass

Rosone incluso
Ceiling rose included

Peso · Weight 6,7 Kg



NOCTAMBULE SUSPENSION
Konstantin Grcic, 2019
Potenza · Power 36W
Tensione · Voltage 120-277V

Finiture
Finishes
nero · black

Colori
Colors
● F0268000

€ IVA inc I incl VAT
2.950,00


LED INCLUDED
Fonte luminosa · Light source
2 STRIP LED 9W + 1 COB LED 18W
973lm 2700K CRI 90

Materiali · Materials
vetro soffiato · blown glass

1 Low Cylinder & Cone

Peso · Weight 10,2 Kg

DIMMER INCLUDED
1-10/PUSH/DALI



NOCTAMBULE SUSPENSION
Konstantin Grcic, 2019
Potenza · Power 45W
Tensione · Voltage 120-277V

Finiture
Finishes
nero · black

Colori
Colors
● F0270000

€ IVA inc I incl VAT
3.950,00

LED INCLUDED
Fonte luminosa · Light source
3 STRIP LED x 9W + 1 COB LED 18W
1259lm 2700K CRI 90

Materiali · Materials
vetro soffiato · blown glass

2 Low Cylinders & Cone

Peso · Weight 13,7 Kg

DIMMER INCLUDED
1-10/PUSH/DALI



Per le relative sorgenti luminose consigliate da Flos ed i codici da ordinare si rimanda alle specifiche tecniche a pag. 75-84 -
For the related light sources recommended by Flos and the codes to order please refer to the technical specifications at pages 75-84









	NOCTAMBULE SUSPENSION Konstantin Grcic, 2019 Potenza · Power 54W Tensione · Voltage 120-277V	Finiture <i>Finishes</i> nero · black	Colori <i>Colors</i> ● F0271000	€ IVA inc / incl VAT 4.950,00
	LED INCLUDED Fonte luminosa · Light source 4 STRIP LED x 9W + 1 COB LED 18W 1545lm 2700K CRI 90	Materiali · Materials vetro soffiato · blown glass		
3 Low Cylinders & Cone	Peso · Weight 17,2 Kg	DIMMER INCLUDED 1-10/PUSH/DALI		

	NOCTAMBULE SUSPENSION Konstantin Grcic, 2019 Potenza · Power 63W Tensione · Voltage 120-277V	Finiture <i>Finishes</i> nero · black	Colori <i>Colors</i> ● F0272000	€ IVA inc / incl VAT 5.900,00
	LED INCLUDED Fonte luminosa · Light source 5 STRIP LED x 9W + 1 COB LED 18W 1831lm 2700K CRI 90	Materiali · Materials vetro soffiato · blown glass		
4 Low Cylinders & Cone	Peso · Weight 20,7 Kg	DIMMER INCLUDED 1-10/PUSH/DALI		





	NOCTAMBULE SUSPENSION Konstantin Grcic, 2019 Potenza · Power 36W Tensione · Voltage 120-277V	Finiture <i>Finishes</i> nero · black	Colori <i>Colors</i> ● F0263000	€ IVA inc / incl VAT 3.300,00
	LED INCLUDED Fonte luminosa · Light source 2 STRIP LED x 9W + 1 COB LED 18W 1007lm 2700K CRI 90	Materiali · Materials vetro soffiato · blown glass		
1 Low Cylinder & Bowl	Peso · Weight 10,7 Kg	DIMMER INCLUDED 1-10/PUSH/DALI		









	NOCTAMBULE SUSPENSION Konstantin Grcic, 2019 Potenza · Power 45W Tensione · Voltage 120-277V	Finiture <i>Finishes</i> nero · black	Colori <i>Colors</i> ● F0273000	€ IVA inc / incl VAT 4.250,00
	LED INCLUDED Fonte luminosa · Light source 3 STRIP LED x 9W + 1 COB LED 18W 1007lm 2700K CRI 90	Materiali · Materials vetro soffiato · blown glass		
2 Low Cylinders & Bowl	Peso · Weight 14,2 Kg	DIMMER INCLUDED 1-10/PUSH/DALI		

Per le relative sorgenti luminose consigliate da Flos ed i codici da ordinare si rimanda alle specifiche tecniche a pag. 75-84 -
 For the related light sources recommended by Flos and the codes to order please refer to the technical specifications at pages 75-84

	<p>NOCTAMBULE SUSPENSION Konstantin Grcic, 2019 Potenza · Power 54W Tensione · Voltage 120-277V</p> <p>LED INCLUDED Fonte luminosa · Light source 4 STRIP LED x 9W + 1 COB LED 18W 1293lm 2700K CRI 90</p> <p>Materiali · Materials vetro soffiato · blown glass</p> <p>Peso · Weight 17,7 Kg</p>	<p>Finiture Finishes nero · black</p>	<p>Colori Colors ● F0274000</p>	<p>€ IVA inc / incl VAT 5.150,00</p>
<p>3 Low Cylinders & Bowl DIMMER INCLUDED 1-10/PUSH/DALI </p>				
	<p>NOCTAMBULE SUSPENSION Konstantin Grcic, 2019 Potenza · Power 63W Tensione · Voltage 120-277V</p> <p>LED INCLUDED Fonte luminosa · Light source 5 STRIP LED x 9W + 1 COB LED 18W 1579lm 2700K CRI 90</p> <p>Materiali · Materials vetro soffiato · blown glass</p> <p>Peso · Weight 21,2 Kg</p>	<p>Finiture Finishes nero · black</p>	<p>Colori Colors ● F0275000</p>	<p>€ IVA inc / incl VAT 6.100,00</p>
<p>4 Low Cylinders & Bowl DIMMER INCLUDED 1-10/PUSH/DALI </p>				
	<p>NOCTAMBULE SUSPENSION Konstantin Grcic, 2019 Potenza · Power 36W Tensione · Voltage 120-277V</p> <p>LED INCLUDED Fonte luminosa · Light source 4 STRIP LED x 9W 1196lm 2700K CRI 90</p> <p>Materiali · Materials vetro soffiato · blown glass</p> <p>Peso · Weight 13,4 Kg</p>	<p>Finiture Finishes nero · black</p>	<p>Colori Colors ● F0276000</p>	<p>€ IVA inc / incl VAT 3.900,00</p>
<p>3 Low Cylinders DIMMER INCLUDED 1-10/PUSH/DALI </p>				
	<p>NOCTAMBULE SUSPENSION Konstantin Grcic, 2019 Potenza · Power 45W Tensione · Voltage 120-277V</p> <p>LED INCLUDED Fonte luminosa · Light source 5 STRIP LED x 9W 1482lm 2700K CRI 90</p> <p>Materiali · Materials vetro soffiato · blown glass</p> <p>Peso · Weight 16,9 Kg</p>	<p>Finiture Finishes nero · black</p>	<p>Colori Colors ● F0277000</p>	<p>€ IVA inc / incl VAT 4.900,00</p>
<p>4 Low Cylinders DIMMER INCLUDED 1-10/PUSH/DALI </p>				






Per le relative sorgenti luminose consigliate da Flos ed i codici da ordinare si rimanda alle specifiche tecniche a pag. 75-84-
 For the related light sources recommended by Flos and the codes to order please refer to the technical specifications at pages 75-84

	<p>NOCTAMBULE SUSPENSION</p> <p>Konstantin Grcic, 2019</p> <p>Potenza · <i>Power</i> 54W</p> <p>Tensione · <i>Voltage</i> 120-277V</p> <p>LED INCLUDED Fonte luminosa · <i>Light source</i> 6 STRIP LED x 9W 1768lm 2700K CRI 90</p> <p>Materiali · <i>Materials</i> vetro soffiato · <i>blown glass</i></p> <p>5 Low Cylinders</p> <p>Peso · <i>Weight</i> 20,4 Kg DIMMER INCLUDED 1-10/PUSH/DALI</p>	<p>Finiture <i>Finishes</i></p> <p>nero · <i>black</i></p>	<p>Colori <i>Colors</i></p> <p>● F0278000</p>	<p>€ IVA inc / <i>incl VAT</i></p> <p>5.850,00</p>
	<p>NOCTAMBULE SUSPENSION</p> <p>Konstantin Grcic, 2019</p> <p>Potenza · <i>Power</i> 63W</p> <p>Tensione · <i>Voltage</i> 120-277V</p> <p>LED INCLUDED Fonte luminosa · <i>Light source</i> 7 STRIP LED x 9W 2054lm 2700K CRI 90</p> <p>Materiali · <i>Materials</i> vetro soffiato · <i>blown glass</i></p> <p>6 Low Cylinders</p> <p>Peso · <i>Weight</i> 23,9 Kg DIMMER INCLUDED 1-10/PUSH/DALI</p>	<p>Finiture <i>Finishes</i></p> <p>nero · <i>black</i></p>	<p>Colori <i>Colors</i></p> <p>● F0279000</p>	<p>€ IVA inc / <i>incl VAT</i></p> <p>6.850,00</p>
	<p>NOCTAMBULE SUSPENSION</p> <p>Konstantin Grcic, 2019</p> <p>Potenza · <i>Power</i> 36W</p> <p>Tensione · <i>Voltage</i> 120-277V</p> <p>LED INCLUDED Fonte luminosa · <i>Light source</i> 4 STRIP LED x 9W 1202lm 2700K CRI 90</p> <p>Materiali · <i>Materials</i> vetro soffiato · <i>blown glass</i></p> <p>3 High Cylinders</p> <p>Peso · <i>Weight</i> 14,9 Kg DIMMER INCLUDED 1-10/PUSH/DALI</p>	<p>Finiture <i>Finishes</i></p> <p>nero · <i>black</i></p>	<p>Colori <i>Colors</i></p> <p>● F0264000</p>	<p>€ IVA inc / <i>incl VAT</i></p> <p>4.500,00</p>
	<p>NOCTAMBULE SUSPENSION</p> <p>Konstantin Grcic, 2019</p> <p>Potenza · <i>Power</i> 45W</p> <p>Tensione · <i>Voltage</i> 120-277V</p> <p>LED INCLUDED Fonte luminosa · <i>Light source</i> 5 STRIP LED x 9W 1500lm 2700K CRI 90</p> <p>Materiali · <i>Materials</i> vetro soffiato · <i>blown glass</i></p> <p>4 High Cylinders</p> <p>Peso · <i>Weight</i> 18,9 Kg DIMMER INCLUDED 1-10/PUSH/DALI</p>	<p>Finiture <i>Finishes</i></p> <p>nero · <i>black</i></p>	<p>Colori <i>Colors</i></p> <p>● F0280000</p>	<p>€ IVA inc / <i>incl VAT</i></p> <p>5.750,00</p>

	<p>NOCTAMBULE SUSPENSION Konstantin Grcic, 2019 Potenza · Power 54W Tensione · Voltage 120-277V</p> <p>LED INCLUDED Fonte luminosa · Light source 6 STRIP LED x 9W 1798lm 2700K CRI 90</p> <p>Materiali · Materials vetro soffiato · blown glass</p>	Finiture Finishes nero · black	Colori Colors ● F0281000	€ IVA inc / incl VAT 6.700,00
5 High Cylinders	Peso · Weight 22,9 Kg DIMMER INCLUDED 1-10/PUSH/DALI			
	<p>NOCTAMBULE SUSPENSION Konstantin Grcic, 2019 Potenza · Power 63W Tensione · Voltage 120-277V</p> <p>LED INCLUDED Fonte luminosa · Light source 7 STRIP LED x 9W 2096lm 2700K CRI 90</p> <p>Materiali · Materials vetro soffiato · blown glass</p>	Finiture Finishes nero · black	Colori Colors ● F0282000	€ IVA inc / incl VAT 7.700,00
6 High Cylinders	Peso · Weight 26,9 Kg DIMMER INCLUDED 1-10/PUSH/DALI			
	<p>NOCTAMBULE FLOOR Konstantin Grcic, 2019 Potenza · Power 18W Tensione · Voltage 100-240/48V</p> <p>LED INCLUDED Fonte luminosa · Light source 2 STRIP LED x 9W 485lm 2700K CRI 90</p> <p>Materiali · Materials vetro soffiato · blown glass</p>	Finiture Finishes nero · black	Colori Colors ● F0288000	€ IVA inc / incl VAT 1.900,00
1 Low Cylinder Small Base	Peso · Weight 10,3 Kg DIMMER INCLUDED			
	<p>NOCTAMBULE FLOOR Konstantin Grcic, 2019 Potenza · Power 27W Tensione · Voltage 100-240/48V</p> <p>LED INCLUDED Fonte luminosa · Light source 3 STRIP LED x 9W 771lm 2700K CRI 90</p> <p>Materiali · Materials vetro soffiato · blown glass</p>	Finiture Finishes nero · black	Colori Colors ● F0289000	€ IVA inc / incl VAT 2.900,00
2 Low Cylinders Small Base	Peso · Weight 13,8 Kg DIMMER INCLUDED			





Per le relative sorgenti luminose consigliate da Flos ed i codici da ordinare si rimanda alle specifiche tecniche a pag. 75-84-

For the related light sources recommended by Flos and the codes to order please refer to the technical specifications at pages 75-84

	<p>NOCTAMBLE FLOOR Konstantin Grcic, 2019 Potenza · <i>Power</i> 36W Tensione · <i>Voltage</i> 100-240/48V</p> <p>LED INCLUDED Fonte luminosa · <i>Light source</i> 4 STRIP LED x 9W 1057lm 2700K CRI 90</p> <p>Materiali · <i>Materials</i> vetro soffiato · <i>blown glass</i></p> <p>Peso · <i>Weight</i> 17,3 Kg DIMMER INCLUDED</p>	<p>Finiture <i>Finishes</i> nero · <i>black</i></p>	<p>Colori <i>Colors</i> ● F0290000</p>	<p>€ IVA inc / <i>incl VAT</i> 3.850,00</p>
	<p>NOCTAMBLE FLOOR Konstantin Grcic, 2019 Potenza · <i>Power</i> 45W Tensione · <i>Voltage</i> 100-240/48V</p> <p>LED INCLUDED Fonte luminosa · <i>Light source</i> 5 STRIP LED x 9W 1343lm 2700K CRI 90</p> <p>Materiali · <i>Materials</i> vetro soffiato · <i>blown glass</i></p> <p>Peso · <i>Weight</i> 20,8 Kg DIMMER INCLUDED</p>	<p>Finiture <i>Finishes</i> nero · <i>black</i></p>	<p>Colori <i>Colors</i> ● F0291000</p>	<p>€ IVA inc / <i>incl VAT</i> 4.900,00</p>
	<p>NOCTAMBLE FLOOR Konstantin Grcic, 2019 Potenza · <i>Power</i> 18W Tensione · <i>Voltage</i> 100-240/48V</p> <p>LED INCLUDED Fonte luminosa · <i>Light source</i> 2 STRIP LED x 9W 497lm 2700K CRI 90</p> <p>Materiali · <i>Materials</i> vetro soffiato · <i>blown glass</i></p> <p>Peso · <i>Weight</i> 10,8 Kg DIMMER INCLUDED</p>	<p>Finiture <i>Finishes</i> nero · <i>black</i></p>	<p>Colori <i>Colors</i> ● F0285000</p>	<p>€ IVA inc / <i>incl VAT</i> 2.100,00</p>
	<p>NOCTAMBLE FLOOR Konstantin Grcic, 2019 Potenza · <i>Power</i> 27W Tensione · <i>Voltage</i> 100-240/48V</p> <p>LED INCLUDED Fonte luminosa · <i>Light source</i> 3 STRIP LED x 9W 795lm 2700K CRI 90</p> <p>Materiali · <i>Materials</i> vetro soffiato · <i>blown glass</i></p> <p>Peso · <i>Weight</i> 14,8 Kg DIMMER INCLUDED</p>	<p>Finiture <i>Finishes</i> nero · <i>black</i></p>	<p>Colori <i>Colors</i> ● F0286000</p>	<p>€ IVA inc / <i>incl VAT</i> 3.300,00</p>
	<p>NOCTAMBLE FLOOR Konstantin Grcic, 2019 Potenza · <i>Power</i> 27W Tensione · <i>Voltage</i> 100-240/48V</p> <p>LED INCLUDED Fonte luminosa · <i>Light source</i> 3 STRIP LED x 9W 795lm 2700K CRI 90</p> <p>Materiali · <i>Materials</i> vetro soffiato · <i>blown glass</i></p> <p>Peso · <i>Weight</i> 14,8 Kg DIMMER INCLUDED</p>	<p>Finiture <i>Finishes</i> nero · <i>black</i></p>	<p>Colori <i>Colors</i> ● F0286000</p>	<p>€ IVA inc / <i>incl VAT</i> 3.300,00</p>

	<p>NOCTAMBULE FLOOR Konstantin Grcic, 2019 Potenza · Power 36W Tensione · Voltage 100-240/48V</p> <p>LED INCLUDED Fonte luminosa · Light source 4 STRIP LED x 9W 1093lm 2700K CRI 90</p>	Finiture Finishes nero · black	Colori Colors ● F0287000	€ IVA inc / incl VAT 4.400,00
<p>3 High Cylinders Small Base</p>	Peso · Weight 18,8 Kg DIMMER INCLUDED			
	<p>NOCTAMBULE FLOOR Konstantin Grcic, 2019 Potenza · Power 36W Tensione · Voltage 100-240/48V</p> <p>LED INCLUDED Fonte luminosa · Light source 2 STRIP LED x 9W + 1 COB LED 18W 876lm 2700K CRI 90</p>	Finiture Finishes nero · black	Colori Colors ● F0265000	€ IVA inc / incl VAT 3.100,00
<p>1 High Cylinder & Cone Small Base</p>	Peso · Weight 14 Kg DIMMER INCLUDED			
	<p>NOCTAMBULE FLOOR Konstantin Grcic, 2019 Potenza · Power 45W Tensione · Voltage 100-240/48V</p> <p>LED INCLUDED Fonte luminosa · Light source 3 STRIP LED x 9W + 1 COB LED 18W 1174lm 2700K CRI 90</p>	Finiture Finishes nero · black	Colori Colors ● F0269000	€ IVA inc / incl VAT 4.250,00
<p>2 High Cylinders & Cone Small Base</p>	Peso · Weight 18 Kg DIMMER INCLUDED			
	<p>NOCTAMBULE FLOOR Konstantin Grcic, 2019 Potenza · Power 45W Tensione · Voltage 100-240/48V</p> <p>LED INCLUDED Fonte luminosa · Light source 5 STRIP LED x 9W 1378lm 2700K CRI 90</p>	Finiture Finishes nero · black	Colori Colors ● F0292000	€ IVA inc / incl VAT 5.700,00
<p>4 High Cylinders Big Base</p>	Peso · Weight 27,3 Kg DIMMER INCLUDED			

Per le relative sorgenti luminose consigliate da Flos ed i codici da ordinare si rimanda alle specifiche tecniche a pag. 75-84-
 For the related light sources recommended by Flos and the codes to order please refer to the technical specifications at pages 75-84

	<p>NOCTAMBLE FLOOR Konstantin Grcic, 2019 Potenza · Power 54W Tensione · Voltage 100-240/48V</p> <p>LED INCLUDED Fonte luminosa · Light source 4 STRIP LED x 9W + 1 COB LED 18W 1459lm 2700K CRI 90</p> <p>Materiali · Materials vetro soffiato · blown glass</p> <p>Peso · Weight 26,5 Kg DIMMER INCLUDED</p>	<p>Finiture Finishes nero · black</p>	<p>Colori Colors ● F0267000</p>	<p>€ IVA inc / incl VAT 5.600,00</p>
<p>3 High Cylinders & Cone Big Base</p> 	<p>NOCTAMBLE FLOOR Konstantin Grcic, 2019 Potenza · Power 54W Tensione · Voltage 100-240/48V</p> <p>LED INCLUDED Fonte luminosa · Light source 4 STRIP LED x 9W + 1 COB LED 18W 1493lm 2700K CRI 90</p> <p>Materiali · Materials vetro soffiato · blown glass</p> <p>Peso · Weight 27 Kg DIMMER INCLUDED</p>	<p>Finiture Finishes nero · black</p>	<p>Colori Colors ● F0266000</p>	<p>€ IVA inc / incl VAT 5.700,00</p>
<p>3 High Cylinders & Bowl Big Base</p> 	<p>OBLIQUE Vincent van Duysen, 2020 Potenza · Power 8W Tensione · Voltage 24V</p> <p>LED INCLUDED Fonte luminosa · Light source TOP LED x 8W 479lm 2700K · CRI 90 USB-C CONNECT INTEGRATED</p> <p>Materiali · Materials alluminio estruso, metacrilato · die cast aluminum, methacrylate</p> <p>Peso · Weight 0,75 Kg DIMMER INCLUDED</p>	<p>Finiture Finishes antracite opaco · matte anthracite marrone opaco · matte brown grigio lucido · glossy grey ruggine opaco · matte rust salvia lucido · glossy sage bianco opaco · matte white</p>	<p>Colori Colors ● 09.8300.DR ● 09.8300.DW ● 09.8300.AH ● 09.8300.DX ● 09.8300.DV ○ 09.8300.DY</p>	<p>€ IVA inc / incl VAT 420,00 420,00 420,00 420,00 420,00 420,00</p>
	<p>OBLIQUE Vincent van Duysen, 2020 Potenza · Power 8W Tensione · Voltage 24V</p> <p>LED INCLUDED Fonte luminosa · Light source TOP LED x 8W 482lm 3000K · CRI 90 USB-C CONNECT INTEGRATED</p> <p>Materiali · Materials alluminio estruso, metacrilato · die cast aluminum, methacrylate</p> <p>Peso · Weight 0,75 Kg DIMMER INCLUDED</p>	<p>Finiture Finishes antracite opaco · matte anthracite marrone opaco · matte brown grigio lucido · glossy grey ruggine opaco · matte rust salvia lucido · glossy sage bianco opaco · matte white</p>	<p>Colori Colors ● 09.8301.DR ● 09.8301.DW ● 09.8301.AH ● 09.8301.DX ● 09.8301.DV ○ 09.8301.DY</p>	<p>€ IVA inc / incl VAT 420,00 420,00 420,00 420,00 420,00 420,00</p>

	<p>OBLIQUE</p> <p>Vincent van Duysen, 2020</p> <p>Potenza · <i>Power</i> 8W</p> <p>Tensione · <i>Voltage</i> 24V</p>	<p>Fonte luminosa · <i>Light source</i></p> <p>LED INCLUDED TOP LED x 8W 525lm 4000K · CRI 90 USB-C CONNECT INTEGRATED</p>	<p>Finiture <i>Finishes</i></p> <p>antracite opaco · <i>matte anthracite</i> marrone opaco · <i>matte brown</i> grigio lucido · <i>glossy grey</i> ruggine opaco · <i>matte rust</i> salvia lucido · <i>glossy sage</i> bianco opaco · <i>matte white</i></p>	<p>Colori <i>Colors</i></p> <p>● 09.8302.DR ● 09.8302.DW ● 09.8302.AH ● 09.8302.DX ● 09.8302.DV ○ 09.8302.DY</p>	<p>€ IVA inc / incl VAT</p> <p>420,00 420,00 420,00 420,00 420,00 420,00</p>
	<p>Materiali · <i>Materials</i></p> <p>alluminio estruso, metacrilato · <i>die cast aluminum, methacrylate</i></p> <p>Peso · <i>Weight</i> 0,75 Kg DIMMER INCLUDED</p> <p>CE </p>				
	<p>OBLIQUE Qi</p> <p>Vincent van Duysen, 2020</p> <p>Potenza · <i>Power</i> 8W</p> <p>Tensione · <i>Voltage</i> 48V</p>	<p>Fonte luminosa · <i>Light source</i></p> <p>LED INCLUDED TOP LED x 8W 479lm 2700K · CRI 90 USB CONNECT INTEGRATED Qi COMPATIBLE RECHARGE BASE</p>	<p>Finiture <i>Finishes</i></p> <p>antracite opaco · <i>matte anthracite</i> marrone opaco · <i>matte brown</i> grigio lucido · <i>glossy grey</i> ruggine opaco · <i>matte rust</i> salvia lucido · <i>glossy sage</i> bianco opaco · <i>matte white</i></p>	<p>Colori <i>Colors</i></p> <p>● 09.8310.DR ● 09.8310.DW ● 09.8310.AH ● 09.8310.DX ● 09.8310.DV ○ 09.8310.DY</p>	<p>€ IVA inc / incl VAT</p> <p>553,00 553,00 553,00 553,00 553,00 553,00</p>
	<p>Materiali · <i>Materials</i></p> <p>alluminio estruso, metacrilato, gomma · <i>die cast aluminum, methacrylate, rubber</i></p> <p>Peso · <i>Weight</i> 0,75 Kg DIMMER INCLUDED</p> <p>CE </p>				
	<p>OBLIQUE Qi</p> <p>Vincent van Duysen, 2020</p> <p>Potenza · <i>Power</i> 8W</p> <p>Tensione · <i>Voltage</i> 48V</p>	<p>Fonte luminosa · <i>Light source</i></p> <p>LED INCLUDED TOP LED x 8W 482lm 3000K · CRI 90 USB CONNECT INTEGRATED Qi COMPATIBLE RECHARGE BASE</p>	<p>Finiture <i>Finishes</i></p> <p>antracite opaco · <i>matte anthracite</i> marrone opaco · <i>matte brown</i> grigio lucido · <i>glossy grey</i> ruggine opaco · <i>matte rust</i> salvia lucido · <i>glossy sage</i> bianco opaco · <i>matte white</i></p>	<p>Colori <i>Colors</i></p> <p>● 09.8311.DR ● 09.8311.DW ● 09.8311.AH ● 09.8311.DX ● 09.8311.DV ○ 09.8311.DY</p>	<p>€ IVA inc / incl VAT</p> <p>553,00 553,00 553,00 553,00 553,00 553,00</p>
	<p>Materiali · <i>Materials</i></p> <p>alluminio estruso, metacrilato, gomma · <i>die cast aluminum, methacrylate, rubber</i></p> <p>Peso · <i>Weight</i> 0,75 Kg DIMMER INCLUDED</p> <p>CE </p>				
	<p>OBLIQUE Qi</p> <p>Vincent van Duysen, 2020</p> <p>Potenza · <i>Power</i> 8W</p> <p>Tensione · <i>Voltage</i> 48V</p>	<p>Fonte luminosa · <i>Light source</i></p> <p>LED INCLUDED TOP LED x 8W 525lm 4000K · CRI 90 USB CONNECT INTEGRATED Qi COMPATIBLE RECHARGE BASE</p>	<p>Finiture <i>Finishes</i></p> <p>antracite opaco · <i>matte anthracite</i> marrone opaco · <i>matte brown</i> grigio lucido · <i>glossy grey</i> ruggine opaco · <i>matte rust</i> salvia lucido · <i>glossy sage</i> bianco opaco · <i>matte white</i></p>	<p>Colori <i>Colors</i></p> <p>● 09.8312.DR ● 09.8312.DW ● 09.8312.AH ● 09.8312.DX ● 09.8312.DV ○ 09.8312.DY</p>	<p>€ IVA inc / incl VAT</p> <p>553,00 553,00 553,00 553,00 553,00 553,00</p>
	<p>Materiali · <i>Materials</i></p> <p>alluminio estruso, metacrilato, gomma · <i>die cast aluminum, methacrylate, rubber</i></p> <p>Peso · <i>Weight</i> 0,75 Kg DIMMER INCLUDED</p> <p>CE </p>				



Per le relative sorgenti luminose consigliate da Flos ed i codici da ordinare si rimanda alle specifiche tecniche a pag. 75-84-

For the related light sources recommended by Flos and the codes to order please refer to the technical specifications at pages 75-84

	Ø155 1074mm Ø200	OBLIQUE FLOOR Vincent van Duysen, 2022 Potenza · Power 8W Tensione · Voltage 24V	Finiture <i>Finishes</i> antracite opaco · <i>matte anthracite</i> marrone opaco · <i>matte brown</i> grigio lucido · <i>glossy grey</i> ruggine opaco · <i>matte rust</i> salvia lucido · <i>glossy sage</i> bianco opaco · <i>matte white</i>	Colori <i>Colors</i> ● 09.8220.DR ● 09.8220.DW ● 09.8220.AH ● 09.8220.DX ● 09.8220.DV ○ 09.8220.DY	€ IVA inc / incl VAT 560,00 560,00 560,00 560,00 560,00 560,00
	LED INCLUDED Fonte luminosa · <i>Light source</i> TOP LED x 8W 479lm 2700K · CRI 90	Materiali · <i>Materials</i> alluminio estruso, metacrilato · <i>die cast aluminum, methacrylate</i>	Peso · <i>Weight</i> 3,32 Kg DIMMER INCLUDED 		

	Ø155 1074mm Ø200	OBLIQUE FLOOR Vincent van Duysen, 2022 Potenza · Power 8W Tensione · Voltage 24V	Finiture <i>Finishes</i> antracite opaco · <i>matte anthracite</i> marrone opaco · <i>matte brown</i> grigio lucido · <i>glossy grey</i> ruggine opaco · <i>matte rust</i> salvia lucido · <i>glossy sage</i> bianco opaco · <i>matte white</i>	Colori <i>Colors</i> ● 09.8221.DR ● 09.8221.DW ● 09.8221.AH ● 09.8221.DX ● 09.8221.DV ○ 09.8221.DY	€ IVA inc / incl VAT 560,00 560,00 560,00 560,00 560,00 560,00
	LED INCLUDED Fonte luminosa · <i>Light source</i> TOP LED x 8W 482lm 3000K · CRI 90	Materiali · <i>Materials</i> alluminio estruso, metacrilato · <i>die cast aluminum, methacrylate</i>	Peso · <i>Weight</i> 3,32 Kg DIMMER INCLUDED 		

	Ø155 1074mm Ø200	OBLIQUE FLOOR Vincent van Duysen, 2022 Potenza · Power 8W Tensione · Voltage 24V	Finiture <i>Finishes</i> antracite opaco · <i>matte anthracite</i> marrone opaco · <i>matte brown</i> grigio lucido · <i>glossy grey</i> ruggine opaco · <i>matte rust</i> salvia lucido · <i>glossy sage</i> bianco opaco · <i>matte white</i>	Colori <i>Colors</i> ● 09.8222.DR ● 09.8222.DW ● 09.8222.AH ● 09.8222.DX ● 09.8222.DV ○ 09.8222.DY	€ IVA inc / incl VAT 560,00 560,00 560,00 560,00 560,00 560,00
	LED INCLUDED Fonte luminosa · <i>Light source</i> TOP LED x 8W 525lm 4000K · CRI 90	Materiali · <i>Materials</i> alluminio estruso, metacrilato · <i>die cast aluminum, methacrylate</i>	Peso · <i>Weight</i> 3,32 Kg DIMMER INCLUDED 		





	Ø155 1074mm Ø200	OBLIQUE FLOOR USB-C Vincent van Duysen, 2022 Potenza · Power 8W Tensione · Voltage 24V	Finiture <i>Finishes</i> antracite opaco · <i>matte anthracite</i> marrone opaco · <i>matte brown</i> grigio lucido · <i>glossy grey</i> ruggine opaco · <i>matte rust</i> salvia lucido · <i>glossy sage</i> bianco opaco · <i>matte white</i>	Colori <i>Colors</i> ● 09.8230.DR ● 09.8230.DW ● 09.8230.AH ● 09.8230.DX ● 09.8230.DV ○ 09.8230.DY	€ IVA inc / incl VAT 645,00 645,00 645,00 645,00 645,00 645,00
	LED INCLUDED Fonte luminosa · <i>Light source</i> TOP LED x 8W 479lm 2700K · CRI 90 USB-C CONNECT INTEGRATED	Materiali · <i>Materials</i> alluminio estruso, metacrilato · <i>die cast aluminum, methacrylate</i>	Peso · <i>Weight</i> 3,32 Kg DIMMER INCLUDED 		


Per le relative sorgenti luminose consigliate da Flos ed i codici da ordinare si rimanda alle specifiche tecniche a pag. 75-84 -
 For the related light sources recommended by Flos and the codes to order please refer to the technical specifications at pages 75-84

	<p>OBLIQUE FLOOR USB-C Vincent van Duysen, 2022 Potenza · <i>Power</i> 8W Tensione · <i>Voltage</i> 24V</p> <p>Fonte luminosa · <i>Light source</i> LED INCLUDED TOP LED x 8W 482lm 3000K · CRI 90 USB-C CONNECT INTEGRATED</p> <p>Materiali · <i>Materials</i> alluminio estruso, metacrilato · <i>die cast aluminum, methacrylate</i></p> <p>Peso · <i>Weight</i> 3,32 Kg DIMMER INCLUDED</p>	<p>Finiture <i>Finishes</i></p> <p>Colori <i>Colors</i></p> <p>antracite opaco · <i>matte anthracite</i> ● 09.8231.DR marrone opaco · <i>matte brown</i> ● 09.8231.DW grigio lucido · <i>glossy grey</i> ● 09.8231.AH ruggine opaco · <i>matte rust</i> ● 09.8231.DX salvia lucido · <i>glossy sage</i> ● 09.8231.DV bianco opaco · <i>matte white</i> ○ 09.8231.DY</p>	<p>€ IVA inc / <i>incl VAT</i></p> <p>645,00 645,00 645,00 645,00 645,00 645,00</p>
	<p>OBLIQUE FLOOR USB-C Vincent van Duysen, 2022 Potenza · <i>Power</i> 8W Tensione · <i>Voltage</i> 24V</p> <p>Fonte luminosa · <i>Light source</i> LED INCLUDED TOP LED x 8W 525lm 4000K · CRI 90 USB-C CONNECT INTEGRATED</p> <p>Materiali · <i>Materials</i> alluminio estruso, metacrilato · <i>die cast aluminum, methacrylate</i></p> <p>Peso · <i>Weight</i> 3,32 Kg DIMMER INCLUDED</p>	<p>Finiture <i>Finishes</i></p> <p>Colori <i>Colors</i></p> <p>antracite opaco · <i>matte anthracite</i> ● 09.8232.DR marrone opaco · <i>matte brown</i> ● 09.8232.DW grigio lucido · <i>glossy grey</i> ● 09.8232.AH ruggine opaco · <i>matte rust</i> ● 09.8232.DX salvia lucido · <i>glossy sage</i> ● 09.8232.DV bianco opaco · <i>matte white</i> ○ 09.8232.DY</p>	<p>€ IVA inc / <i>incl VAT</i></p> <p>645,00 645,00 645,00 645,00 645,00 645,00</p>
	<p>OK Konstantin Grcic, 2014 Potenza · <i>Power</i> 18W Tensione · <i>Voltage</i> 100-240V/24V</p> <p>Fonte luminosa · <i>Light source</i> LED INCLUDED Edge Lighting Technology 18W 1551lm 2700K CRIB5 DIMMABLE</p> <p>Materiali · <i>Materials</i> alluminio, acciaio, PA · <i>aluminum, steel, PA</i></p> <p>Peso · <i>Weight</i> 2,9 Kg DIMMER INCLUDED</p>	<p>Finiture <i>Finishes</i></p> <p>Colori <i>Colors</i></p> <p>bianco · <i>white</i> ○ F4640009 nero · <i>black</i> ● F4640030</p>	<p>€ IVA inc / <i>incl VAT</i></p> <p>650,00 650,00</p>
	<p>OPLIGHT W1 Jasper Morrison, 2021 Potenza · <i>Power</i> 16W Tensione · <i>Voltage</i> 220-240V</p> <p>Fonte luminosa · <i>Light source</i> LED INCLUDED LED 16W 1325lm 2700K DIMMABLE TRIAC</p> <p>Materiali · <i>Materials</i> alluminio, policarbonato · <i>aluminum, polycarbonate</i></p> <p>Peso · <i>Weight</i> 0,9 Kg</p>	<p>Finiture <i>Finishes</i></p> <p>Colori <i>Colors</i></p> <p>textured white ○ F4681009 satin black ● F4681030</p>	<p>€ IVA inc / <i>incl VAT</i></p> <p>320,00 320,00 218,00</p>

Per le relative sorgenti luminose consigliate da Flos ed i codici da ordinare si rimanda alle specifiche tecniche a pag. 75-84-

For the related light sources recommended by Flos and the codes to order please refer to the technical specifications at pages 75-84

 <p>2700 mm 820 mm ø 650 mm</p>	<p>OVERLAP S1 Michael Anastassiades, 2018 Potenza · Power MAX 105W Tensione · Voltage 220-250V</p> <p>Fonte luminosa · Light source LED 15W E27 2000lm [esclusa - excluded]</p> <p>Materiali · Materials cocoon, acciaio · cocoon. steel</p> <p>Peso · Weight 5,6 Kg</p>	<p>Finiture Finishes bianco · white</p>	<p>Colori Colors ○ F4633009</p>	<p>€ IVA inc I incl VAT 2.120,00</p>
 <p>2700 mm 1260 mm ø 1000 mm</p>	<p>OVERLAP S2 Michael Anastassiades, 2018 Potenza · Power Max 105 W Tensione · Voltage 220-250V</p> <p>Fonte luminosa · Light source LED 15W E27 2000lm [esclusa - excluded]</p> <p>Materiali · Materials cocoon, acciaio · cocoon. steel</p> <p>Peso · Weight 8,8 Kg</p>	<p>Finiture Finishes bianco · white</p>	<p>Colori Colors ○ F4634009</p>	<p>€ IVA inc I incl VAT 3.020,00</p>
 <p>580 mm 4000 mm max ø 110 mm</p>	<p>PARENTESI Achille Castiglioni and Pio Manzù, 1971 Potenza · Power MAX 150W Tensione · Voltage 220-250V</p> <p>Fonte luminosa · Light source LED 12W E27 1180lm o · or LED 13W E27 1300lm [esclusa - excluded]</p> <p>Materiali · Materials acciaio, elastomero · steel, elastomer</p> <p>Peso · Weight 3,2 Kg SWITCH INCLUDED</p>	<p>Finiture Finishes bianco · white nero · black rosso · red nichel · nickel</p>	<p>Colori Colors ○ F5400009 ● F5400030 ● F5400035 ⦶ F5400058</p>	<p>€ IVA inc I incl VAT 370,00 370,00 370,00 420,00</p>
 <p>580 mm</p>	<p>PARENTESI COMPL. ELEMENT Achille Castiglioni and Pio Manzù, 1971 Potenza · Power MAX 150W Tensione · Voltage 220-250V</p> <p>Fonte luminosa · Light source LED 12W E27 1180lm o · or LED 13W E27 1300lm [esclusa - excluded]</p> <p>Materiali · Materials elastomero · elastomer</p> <p>Peso · Weight 0,53 Kg SWITCH INCLUDED</p>	<p>Finiture Finishes bianco · white nero · black rosso · red nichel · nickel</p>	<p>Colori Colors ○ F5500009 ● F5500030 ● F5500035 ⦶ F5500058</p>	<p>€ IVA inc I incl VAT 240,00 240,00 240,00 285,00</p>

**PARENTESI D**

Achille Castiglioni and Pio Manzù, 1971

Potenza · Power MAX 150W

Tensione · Voltage 220-240V



Fonte luminosa · Light source
LED 12W E27 1180lm o · or
LED 13W E27 1300lm
[esclusa - excluded]

Materiali · Materials

acciaio, elastomero · steel, elastomer

Peso · Weight 3,57 Kg

DIMMER INCLUDED

Finiture
Finishes

bianco · white

nero · black

rosso · red

nichel · nickel

Colori
Colors

○ F5600009

● F5600030

● F5600035

▨ F5600058

€ IVA inc I incl VAT

400,00

400,00

400,00

430,00

**PARENTESI D COMPL. ELEMENT**

Achille Castiglioni and Pio Manzù, 1971

Potenza · Power MAX 150W

Tensione · Voltage 220-240V



Fonte luminosa · Light source
LED 12W E27 1180lm o · or
LED 13W E27 1300lm
[esclusa - excluded]

Materiali · Materials

elastomero · elastomer

Peso · Weight 0,55 Kg

Finiture
Finishes

bianco · white

nero · black

rosso · red

nichel · nickel

Colori
Colors

○ F5700009

● F5700030

● F5700035

▨ F5700058


€ IVA inc I incl VAT

290,00

290,00

290,00

310,00

**POCLETTE UP/DOWN LED**

Rodolfo Dordoni, 2003

Potenza · Power MAX 21,5W

Tensione · Voltage 220-240V

LED INCLUDED Fonte luminosa · Light source
144 LED 20W 2700K 1707lm CRI90 +
36 LED 1,5W 2700K 37lm CRI90

Materiali · Materials

zama · zamak

Peso · Weight 1,7 Kg

DIMMER INCLUDED
1-10/TRIACFiniture
Finishes

grigio · grey

bianco · white

cromo · chrome

Colori
Colors

● F9705020

○ F9705009


▨ F9705057

€ IVA inc I incl VAT

400,00

400,00

470,00

**RAY F2**

Rodolfo Dordoni, 2007

Potenza · Power MAX 250W

Tensione · Voltage 220-240V



Fonte luminosa · Light source
LED 21W E27 2452lm o · or
LED 21W E27 2250lm
[esclusa - excluded]

Materiali · Materials

acciaio, alluminio, vetro · steel, aluminum, glass

Peso · Weight 5,95 Kg (alluminio · aluminum) - 9,1 Kg (vetro · glass)

Finiture
Finishes

nero · black

bianco · white

vetro · glass

Colori
Colors

● F5921030

○ F5921009

● F5920020

€ IVA inc I incl VAT

1.400,00





1.400,00

1.600,00



Per le relative sorgenti luminose consigliate da Flos ed i codici da ordinare si rimanda alle specifiche tecniche a pag. 75-84-

For the related light sources recommended by Flos and the codes to order please refer to the technical specifications at pages 75-84

	<p>RAY T Rodolfo Dordoni, 2007 Potenza · Power MAX 150W Tensione · Voltage 220-240V</p> <p>Fonte luminosa · Light source LED 11,5W E27 1100lm [esclusa - excluded]</p> <p>Materiali · Materials acciaio, alluminio, vetro · steel, aluminum, glass</p> <p>Peso · Weight 4,2 Kg (alluminio · aluminum) - 6,5 Kg (vetro · glass)</p>	<p>Finiture Finishes nero · black bianco · white vetro · glass</p>	<p>Colori Colors ● F5911030 ○ F5911009 ● F5910020</p>	<p>€ IVA inc I incl VAT 920,00 920,00 1.200,00</p>
	<p>ROMEO MOON S1 Philippe Starck, 1996 Potenza · Power MAX 150W Tensione · Voltage 220-250V</p> <p>Fonte luminosa · Light source LED 11,5W E27 1100lm [esclusa - excluded]</p> <p>Materiali · Materials vetro · glass</p> <p>Peso · Weight 4,5 Kg</p>	<p>Finiture Finishes vetro · glass</p>	<p>Colori Colors ● F6105000</p>	<p>€ IVA inc I incl VAT 520,00</p>
	<p>ROMEO MOON S2 Philippe Starck, 1996 Potenza · Power MAX 150W Tensione · Voltage 220-250V</p> <p>Fonte luminosa · Light source LED 11,5W E27 1100lm [esclusa - excluded]</p> <p>Materiali · Materials vetro · glass</p> <p>Peso · Weight 7,6 Kg</p>	<p>Finiture Finishes vetro · glass</p>	<p>Colori Colors ● F0003000</p>	<p>€ IVA inc I incl VAT 640,00</p>
	<p>ROSY ANGELIS Philippe Starck, 1994 Potenza · Power MAX 150W Tensione · Voltage 220-240V</p> <p>Fonte luminosa · Light source LED 11,5W E27 1100lm [esclusa - excluded]</p> <p>Materiali · Materials tessuto, alluminio · fabric, aluminum</p> <p>Peso · Weight 1,47 Kg</p>	<p>Finiture Finishes grigio · grey</p>	<p>Colori Colors ● F6160020</p>	<p>€ IVA inc I incl VAT 650,00</p>

**SKYGARDEN SMALL**

Marcel Wanders, 2021
 Potenza · Power MAX 10W
 Tensione · Voltage 220-250V

Finiture
Finishes

oro · gold
 ruggine · rusty brown
 bianco · white
 nero opaco · matte black

Colori
Colors

● F6405044
 ● F6405047
 ○ F6405009
 ● F6405031

€ IVA inc I incl VAT

1.430,00
 1.430,00
 1.430,00
 1.430,00

Fonte luminosa · Light source
 LED retrofit 8W E14 T28 900lm o-or
 LED retrofit 9W E14 T28 900lm
 [inclusa - included]

Materiali · Materials
 gesso, vetro, acciaio inox · plaster, glass,
 stainless steel

Peso · Weight 5 Kg

**SKYGARDEN 1**

Marcel Wanders, 2007
 Potenza · Power MAX 105W
 Tensione · Voltage 220-250V

Finiture
Finishes

oro · gold
 ruggine · rusty brown
 bianco · white
 nero opaco · matte black

Colori
Colors

● F0001044
 ● F0001047
 ○ F0001009
 ● F0001031

€ IVA inc I incl VAT

2.480,00
 2.480,00
 2.480,00
 2.480,00

Fonte luminosa · Light source
 LED 20W E27 2300lm
 [esclusa - excluded]

Materiali · Materials
 gesso, vetro, acciaio inox · plaster, glass,
 stainless steel

Peso · Weight 13 Kg

**SKYGARDEN 2**

Marcel Wanders, 2007
 Potenza · Power MAX 205W
 Tensione · Voltage 220-250V

Finiture
Finishes

oro · gold
 ruggine · rusty brown
 bianco · white
 nero opaco · matte black

Colori
Colors

● F0002044
 ● F0002047
 ○ F0002009
 ● F0002031

€ IVA inc I incl VAT

3.350,00
 3.350,00
 3.350,00
 3.350,00

Fonte luminosa · Light source
 LED 20W E27 2300lm
 [esclusa - excluded]

Materiali · Materials
 gesso, vetro, acciaio inox · plaster, glass,
 stainless steel

Peso · Weight 29 Kg

**SKYNEST**

Marcel Wanders, 2022
 Potenza · Power 78W
 Tensione · Voltage 100-240V

Finiture
Finishes

antracite · anthracite
 blue tourmaline
 almond
 rosso mattone · brick red

Colori
Colors

● F6392031
 ● F6392003
 ● F6392017
 ● F6392035

€ IVA inc I incl VAT

3.250,00
 3.250,00
 3.250,00
 3.250,00

Fonte luminosa · Light source
 LED 78W 200lm* 2700K CRI90

LED INCLUDED

* Il flusso luminoso si riferisce al prodotto con finitura antracite.
 Si prega di consultare il nostro sito web per informazioni dettagliate sulle altre finiture.

* The lumen output refers to the product with the anthracite finish. Please consult our website for detailed information about the other finishes.

Materiali · Materials
 nylon, fibra di vetro, poliestere riciclato, LATAMID, alluminio ·
 nylon with glass fiber, recycled polyester, LATAMID, aluminum


Peso · Weight 4,1 Kg

DIMMER INCLUDED
 1-10/PUSH/DALI



Per le relative sorgenti luminose consigliate da Flos ed i codici da ordinare si rimanda alle specifiche tecniche a pag. 75-84-

For the related light sources recommended by Flos and the codes to order please refer to the technical specifications at pages 75-84



SKYNEST CEILING

Marcel Wanders, 2023

Potenza · Power 57W

Tensione · Voltage 100-240V

Fonte luminosa · Light source
LED 57W 1325lm* 2700K CRI90

LED INCLUDED

* Il flusso luminoso si riferisce al prodotto con finitura antracite. Si prega di consultare il nostro sito web per informazioni dettagliate sulle altre finiture.

* The lumen output refers to the product with the anthracite finish. Please consult our website for detailed information about the other finishes.

Materiali · Materials

nylon, fibra di vetro, poliestere riciclato, LATAMID, alluminio · nylon with glass fiber, recycled polyester, LATAMID, aluminum

Peso · Weight 13 Kg


DIMMER INCLUDED
1-10/PUSH/DALI

Finiture
Finishes

Colori
Colors

€ IVA inc I incl VAT

antracite · anthracite	● F6393031	3.250,00
blue tourmaline	● F6393003	3.250,00
almond	● F6393017	3.250,00
rosso mattone · brick red	● F6393035	3.250,00



SKYNEST MOTION

Marcel Wanders, 2023

Potenza · Power 57W

Tensione · Voltage 100-240V

Fonte luminosa · Light source
LED 57W 1325lm* 2700K CRI90

LED INCLUDED

* Il flusso luminoso si riferisce al prodotto con finitura antracite. Si prega di consultare il nostro sito web per informazioni dettagliate sulle altre finiture.

* The lumen output refers to the product with the anthracite finish. Please consult our website for detailed information about the other finishes.

Materiali · Materials

nylon, fibra di vetro, poliestere riciclato, LATAMID, alluminio · nylon with glass fiber, recycled polyester, LATAMID, aluminum

Peso · Weight 6 Kg

Finiture
Finishes

Colori
Colors

€ IVA inc I incl VAT

antracite · anthracite	● F6394031	4.200,00
blue tourmaline	● F6394003	4.200,00
almond	● F6394017	4.200,00
rosso mattone · brick red	● F6394035	4.200,00



*a seconda dell'altezza del soffitto
- depending on ceiling's height



SMITHFIELD C

Jasper Morrison, 2009

Potenza · Power 4xMAX 70W

Tensione · Voltage 220-250V

Fonte luminosa · Light source
LED retrofit 11,5W E27 1100lm o-or
LED retrofit 15W E27 2000lm o-or
LED retrofit 18W E27 1900lm o-or
LED retrofit 18W E27 2000lm
[esclusa - excluded]

Materiali · Materials

alluminio, metacrilato · aluminum, methacrylate

Peso · Weight 4,5 Kg

Finiture
Finishes

Colori
Colors

€ IVA inc I incl VAT

nero · black	● F1370030	860,00
nero opaco · matte black	● F1370031	860,00
bianco · white	○ F1370009	860,00
mud	● F1370021	860,00
verde · green	● F1370039	860,00
rosso · red	● F1370035	860,00



SMITHFIELD C PRO

Jasper Morrison, 2009

Potenza · Power 45W

Tensione · Voltage 200-240V

LED INCLUDED

Fonte luminosa · Light source
LED module 45W 2700K 2791lm
CRI95

Materiali · Materials

alluminio, metacrilato · aluminum, methacrylate

Peso · Weight 5,8 Kg

DIMMER INCLUDED
PUSH OR DALI

Finiture
Finishes

Colori
Colors

€ IVA inc I incl VAT

nero · black	● F1366030	1.200,00
nero opaco · matte black	● F1366031	1.200,00
bianco · white	○ F1366009	1.200,00
mud	● F1366021	1.200,00
verde · green	● F1366039	1.200,00
rosso · red	● F1366035	1.200,00
nero · black	● F1368030 DALI	1.200,00
nero opaco · matte black	● F1368031 DALI	1.200,00
bianco · white	○ F1368009 DALI	1.200,00
mud	● F1368021 DALI	1.200,00
verde · green	● F1368039 DALI	1.200,00
rosso · red	● F1368035 DALI	1.200,00



Per le relative sorgenti luminose consigliate da Flos ed i codici da ordinare si rimanda alle specifiche tecniche a pag. 75-84 -
For the related light sources recommended by Flos and the codes to order please refer to the technical specifications at pages 75-84

**SMITHFIELD S**

Jasper Morrison, 2009
 Potenza · Power 4xMAX 70W
 Tensione · Voltage 220-250V

Fonte luminosa · Light source
 LED retrofit 11,5W E27 1100lm o-or
 LED retrofit 15W E27 2000lm o-or
 LED retrofit 18W E27 1900lm o-or
 LED retrofit 18W E27 2000lm
 [esclusa - excluded]



Materiali · Materials
 alluminio, metacrilato · aluminum, methacrylate

Peso · Weight 4,5 Kg

Finiture Finishes	Colori Colors	€ IVA inc / incl VAT
nero · black	● F1371030	950,00
nero opaco · matte black	● F1371031	950,00
bianco · white	○ F1371009	950,00
mud	● F1371021	950,00
verde · green	● F1371039	950,00
rosso · red	● F1371035	950,00

**SMITHFIELD S PRO**

Jasper Morrison, 2009
 Potenza · Power 45W
 Tensione · Voltage 200-240V

LED INCLUDED

Fonte luminosa · Light source
 LED module 45W 2700K 2791lm
 CRI95

Materiali · Materials
 alluminio, metacrilato · aluminum, methacrylate

Peso · Weight 5,8 Kg DIMMER INCLUDED
 PUSH OR DALI

Finiture Finishes	Colori Colors	€ IVA inc / incl VAT
nero · black	● F1367030	1.200,00
nero opaco · matte black	● F1367031	1.200,00
bianco · white	○ F1367009	1.200,00
mud	● F1367021	1.200,00
verde · green	● F1367039	1.200,00
rosso · red	● F1367035	1.200,00
nero · black	● F1369030 DALI	1.200,00
nero opaco · matte black	● F1369031 DALI	1.200,00
bianco · white	○ F1369009 DALI	1.200,00
mud	● F1369021 DALI	1.200,00
verde · green	● F1369039 DALI	1.200,00
rosso · red	● F1369035 DALI	1.200,00

**SNOOPY**

Achille and Pier Giacomo Castiglioni, 1967
 Potenza · Power MAX 150W
 Tensione · Voltage 220-240V



Fonte luminosa · Light source
 LED 8W E27 740lm
 [esclusa - excluded]

Materiali · Materials
 marmo, metallo · marble, metal

Peso · Weight 7,99 Kg DIMMER INCLUDED

Finiture Finishes	Colori Colors	€ IVA inc / incl VAT
nero · black	● F6380030	1.200,00
verde · green	● F6380039	1.200,00
arancio · orange	● F6380075	1.200,00

**SPLÜGEN BRÄU**

Achille and Pier Giacomo Castiglioni, 1961
 Potenza · Power MAX 70W
 Tensione · Voltage 220-250V



Fonte luminosa · Light source
 LED 11W E27 1060lm
 [esclusa - excluded]

Materiali · Materials
 alluminio · aluminum





Peso · Weight 1,4 Kg

Finiture Finishes	Colori Colors	€ IVA inc / incl VAT
alluminio · aluminum	F6500000	480,00



Per le relative sorgenti luminose consigliate da Flos ed i codici da ordinare si rimanda alle specifiche tecniche a pag. 75-84-


For the related light sources recommended by Flos and the codes to order please refer to the technical specifications at pages 75-84

	<p>SPUN LIGHT F Sebastian Wrong, 2003 Potenza · Power MAX 250W Tensione · Voltage 220-240V</p> <p>Fonte luminosa · Light source LED 21W E27 2452lm o · or LED 21W E27 2250lm [esclusa - excluded]</p> <p>Materiali · Materials metallo, alluminio · metal, aluminum</p> <p>Peso · Weight 9,3 Kg DIMMER INCLUDED</p>	<p>Finiture Finishes bianco · white nero · black</p>	<p>Colori Colors ○ F6612009 ● F6612030</p>	<p>€ IVA inc I incl VAT 1.950,00 1.950,00</p>
	<p>SPUN LIGHT T1 Sebastian Wrong, 2003 Potenza · Power MAX 150W Tensione · Voltage 220-240V</p> <p>Fonte luminosa · Light source LED 21W E27 2452lm o · or LED 21W E27 2250lm [esclusa - excluded]</p> <p>Materiali · Materials metallo, alluminio · metal, aluminum</p> <p>Peso · Weight 4,3 Kg DIMMER INCLUDED</p>	<p>Finiture Finishes bianco · white nero · black</p>	<p>Colori Colors ○ F6610009 ● F6610030</p>	<p>€ IVA inc I incl VAT 1.000,00 1.000,00</p>
	<p>SPUN LIGHT T2 Sebastian Wrong, 2003 Potenza · Power MAX 150W Tensione · Voltage 220-240V</p> <p>Fonte luminosa · Light source LED 21W E27 2452lm o · or LED 21W E27 2250lm [esclusa - excluded]</p> <p>Materiali · Materials metallo, alluminio · metal, aluminum</p> <p>Peso · Weight 5,6 Kg DIMMER INCLUDED</p>	<p>Finiture Finishes bianco · white nero · black</p>	<p>Colori Colors ○ F6611009 ● F6611030</p>	<p>€ IVA inc I incl VAT 1.150,00 1.150,00</p>
	<p>STRING LIGHT TESTA A CONO · CONE HEAD Michael Anastassiades, 2014 Potenza · Power 21W Tensione · Voltage 100-240V/48V</p> <p>LED INCLUDED Fonte luminosa · Light source 1 LED ARRAY 21W 2700K 1035lm CRI90 DIMMABLE TOUCH</p> <p>Materiali · Materials alluminio, policarbonato · aluminum, polycarbonate</p> <p>Peso · Weight 1 Kg (12 mt.) - 1,15 Kg (22 mt.) DIMMER INCLUDED</p>	<p>Finiture Finishes nero · black nero · black bianco · white bianco · white blu · blue blu · blue</p>	<p>Colori Colors ● F6487030 CAVO 12 mt. ● F6497030 CAVO 22 mt. ○ F6487009 CAVO 12 mt. ○ F6497009 CAVO 22 mt. ● F6487014 CAVO 12 mt. ● F6497014 CAVO 22 mt.</p>	<p>€ IVA inc I incl VAT 700,00 740,00 700,00 740,00 700,00 740,00</p>

completare con rosone o "floor switch" - compulsory to add either floor switch or c/w rose

Per le relative sorgenti luminose consigliate da Flos ed i codici da ordinare si rimanda alle specifiche tecniche a pag. 75-84 -
 For the related light sources recommended by Flos and the codes to order please refer to the technical specifications at pages 75-84

LISTINO PREZZI CONSIGLIATI EUROPA FEBBRAIO 2024 - EUROPE RECOMMENDED PRICE LIST FEBRUARY 2024

**STRING LIGHT TESTA A CONO · CONE HEAD**

Michael Anastassiades, 2014
 Potenza · Power 21W
 Tensione · Voltage 100-240V/48V

CASAMBI READY

Fonte luminosa · Light source
 LED INCLUDED 1 LED ARRAY 21W 2700K 1035lm
 CRI90 REGULATED WIRELESSLY USING THE
 APPLICATION FLOS CONTROL® BY CASAMBI

Materiali · Materials
 alluminio, policarbonato · aluminum,
 polycarbonate

Peso · Weight 1 Kg
 (12 mt.) - 1,15 Kg (22 mt.) DIMMER INCLUDED

Finiture
 Finishes

nero · black
 nero · black
 bianco · white
 bianco · white
 blu · blue
 blu · blue

Colori
 Colors

● F6489030 CAVO 12 mt.
 ● F6499030 CAVO 22 mt.
 ○ F6489009 CAVO 12 mt.
 ○ F6499009 CAVO 22 mt.
 ● F6489014 CAVO 12 mt.
 ● F6499014 CAVO 22 mt.

€ IVA inc I incl VAT

740,00
 790,00
 740,00
 790,00
 740,00
 790,00

completare con rosone o "floor
 switch" - compulsory to add either
 floor switch or c/w rose

**STRING LIGHT TESTA A SFERA · SPHERE HEAD**

Michael Anastassiades, 2014
 Potenza · Power 21W
 Tensione · Voltage 100-240V/48V

Fonte luminosa · Light source
 LED INCLUDED 1 LED ARRAY 21W 2700K 1515lm
 CRI90 DIMMABLE TOUCH

Materiali · Materials
 alluminio, policarbonato · aluminum,
 polycarbonate

Peso · Weight 1,12 Kg
 (12 mt.) - 1,27 Kg (22 mt.) DIMMER INCLUDED

Finiture
 Finishes

nero · black
 nero · black
 bianco · white
 bianco · white
 blu · blue
 blu · blue

Colori
 Colors

● F6486030 CAVO 12 mt.
 ● F6496030 CAVO 22 mt.
 ○ F6486009 CAVO 12 mt.
 ○ F6496009 CAVO 22 mt.
 ● F6486014 CAVO 12 mt.
 ● F6496014 CAVO 22 mt.

€ IVA inc I incl VAT

690,00
 730,00
 690,00
 730,00
 690,00
 730,00

completare con rosone o "floor
 switch" - compulsory to add either
 floor switch or c/w rose

**STRING LIGHT TESTA A SFERA · SPHERE HEAD**

Michael Anastassiades, 2014
 Potenza · Power 21W
 Tensione · Voltage 100-240V/48V

CASAMBI READY

Fonte luminosa · Light source
 LED INCLUDED 1 LED ARRAY 21W 2700K 1515lm
 CRI90 REGULATED WIRELESSLY USING THE
 APPLICATION FLOS CONTROL® BY CASAMBI

Materiali · Materials
 alluminio, policarbonato · aluminum,
 polycarbonate

Peso · Weight 1,12 Kg
 (12 mt.) - 1,27 Kg (22 mt.) DIMMER INCLUDED

Finiture
 Finishes

nero · black
 nero · black
 bianco · white
 bianco · white
 blu · blue
 blu · blue

Colori
 Colors

● F6488030 CAVO 12 mt.
 ● F6498030 CAVO 22 mt.
 ○ F6488009 CAVO 12 mt.
 ○ F6498009 CAVO 22 mt.
 ● F6488014 CAVO 12 mt.
 ● F6498014 CAVO 22 mt.

€ IVA inc I incl VAT

730,00
 790,00
 730,00
 790,00
 730,00
 790,00

completare con rosone o "floor
 switch" - compulsory to add either
 floor switch or c/w rose

**STRING LIGHT
 ACCESSORI · ACCESSORIES**

Tensione · Voltage 120-277V/48V

Descrizione · Description
 Rosone da parete o soffitto per l'installazione di
 massimo 3 teste con tre possibili vie di uscita ·
 Wallrose. Feed up 3 heads maximum; 3 wayout for
 cables. Wall or ceiling installation

Finiture
 Finishes

nero · black
 bianco · white
 blu · blue

Colori
 Colors

● F6482030
 ○ F6482009
 ● F6482014

€ IVA inc I incl VAT

350,00
 350,00
 350,00

CE IP 20

Per le relative sorgenti luminose consigliate da Flos ed i codici da ordinare si rimanda alle specifiche tecniche a pag. 75-84-

For the related light sources recommended by Flos and the codes to order please refer to the technical specifications at pages 75-84



STRING LIGHT

ACCESSORI · ACCESSORIES

Tensione · Voltage 120-277V/48V

Descrizione · Description

"Floor Switch" per l'installazione di massimo due teste con due possibili vie di uscita per il cavo. Alloggio interno per arrotolare 10 metri di cavo · Floor Switch. Feed up two heads maximum; Two way out for cables. Space to wrap 10 meters cable

Finiture
Finishes

nero · black
bianco · white
blu · blue

Colori
Colors

● F6484030
○ F6484009
● F6484014

€ IVA inc / incl VAT

440,00
440,00
440,00



STRING LIGHT

ACCESSORI · ACCESSORIES

Descrizione · Description

Cavo di connessione supplementare per comporre configurazioni personalizzate · Extra connection cable to compose personal configurations

Finiture
Finishes

nero · black
bianco · white
blu · blue

Colori
Colors

● F6485030
○ F6485009
● F6485014

€ IVA inc / incl VAT

230,00
230,00
230,00



STYLOS

Achille Castiglioni, 1984

Potenza · Power 1 x MAX 120W + 1 x MAX 100W

Tensione · Voltage 220-250V

Fonte luminosa · Light source

LED 16W E27 PAR 38 1600lm

[esclusa - excluded] +

LED 21W E27 2452lm

[esclusa - excluded] o · or

LED 21W E27 2250lm

[esclusa - excluded]

Doppia accensione · Double switch



Materiali · Materials

polimetilmetacrilato, acciaio ·
polymethylmethacrylate, steel

Peso · Weight 9,85 Kg

Finiture
Finishes

argento · silver

Colori
Colors

● F6310004

€ IVA inc / incl VAT

885,00



SUPERARCHIMOON

Philippe Starck, 2000

Potenza · Power MAX 250W

Tensione · Voltage 220-240V

Fonte luminosa · Light source

LED 21W E27 2452lm o · or

LED 21W E27 2250lm

[esclusa - excluded]



Materiali · Materials

tessuto, vetro, acciaio, alluminio · fabric, glass,
steel, aluminum

Peso · Weight 90,88 Kg DIMMER INCLUDED

Finiture
Finishes

tessuto · fabric

Colori
Colors


● F6366020

€ IVA inc / incl VAT

10.560,00



Per le relative sorgenti luminose consigliate da Flos ed i codici da ordinare si rimanda alle specifiche tecniche a pag. 75-84 -
For the related light sources recommended by Flos and the codes to order please refer to the technical specifications at pages 75-84

**SUPERARCHIMOON OUTDOOR/INDOOR**

Philippe Starck, 2000
 Potenza · Power MAX 250W
 Tensione · Voltage 220-240V



Fonte luminosa · Light source
 LED 21W E27 2450lm
 [esclusa - excluded]

Materiali · Materials
 alluminio, policarbonato, PVC ·
 aluminum, polycarbonate, PVC

Peso · Weight 160,3 Kg DIMMER INCLUDED

Finiture
 Finishes


panama
 green wall

Colori
 Colors

● F6367022
 ● F6367041

€ IVA inc / incl VAT

10.560,00
 10.560,00

**SUPERLOON**

Jasper Morrison, 2015
 Potenza · Power 48W
 Tensione · Voltage 100-240V/48V

LED INCLUDED

Fonte luminosa · Light source
 EDGE LIGHTING 45W
 2716lm 2200/2800K CRI80
 DIM TO WARM

Materiali · Materials
 alluminio, PMMA · aluminum, PMMA

Peso · Weight 11 Kg DIMMER INCLUDED

Finiture
 Finishes


bianco · white
 nero · black
 cromo · chrome

Colori
 Colors

○ F6630009
 ● F6630030
 ▨ F6630057

€ IVA inc / incl VAT

4.500,00
 4.500,00
 4.600,00

**TAB F**

E. Barber & J. Osgerby, 2011
 Potenza · Power 9W
 Tensione · Voltage 100-240V/24V

LED INCLUDED

Fonte luminosa · Light source
 14 LED 9W 347lm 2700K CRI90

Materiali · Materials
 alluminio, PMMA · aluminum, PMMA

Peso · Weight 1,9 Kg SWITCH INCLUDED

Finiture
 Finishes

bianco · white
 nero · black
 dark green
 matte blue

Colori
 Colors

○ F6564009
 ● F6564030
 ● F6564031
 ● F6564014

€ IVA inc / incl VAT

460,00
 460,00
 460,00
 460,00

**TAB T**

E. Barber & J. Osgerby, 2011
 Potenza · Power 9W
 Tensione · Voltage 100-240V/24V

LED INCLUDED

Fonte luminosa · Light source
 14 LED 9W 347lm 2700K CRI90
 DIMMABLE

Materiali · Materials
 alluminio, PMMA · aluminum, PMMA

Peso · Weight 0,91 Kg SWITCH INCLUDED

Finiture
 Finishes

bianco · white
 nero · black
 dark green
 matte blue

Colori
 Colors

○ F6563009
 ● F6563030
 ● F6563031
 ● F6563014

€ IVA inc / incl VAT

350,00
 350,00
 350,00
 350,00



Per le relative sorgenti luminose consigliate da Flos ed i codici da ordinare si rimanda alle specifiche tecniche a pag. 75-84-

For the related light sources recommended by Flos and the codes to order please refer to the technical specifications at pages 75-84



TACCIA

Achille and Pier Giacomo Castiglioni, 1962

Potenza · Power 28W

Tensione · Voltage 100-240V/48V

LED INCLUDED

Fonte luminosa · Light source
1 COB LED 28W 2700K CRI93
DIMMABLE

Materiali · Materials
vetro, alluminio · glass, aluminum

Peso · Weight 10,74 Kg DIMMER INCLUDED

Finiture
Finishes

argento · silver
nero · black
bronzo · bronze
matte white

Colori
Colors

● F6602004
● F6602030
● F6602046
○ F6602009

€ IVA inc I incl VAT

2.700,00
2.700,00
2.700,00
2.700,00



TACCIA (PMMA)

Achille and Pier Giacomo Castiglioni, 1962

Potenza · Power 28W

Tensione · Voltage 100-240V/48V

LED INCLUDED

Fonte luminosa · Light source
1 COB LED 28W 2700K CRI93
DIMMABLE

Materiali · Materials
PMMA, alluminio · PMMA, aluminum

Peso · Weight 7,6 Kg DIMMER INCLUDED

Finiture
Finishes

argento · silver
nero · black
bronzo · bronze

Colori
Colors

● F6607004
● F6607030
● F6607046

€ IVA inc I incl VAT

1.600,00
1.600,00
1.600,00



TACCIA SMALL

Achille and Pier Giacomo Castiglioni, 1962

Potenza · Power 16W

Tensione · Voltage 100-240V/24V

LED INCLUDED

Fonte luminosa · Light source
1 COB LED 16W 2700K CRI92
DIMMABLE

Materiali · Materials
vetro, alluminio · glass, aluminum

Peso · Weight 4,25 Kg DIMMER INCLUDED

Finiture
Finishes


argento · silver
nero · black
bronzo · bronze
matte white

Colori
Colors

● F6604004
● F6604030
● F6604046
○ F6604009

€ IVA inc I incl VAT

1.120,00
1.120,00
1.120,00
1.120,00



TARAXACUM S1 COCOON NEW EDITION 2005

Achille and Pier Giacomo Castiglioni, 1960

Potenza · Power MAX 100W

Tensione · Voltage 220-250V



Fonte luminosa · Light source
LED 15W E27 2000lm
[esclusa - excluded]

Materiali · Materials
cocoon, acciaio · cocoon, steel

Peso · Weight 2,1 Kg

Finiture
Finishes

bianco · white





Colori
Colors

○ F7401009


€ IVA inc I incl VAT

2.100,00



 <p>640 mm 2700 mm ø 870 mm</p>	<p>TARAXACUM S2 COCOON NEW EDITION 2005 Achille and Pier Giacomo Castiglioni, 1960 Potenza · Power MAX 100W Tensione · Voltage 220-250V</p> <p>Fonte luminosa · Light source LED 15W E27 2000lm [esclusa - excluded]</p> <p>Materiali · Materials cocoon, acciaio · cocoon, steel</p> <p>Peso · Weight 2,8 Kg</p>	<p>Finiture Finishes bianco · white</p>	<p>Colori Colors ○ F7402009</p>	<p>€ IVA inc I incl VAT 2.300,00</p>
 <p>310 mm 280 mm 610 mm</p>	<p>TARAXACUM C/W Achille Castiglioni, 1988 Potenza · Power 15 x MAX 40W Tensione · Voltage 220-250V</p> <p>Fonte luminosa · Light source 15xLED 3W E27 255lm [inclusa - included]</p> <p>Materiali · Materials alluminio · aluminum</p> <p>Peso · Weight 5,6 Kg</p>	<p>Finiture Finishes alluminio · aluminum</p>	<p>Colori Colors F7421000</p>	<p>€ IVA inc I incl VAT 1.400,00</p>
 <p>5500 mm ø 800 mm</p>	<p>TARAXACUM S1 Achille Castiglioni, 1988 Potenza · Power 60 x MAX 40W Tensione · Voltage 220-250V</p> <p>Fonte luminosa · Light source 60xLED 3W E27 255lm [inclusa - included]</p> <p>Materiali · Materials alluminio · aluminum</p> <p>Peso · Weight 20,8 Kg</p>	<p>Finiture Finishes alluminio · aluminum</p>	<p>Colori Colors F7431000</p>	<p>€ IVA inc I incl VAT 5.200,00</p>
 <p>6000 mm ø 1050 mm</p>	<p>TARAXACUM S2 Achille Castiglioni, 1988 Potenza · Power 120 x MAX 40W Tensione · Voltage 220-250V</p> <p>Fonte luminosa · Light source 120xLED 3W E27 255lm [inclusa - included]</p> <p>Materiali · Materials alluminio · aluminum</p> <p>Prodotto su richiesta Made on demand</p> <p>Peso · Weight 40,3 Kg</p>	<p>Finiture Finishes alluminio · aluminum</p>	<p>Colori Colors F7441000</p>	<p>€ IVA inc I incl VAT 9.000,00</p>

Per le relative sorgenti luminose consigliate da Flos ed i codici da ordinare si rimanda alle specifiche tecniche a pag. 75-84-
For the related light sources recommended by Flos and the codes to order please refer to the technical specifications at pages 75-84



TATOU F

Patricia Urquiola, 2012
 Potenza · Power MAX 205W
 Tensione · Voltage 220-240V

Finiture Finishes	Colori Colors	€ IVA inc I incl VAT
bianco · white	○ F7764009	1.060,00
grigio ocra · ochre-grey	● F7764048	1.060,00

Fonte luminosa · Light source
 LED 21W E27 2452lm o · or
 LED 21W E27 2250lm
 [esclusa - excluded]

Materiali · Materials
 policarbonato, acciaio · polycarbonate, steel

Peso · Weight 16,4 Kg DIMMER INCLUDED



TATOU S2

Patricia Urquiola, 2012
 Potenza · Power MAX 205W
 Tensione · Voltage 220-250V

Finiture Finishes	Colori Colors	€ IVA inc I incl VAT
bianco · white	○ F7766009	575,00
grigio ocra · ochre-grey	● F7766048	575,00

Fonte luminosa · Light source
 LED 21W E27 2452lm o · or
 LED 21W E27 2250lm
 [esclusa - excluded]

Materiali · Materials
 policarbonato · polycarbonate

Peso · Weight 4,7 Kg



TATOU T1


Patricia Urquiola, 2012
 Potenza · Power MAX 70W
 Tensione · Voltage 220-230V

Finiture Finishes	Colori Colors	€ IVA inc I incl VAT
bianco · white	○ F7761009	380,00
grigio ocra · ochre-grey	● F7761048	380,00

Fonte luminosa · Light source
 LED 11,5W E27 1100lm
 [esclusa - excluded]

Materiali · Materials
 policarbonato · polycarbonate

Peso · Weight 2,7 Kg DIMMER INCLUDED



TIGHT LIGHT

Piero Lissoni, 2011
 Potenza · Power 20W
 Tensione · Voltage 100-240V

Finiture Finishes	Colori Colors	€ IVA inc I incl VAT
bianco · white	· F0011009	320,00

LED INCLUDED
 Fonte luminosa · Light source
 48 TOP LED 2x10W 1989lm total
 3000K CRI80

Materiali · Materials
 PMMA, alluminio · PMMA, aluminum





Peso · Weight 1 Kg

Per le relative sorgenti luminose consigliate da Flos ed i codici da ordinare si rimanda alle specifiche tecniche a pag. 75-84 -
 For the related light sources recommended by Flos and the codes to order please refer to the technical specifications at pages 75-84

	TO-TIE T1	Finiture Finishes	Colori Colors	€ IVA inc / incl VAT
	Guglielmo Poletti, 2022 Potenza · Power 7W Tensione · Voltage 24V	anodized black	● F7541031	480,00
	LED INCLUDED Fonte luminosa · Light source LED module 7W 314lm 2700K CRI90			
	Materiali · Materials vetro borosilicato, alluminio anodizzato · borosilicate glass, anodized aluminum			
	Peso · Weight 1,5 Kg DIMMER INTEGRATED			
	TO-TIE T2	Finiture Finishes	Colori Colors	€ IVA inc / incl VAT
	Guglielmo Poletti, 2022 Potenza · Power 7W Tensione · Voltage 24V	anodized black	● F7542031	630,00
	LED INCLUDED Fonte luminosa · Light source LED module 7W 336lm 2700K CRI90			
	Materiali · Materials vetro borosilicato, alluminio anodizzato · borosilicate glass, anodized aluminum			
	Peso · Weight 2,5 Kg DIMMER INTEGRATED			
	TO-TIE T3	Finiture Finishes	Colori Colors	€ IVA inc / incl VAT
	Guglielmo Poletti, 2022 Potenza · Power 10W Tensione · Voltage 24V	anodized black	● F7543031	830,00
	LED INCLUDED Fonte luminosa · Light source LED module 10W 495lm 2700K CRI90			
	Materiali · Materials vetro borosilicato, alluminio anodizzato · borosilicate glass, anodized aluminum			
	Peso · Weight 2,7 Kg DIMMER INTEGRATED			
	TOIO LED	Finiture Finishes	Colori Colors	€ IVA inc / incl VAT
	Achille and Pier Giacomo Castiglioni, 1962 Potenza · Power MAX 23W LED Tensione · Voltage 220-240V	bianco · white nero · black rosso · red	○ F7630009 ● F7630030 ● F7630035	1.250,00 1.250,00 1.250,00
	Fonte luminosa · Light source LED 20W PRO PAR 56 2050lm [inclusa - included]			
	Materiali · Materials acciaio · steel			
	Peso · Weight 8,2 Kg DIMMER INCLUDED			

Per le relative sorgenti luminose consigliate da Flos ed i codici da ordinare si rimanda alle specifiche tecniche a pag. 75-84-

For the related light sources recommended by Flos and the codes to order please refer to the technical specifications at pages 75-84

	<p>VISCONTEA NEW EDITION 2005 Achille and Pier Giacomo Castiglioni, 1960 Potenza · Power MAX 100W Tensione · Voltage 220-250V</p> <p>Fonte luminosa · Light source LED 15W E27 2000lm [esclusa - excluded]</p> <p>Materiali · Materials cocoon, acciaio · cocoon, steel</p> <p>Peso · Weight 1,75 Kg</p>	<p>Finiture Finishes bianco · white</p>	<p>Colori Colors ○ F8001009</p>	<p>€ IVA inc I incl VAT 1.800,00</p>
	<p>WAN C/W Johanna Grawunder, 2005 Potenza · Power MAX 40W Tensione · Voltage 220-250V</p> <p>Fonte luminosa · Light source 33W HSGS G9 460lm [esclusa - excluded]</p> <p>Materiali · Materials alluminio · aluminum</p> <p>Peso · Weight 0,62 Kg</p>	<p>Finiture Finishes bianco · white nero · black</p>	<p>Colori Colors ○ F9550009 ● F9550030</p>	<p>€ IVA inc I incl VAT 200,00 200,00</p>
	<p>WAN S Johanna Grawunder, 2006 Potenza · Power MAX 40W Tensione · Voltage 220-250V</p> <p>Fonte luminosa · Light source 33W HSGS G9 460lm [esclusa - excluded]</p> <p>Materiali · Materials alluminio · aluminum</p> <p>Peso · Weight 0,85 Kg</p>	<p>Finiture Finishes bianco · white nero · black</p>	<p>Colori Colors ○ F9560009 ● F9560030</p>	<p>€ IVA inc I incl VAT 230,00 230,00</p>
	<p>WIRELINE Formafantasma, 2021 Potenza · Power 45W Tensione · Voltage 120-277V</p> <p>LED INCLUDED Fonte luminosa · Light source LED module 45W 2793lm 2700K CRI90 DIMMABLE</p> <p>Materiali · Materials vetro, acciaio inox, gomma, PC · glass stainless steel, rubber, PC</p> <p>Peso · Weight 7,8 Kg</p>	<p>Finiture Finishes rosa · pink forest green</p>	<p>Colori Colors ○ F9520034 ● F9520039</p>	<p>€ IVA inc I incl VAT 3.300,00 3.300,00</p>


*a seconda dell'altezza del soffitto
 - depending on ceiling's height

DIMMER INCLUDED
 1-10/PUSH/DALI



Per le relative sorgenti luminose consigliate da Flos ed i codici da ordinare si rimanda alle specifiche tecniche a pag. 75-84 -
 For the related light sources recommended by Flos and the codes to order please refer to the technical specifications at pages 75-84

LISTINO PREZZI CONSIGLIATI EUROPA FEBBRAIO 2024 - EUROPE RECOMMENDED PRICE LIST FEBRUARY 2024

**WIRERING**

Formafantasma, 2018
 Potenza · Power 16W
 Tensione · Voltage 100-240V/24V

LED INCLUDED Fonte luminosa · Light source
 180 LED 16W 2700K 712lm CRI90]
 DIMMABLE

Materiali · Materials
 alluminio - gomma - PC · aluminum - rubber - PC


Peso · Weight 0,95 Kg DIMMER INCLUDED

Finiture
 Finishes
 grigio/bianco · grey/white
 grigio/grigio · grey/grey
 grigio/nero · grey/black
 grigio/oro · grey/gold

Colori
 Colors
 ● F9513009
 ● F9513020
 ● F9513030
 ● F9513044

€ IVA inc I incl VAT

850,00
 850,00
 930,00
 930,00

**ZEPPELIN 1**

Marcel Wanders, 2005
 Potenza · Power MAX 250W
 Tensione · Voltage 220-250V



Fonte luminosa · Light source
 LED 21W E27 2452lm o · or
 LED 21W E27 2250lm
 [esclusa - excluded]

Materiali · Materials
 cocoon, acciaio, cristallo · cocoon, steel, crystal

Peso · Weight 15 Kg

Finiture
 Finishes


bianco · white

Colori
 Colors

○ F9800009

€ IVA inc I incl VAT

4.200,00

**ABAJOURD'HUI SMALL**

Flos Soft Architecture



Fonte luminosa · Light source
 MAX 75W E27 QT-32
 [esclusa - excluded]

Materiali · Materials
 installazione su cartongesso · plaster installation

Peso · Weight 11 Kg

Finiture
 Finishes


cartongesso · plaster

Colori
 Colors

○ SA.5001.1

€ IVA inc I incl VAT

872,00

**ABAJOURD'HUI LARGE**

Flos Soft Architecture



Fonte luminosa · Light source
 MAX 150W E27 QT-32
 [esclusa - excluded]

Materiali · Materials
 installazione su cartongesso · plaster installation

Peso · Weight 28 Kg

Finiture
 Finishes

cartongesso · plaster


Colori
 Colors

○ SA.5000.1

€ IVA inc I incl VAT

1.533,00





SOFT SPUN SMALL FL

Flos Soft Architecture

Finiture
Finishes

cartongesso · plaster

Colori
Colors

○ SA.5004.1

€ IVA inc I incl VAT

851,00




Fonte luminosa · Light source
18W 2G11 [esclusa - excluded]
Ballast elettronico · Electronic Ballast

Materiali · Materials

installazione su cartongesso · plaster installation

Peso · Weight 11 Kg



SOFT SPUN SMALL HL

Flos Soft Architecture

Finiture
Finishes

cartongesso · plaster

Colori
Colors

○ SA.5005.1

€ IVA inc I incl VAT

863,00




Fonte luminosa · Light source
MAX 120W R7s QT-DE-12
[esclusa - excluded]

Materiali · Materials

installazione su cartongesso · plaster installation

Peso · Weight 11 Kg



SOFT SPUN SMALL LED

Flos Soft Architecture

Finiture
Finishes

cartongesso · plaster

Colori
Colors

○ SA.5006.1F

€ IVA inc I incl VAT

2.104,00


LED INCLUDED

Fonte luminosa · Light source
1 LED WHITE 35W 1800lm 3000K
CRI90 Driver elettronico · Electronic Driver

Materiali · Materials

installazione su cartongesso · plaster installation

Peso · Weight 11 Kg



SOFT SPUN LARGE FL

Flos Soft Architecture

Finiture
Finishes

cartongesso · plaster

Colori
Colors

○ SA.5008.1

€ IVA inc I incl VAT

1.785,00




Fonte luminosa · Light source
24W 2G11 TC-L (diff.)
[esclusa - excluded]
Ballast elettr. · Elect. Ballast
+ LED 1.4W 80lm 2700K CRI>90
(base) [inclusa - included]
Driver elettronico · Electronic Driver

Materiali · Materials

installazione su cartongesso · plaster installation

Peso · Weight 28 Kg





SOFT SPUN LARGE HL

Flos Soft Architecture



Fonte luminosa · *Light source*
 1 x MAX 160W R7s QT-DE (diff.)
 [esclusa - *excluded*] + 1 LED 1.4W
 80lm 2700K CRI>90 (base)
 [inclusa - *included*]
 Driver elettronico · *Electronic Driver*

Materiali · *Materials*

installazione su cartongesso · *plaster installation*

Peso · *Weight* 28 Kg

Finiture
Finishes


cartongesso · *plaster*

Colori
Colors

○ SA.5009.1

€ IVA inc / *incl VAT*

1.797,00



SOFT SPUN LARGE LED

Flos Soft Architecture

LED INCLUDED

Fonte luminosa · *Light source*
 1 LED WHITE 35W 1800lm
 3000K CRI90 (diff.)
] Driver elettr. · *Elect. Driver* + 1 LED WHITE
 1,4W 80lm 2700K CRI>90 (base)
 Driver elettr. · *Elect. Driver*

Materiali · *Materials*

installazione su cartongesso · *plaster installation*

Peso · *Weight* 28 Kg

Finiture
Finishes

cartongesso · *plaster*

Colori
Colors

○ SA.5007.1F

€ IVA inc / *incl VAT*


























2.908,00




























FONTI LUMINOSE
LIGHT SOURCES

FITTINGS	BULBS NR	ITEM NR.	LED	Voltage	Power	Socket	°K	lm	Energy Class	CRI	Dimension	DIMM	RRP € INCL.VAT
265	1	RF32563	LED	220-240 V	11,5 W	E27	2700 K	1100 lm		> 80	130 x 70 mm	DIMM	28,50
265	1	RF32564	LED	220-240 V	11,5 W	E27	3000 K	1100 lm		> 80	130 x 70 mm	DIMM	28,50
265 SMALL	1	RF32563	LED	220-240 V	11,5 W	E27	2700 K	1100 lm		> 80	130 x 70 mm	DIMM	28,50
265 SMALL	1	RF32564	LED	220-240 V	11,5 W	E27	3000 K	1100 lm		> 80	130 x 70 mm	DIMM	28,50
2097/18-30-50 CLEAR	1	RF28422	LED	220-240 V	2 W	E14	2200 K	95 lm		> 82	60 x 26 mm	DIMM	16,50
2097/18-30-50 FROSTED	1	RF25316	LED	220-240 V	2,7 W	E14	2700 K	150 lm		> 82	56 x 26 mm	DIMM	16,50
2097/75 CLEAR	1	RF34561	LED	220-240 V	2 W	E14	2200 K	95 lm		> 82	66 x 34 mm	DIMM	16,00
2097/75 FROSTED	1	RF34562	LED	220-240 V	2,7 W	E14	2700 K	150 lm		> 82	66 x 34 mm	DIMM	16,00
2097/18-30-50 - CLEAR KIT 20 BULBS LED	20	RF28890	LED	220-240 V	2 W	E14	2200 K	95 lm		> 82	60 x 26 mm	DIMM	306,00
2097/18-30-50 - FROSTED KIT 20 BULBS LED	20	RF28889	LED	220-240 V	2,7 W	E14	2700 K	150 lm		> 82	56 x 26 mm	DIMM	306,00
2097/18-30-50 - CLEAR KIT 32 BULBS LED	32	RF28988	LED	220-240 V	2 W	E14	2200 K	95 lm		> 82	60 x 26 mm	DIMM	500,00
2097/18-30-50 - FROSTED KIT 32 BULBS LED	32	RF28987	LED	220-240 V	2,7 W	E14	2700 K	150 lm		> 82	56 x 26 mm	DIMM	500,00
2097/75 - CLEAR KIT 40 BULBS LED	40	RF35112	LED	220-240 V	2 W	E14	2200 K	95 lm		> 82	66 x 34 mm	DIMM	626,00
2097/75 - FROSTED KIT 40 BULBS LED	40	RF35113	LED	220-240 V	2,7 W	E14	2700 K	150 lm		> 82	66 x 34 mm	DIMM	640,50
ARCO	1	RF32771	LED	220-240 V	11 W	E27	2700 K	1060 lm		> 80	130 x 70 mm	DIMM	29,00
ARCO K	1	RF32771	LED	220-240 V	11 W	E27	2700 K	1060 lm		> 80	130 x 70 mm	DIMM	29,00
ARIETTE	4	RF32563	LED	220-240 V	11,5 W	E27	2700 K	1100 lm		> 80	130 x 70 mm	DIMM	28,50
ARIETTE	4	RF32564	LED	220-240 V	11,5 W	E27	2700 K	1100 lm		> 80	130 x 70 mm	DIMM	28,50
BIAGIO	1	RF25323	LED	220-240 V	8 W	E27	2700 K	740 lm		> 80	102 x 58 mm	DIMM	23,50
BIAGIO	1	RF25317	LED	220-240 V	8 W	E27	3000 K	740 lm		> 80	102 x 58 mm	DIMM	23,50
BIBLIOTHEQUE NATIONALE	1	RF26998	LED	220-240 V	21 W	E27	3000 K	2452 lm		> 80	133 x 65 mm	DIMM	37,00
BILBOQUET	1	RF35612	LED	220-240 V	7,5 W	GU10	2700 K	620 lm		> 80	56 x 50 mm	NO DIMM	6,00
BILBOQUET	1	RF35611	LED	220-240 V	7,5 W	GU10	3000 K	620 lm		> 80	56 x 50 mm	NO DIMM	6,00
BUTTON	5	RF26520	LED	220-240 V	2 W	G9	2700 K	240 lm			48 x 13 mm	NO DIMM	13,50
BUTTON	5	RF36378	LED	220-240 V	3,2 W	G9	2700 K	400 lm		80	51 x 16 mm	DIMM	14,50

FITTINGS	BULBS NR	ITEM NR.	LED	Voltage	Power	Socket	°K	lm	Energy Class	CRI	Dimension	DIMM	RRP € INCL.VAT
CÉRAMIQUE UP/ SIDE/DOWN	1	RF25323	LED	220-240 V	8 W	E27	2700 K	740 lm		> 80	102 x 58 mm	DIMM	23,50
CÉRAMIQUE UP/ SIDE/DOWN	1	RF25317	LED	220-240 V	8 W	E27	3000 K	740 lm		> 80	102 x 58 mm	DIMM	23,50
CHASEN	1	RF34147	LED	220-240 V	16W	E27	-	1600 lm	-	> 80	136 x 122	NO DIMM	90,00
CHIARA F	1	RF32288	LED	220-240 V	15 W	E27	2700 K	2000 lm		> 80	150 x 38 mm	DIMM	53,50
CHIARA F	1	RF32289	LED	220-240 V	15 W	E27	3000 K	2000 lm		> 80	150 x 38 mm	DIMM	53,50
CHIARA T	1	RF32290	LED	220-240V	8 W	E14	2700 K	900 lm		> 80	110 x 28 mm	DIMM	33,50
CHIARA T	1	RF32291	LED	220-240V	8 W	E14	3000 K	900 lm		> 80	110 x 28 mm	DIMM	33,50
CHIARA T	1	RF32767	LED	220-240V	9 W	E14	2700 K	900 lm		> 80	110 x 28 mm	DIMM	32,50
CHIARA T	1	RF32768	LED	220-240V	9 W	E14	3000 K	900 lm		> 80	110 x 28 mm	DIMM	32,50
FOGLIO	2	RF32563	LED	220-240 V	11,5 W	E27	2700 K	1100 lm		> 80	130 x 70 mm	DIMM	28,50
FOGLIO	2	RF32564	LED	220-240 V	11,5 W	E27	3000 K	1100 lm		> 80	130 x 70 mm	DIMM	28,50
FRISBI	1	RF31458	LED	220-240 V	13 W	E27	2700 K	1250 lm		> 80	175 x 125 mm	DIMM	41,00
GATTO NEW EDITION 2005	1	RF32563	LED	220-240 V	11,5 W	E27	2700 K	1100 lm		> 80	130 x 70 mm	DIMM	28,50
GATTO NEW EDITION 2005	1	RF32564	LED	220-240 V	11,5 W	E27	3000 K	1100 lm		> 80	130 x 70 mm	DIMM	28,50
GATTO PICCOLO NEW EDITION 2005	1	RF32290	LED	220-240V	8 W	E14	2700 K	900 lm		> 80	110 x 28 mm	DIMM	33,50
GATTO PICCOLO NEW EDITION 2005	1	RF32767	LED	220-240V	9 W	E14	2700 K	900 lm		> 80	110 x 28 mm	DIMM	32,50
GATTO PICCOLO NEW EDITION 2005	1	RF32291	LED	220-240V	8 W	E14	3000 K	900 lm		> 80	110 x 28 mm	DIMM	33,50
GATTO PICCOLO NEW EDITION 2005	1	RF32768	LED	220-240V	9 W	E14	3000 K	900 lm		> 80	110 x 28 mm	DIMM	32,50
GLO-BALL BASIC 1	1	RF32288	LED	220-240 V	15 W	E27	2700 K	2000 lm		> 80	150 x 38 mm	DIMM	53,50
GLO-BALL BASIC 1	1	RF32289	LED	220-240 V	15 W	E27	3000 K	2000 lm		> 80	150 x 38 mm	DIMM	53,50
GLO-BALL BASIC 2	1	RF32288	LED	220-240 V	15 W	E27	2700 K	2000 lm		> 80	150 x 38 mm	DIMM	53,50
GLO-BALL BASIC 2	1	RF32289	LED	220-240 V	15 W	E27	3000 K	2000 lm		> 80	150 x 38 mm	DIMM	53,50
GLO-BALL BASIC 2	1	RF26259	LED	220-240 V	18 W	E27	2700 K	1900 lm		> 80	180 x 38 mm	DIMM	59,00
GLO-BALL BASIC 2	1	RF26258	LED	220-240 V	18 W	E27	3000 K	2000 lm		> 80	180 x 38 mm	DIMM	59,00
GLO-BALL BASIC ZERO DIM	1	RF32290	LED	220-240V	8 W	E14	2700 K	900 lm		> 80	110 x 28 mm	DIMM	33,50

























FITTINGS	BULBS NR	ITEM NR.	LED	Voltage	Power	Socket	°K	lm	Energy Class	CRI	Dimension	DIMM	RRP € INCL.VAT
GLO-BALL BASIC ZERO DIM	1	RF32767	LED	220-240V	9 W	E14	2700 K	900 lm		> 80	110 x 28 mm	DIMM	32,50
GLO-BALL BASIC ZERO DIM	1	RF32291	LED	220-240V	8 W	E14	3000 K	900 lm		> 80	110 x 28 mm	DIMM	33,50
GLO-BALL BASIC ZERO DIM	1	RF32768	LED	220-240V	9 W	E14	3000 K	900 lm		> 80	110 x 28 mm	DIMM	32,50
GLO-BALL BASIC ZERO SWITCH	1	RF32290	LED	220-240V	8 W	E14	2700 K	900 lm		> 80	110 x 28 mm	DIMM	33,50
GLO-BALL BASIC ZERO SWITCH	1	RF32767	LED	220-240V	9 W	E14	2700 K	900 lm		> 80	110 x 28 mm	DIMM	32,50
GLO-BALL BASIC ZERO SWITCH	1	RF32291	LED	220-240V	8 W	E14	3000 K	900 lm		> 80	110 x 28 mm	DIMM	33,50
GLO-BALL BASIC ZERO SWITCH	1	RF32768	LED	220-240V	9 W	E14	3000 K	900 lm		> 80	110 x 28 mm	DIMM	32,50
GLO-BALL C/W ZERO	1	RF32290	LED	220-240V	8 W	E14	2700 K	900 lm		> 80	110 x 28 mm	DIMM	33,50
GLO-BALL C/W ZERO	1	RF32767	LED	220-240V	9 W	E14	2700 K	900 lm		> 80	110 x 28 mm	DIMM	32,50
GLO-BALL C/W ZERO	1	RF32291	LED	220-240V	8 W	E14	3000 K	900 lm		> 80	110 x 28 mm	DIMM	33,50
GLO-BALL C/W ZERO	1	RF32768	LED	220-240V	9 W	E14	3000 K	900 lm		> 80	110 x 28 mm	DIMM	32,50
GLO-BALL C1	1	RF32288	LED	220-240 V	15 W	E27	2700 K	2000 lm		> 80	150 x 38 mm	DIMM	53,50
GLO-BALL C1	1	RF32289	LED	220-240 V	15 W	E27	3000 K	2000 lm		> 80	150 x 38 mm	DIMM	53,50
GLO-BALL C2	1	RF32288	LED	220-240 V	15 W	E27	2700 K	2000 lm		> 80	150 x 38 mm	DIMM	53,50
GLO-BALL C2	1	RF32289	LED	220-240 V	15 W	E27	3000 K	2000 lm		> 80	150 x 38 mm	DIMM	53,50
GLO-BALL C2	1	RF26259	LED	220-240 V	18 W	E27	2700 K	1900 lm		> 80	180 x 38 mm	DIMM	59,00
GLO-BALL C2	1	RF26258	LED	220-240 V	18 W	E27	3000 K	2000 lm		> 80	180 x 38 mm	DIMM	59,00
GLO-BALL F1	1	RF32288	LED	220-240 V	15 W	E27	2700 K	2000 lm		> 80	150 x 38 mm	DIMM	53,50
GLO-BALL F1	1	RF32289	LED	220-240 V	15 W	E27	3000 K	2000 lm		> 80	150 x 38 mm	DIMM	53,50
GLO-BALL F2	1	RF32288	LED	220-240 V	15 W	E27	2700 K	2000 lm		> 80	150 x 38 mm	DIMM	53,50
GLO-BALL F2	1	RF32289	LED	220-240 V	15 W	E27	3000 K	2000 lm		> 80	150 x 38 mm	DIMM	53,50
GLO-BALL F3	1	RF32288	LED	220-240 V	15 W	E27	2700 K	2000 lm		> 80	150 x 38 mm	DIMM	53,50
GLO-BALL F3	1	RF32289	LED	220-240 V	15 W	E27	3000 K	2000 lm		> 80	150 x 38 mm	DIMM	53,50
GLO-BALL F3	1	RF26259	LED	220-240 V	18 W	E27	2700 K	1900 lm		> 80	180 x 38 mm	DIMM	59,00
GLO-BALL F3	1	RF26258	LED	220-240 V	18 W	E27	3000 K	2000 lm		> 80	180 x 38 mm	DIMM	59,00


















FITTINGS	BULBS NR	ITEM NR.	LED	Voltage	Power	Socket	°K	lm	Energy Class	CRI	Dimension	DIMM	RRP € INCL.VAT
GLO-BALL S1	1	RF32288	LED	220-240 V	15 W	E27	2700 K	2000 lm		> 80	150 x 38 mm	DIMM	53,50
GLO-BALL S1	1	RF32289	LED	220-240 V	15 W	E27	3000 K	2000 lm		> 80	150 x 38 mm	DIMM	53,50
GLO-BALL S2	1	RF32288	LED	220-240 V	15 W	E27	2700 K	2000 lm		> 80	150 x 38 mm	DIMM	53,50
GLO-BALL S2	1	RF32289	LED	220-240 V	15 W	E27	3000 K	2000 lm		> 80	150 x 38 mm	DIMM	53,50
GLO-BALL S2	1	RF26259	LED	220-240 V	18 W	E27	2700 K	1900 lm		> 80	180 x 38 mm	DIMM	59,00
GLO-BALL S2	1	RF26258	LED	220-240 V	18 W	E27	3000 K	2000 lm		> 80	180 x 38 mm	DIMM	59,00
GLO-BALL T1	1	RF32288	LED	220-240 V	15 W	E27	2700 K	2000 lm		> 80	150 x 38 mm	DIMM	53,50
GLO-BALL T1	1	RF32289	LED	220-240 V	15 W	E27	3000 K	2000 lm		> 80	150 x 38 mm	DIMM	53,50
GLO-BALL W	1	RF32563	LED	220-240 V	11,5 W	E27	2700 K	1100 lm		> 80	130 x 70 mm	DIMM	28,50
GLO-BALL W	1	RF32564	LED	220-240 V	11,5 W	E27	3000 K	1100 lm		> 80	130 x 70 mm	DIMM	28,50
IC C/W1	1	RF32290	LED	220-240V	8 W	E14	2700 K	900 lm		> 80	110 x 28 mm	DIMM	33,50
IC C/W1	1	RF32767	LED	220-240V	9 W	E14	2700 K	900 lm		> 80	110 x 28 mm	DIMM	32,50
IC C/W1	1	RF32291	LED	220-240V	8 W	E14	3000 K	900 lm		> 80	110 x 28 mm	DIMM	33,50
IC C/W1	1	RF32768	LED	220-240V	9 W	E14	3000 K	900 lm		> 80	110 x 28 mm	DIMM	32,50
IC C/W1 DOUBLE	2	RF32290	LED	220-240V	8 W	E14	2700 K	900 lm		> 80	110 x 28 mm	DIMM	33,50
IC C/W1 DOUBLE	2	RF32767	LED	220-240V	9 W	E14	2700 K	900 lm		> 80	110 x 28 mm	DIMM	32,50
IC C/W1 DOUBLE	2	RF32291	LED	220-240V	8 W	E14	3000 K	900 lm		> 80	110 x 28 mm	DIMM	33,50
IC C/W1 DOUBLE	2	RF32768	LED	220-240V	9 W	E14	3000 K	900 lm		> 80	110 x 28 mm	DIMM	32,50
IC C/W2	1	RF32288	LED	220-240 V	15 W	E27	2700 K	2000 lm		> 80	150 x 38 mm	DIMM	53,50
IC C/W2	1	RF32289	LED	220-240 V	15 W	E27	3000 K	2000 lm		> 80	150 x 38 mm	DIMM	53,50
IC C/W2	1	RF26259	LED	220-240 V	18 W	E27	2700 K	1900 lm		> 80	180 x 38 mm	DIMM	59,00
IC C/W2	1	RF26258	LED	220-240 V	18 W	E27	3000 K	2000 lm		> 80	180 x 38 mm	DIMM	59,00
IC F1	1	RF32290	LED	220-240V	8 W	E14	2700 K	900 lm		> 80	110 x 28 mm	DIMM	33,50
IC F1	1	RF32767	LED	220-240V	9 W	E14	2700 K	900 lm		> 80	110 x 28 mm	DIMM	32,50
IC F1	1	RF32291	LED	220-240V	8 W	E14	3000 K	900 lm		> 80	110 x 28 mm	DIMM	33,50

FITTINGS	BULBS NR	ITEM NR.	LED	Voltage	Power	Socket	°K	lm	Energy Class	CRI	Dimension	DIMM	RRP €INCL.VAT
IC F1	1	RF32768	LED	220-240V	9 W	E14	3000 K	900 lm		> 80	110 x 28 mm	DIMM	32,50
IC F2	1	RF32288	LED	220-240 V	15 W	E27	2700 K	2000 lm		> 80	150 x 38 mm	DIMM	53,50
IC F2	1	RF32289	LED	220-240 V	15 W	E27	3000 K	2000 lm		> 80	150 x 38 mm	DIMM	53,50
IC F2	1	RF26259	LED	220-240 V	18 W	E27	2700 K	1900 lm		> 80	180 x 38 mm	DIMM	59,00
IC F2	1	RF26258	LED	220-240 V	18 W	E27	3000 K	2000 lm		> 80	180 x 38 mm	DIMM	59,00
IC S1	1	RF32290	LED	220-240V	8 W	E14	2700 K	900 lm		> 80	110 x 28 mm	DIMM	33,50
IC S1	1	RF32767	LED	220-240V	9 W	E14	2700 K	900 lm		> 80	110 x 28 mm	DIMM	32,50
IC S1	1	RF32291	LED	220-240V	8 W	E14	3000 K	900 lm		> 80	110 x 28 mm	DIMM	33,50
IC S1	1	RF32768	LED	220-240V	9 W	E14	3000 K	900 lm		> 80	110 x 28 mm	DIMM	32,50
IC S2	1	RF32288	LED	220-240 V	15 W	E27	2700 K	2000 lm		> 80	150 x 38 mm	DIMM	53,50
IC S2	1	RF32289	LED	220-240 V	15 W	E27	3000 K	2000 lm		> 80	150 x 38 mm	DIMM	53,50
IC S2	1	RF26259	LED	220-240 V	18 W	E27	2700 K	1900 lm		> 80	180 x 38 mm	DIMM	59,00
IC S2	1	RF26258	LED	220-240 V	18 W	E27	3000 K	2000 lm		> 80	180 x 38 mm	DIMM	59,00
IC T1 high/low	1	RF32290	LED	220-240V	8 W	E14	2700 K	900 lm		> 80	110 x 28 mm	DIMM	33,50
IC T1 high/low	1	RF32767	LED	220-240V	9 W	E14	2700 K	900 lm		> 80	110 x 28 mm	DIMM	32,50
IC T1 high/low	1	RF32291	LED	220-240V	8 W	E14	3000 K	900 lm		> 80	110 x 28 mm	DIMM	33,50
IC T1 high/low	1	RF32768	LED	220-240V	9 W	E14	3000 K	900 lm		> 80	110 x 28 mm	DIMM	32,50
IC T2	1	RF32288	LED	220-240 V	15 W	E27	2700 K	2000 lm		> 80	150 x 38 mm	DIMM	53,50
IC T2	1	RF32289	LED	220-240 V	15 W	E27	3000 K	2000 lm		> 80	150 x 38 mm	DIMM	53,50
IC T2	1	RF26259	LED	220-240 V	18 W	E27	2700 K	1900 lm		> 80	180 x 38 mm	DIMM	59,00
IC T2	1	RF26258	LED	220-240 V	18 W	E27	3000 K	2000 lm		> 80	180 x 38 mm	DIMM	59,00
KTRIBE F2	1	RF30429	LED	220-240 V	21 W	E27	2700 K	2350 lm		> 80	133 x 65 mm	DIMM	37,00
KTRIBE F2	1	RF26998	LED	220-240 V	21 W	E27	3000 K	2452 lm		> 80	133 x 65 mm	DIMM	37,00
KTRIBE F3	1	RF30429	LED	220-240 V	21 W	E27	2700 K	2200 lm		> 80	133 x 65 mm	DIMM	37,00
KTRIBE F3	1	RF26998	LED	220-240 V	21 W	E27	3000 K	2452 lm		> 80	133 x 65 mm	DIMM	37,00

FITTINGS	BULBS NR	ITEM NR.	LED	Voltage	Power	Socket	°K	lm	Energy Class	CRI	Dimension	DIMM	RRP € INCL.VAT
KTRIBE S2	1	RF30429	LED	220-240 V	21 W	E27	2700 K	2250 lm		> 80	133 x 65 mm	DIMM	37,00
KTRIBE S2	1	RF26998	LED	220-240 V	21 W	E27	3000 K	2452 lm		> 80	133 x 65 mm	DIMM	37,00
KTRIBE T1	1	RF32563	LED	220-240 V	11,5 W	E27	2700 K	1100 lm		> 80	130 x 70 mm	DIMM	28,50
KTRIBE T1	1	RF32564	LED	220-240 V	11,5 W	E27	3000 K	1100 lm		> 80	130 x 70 mm	DIMM	28,50
KTRIBE T2	1	RF32288	LED	220-240 V	15 W	E27	2700 K	2000 lm		> 80	150 x 38 mm	DIMM	53,50
KTRIBE T2	1	RF32289	LED	220-240 V	15 W	E27	3000 K	2000 lm		> 80	150 x 38 mm	DIMM	53,50
KTRIBE W	1	RF32564	LED	220-240 V	11,5 W	E27	3000 K	1100 lm		> 80	130 x 70 mm	DIMM	28,50
KTRIBE W	1	RF32563	LED	220-240 V	11,5 W	E27	2700 K	1100 lm		> 80	130 x 70 mm	DIMM	28,50
LAMPADINA	1	RF32797	LED	230 V	2 W	E27	2700 K	200 lm		> 80	175 x 125 mm	NO DIMM	30,00
LUMINATOR	1	RF32366	LED	220-240 V	12 W	E27	2700 K	1180 lm		> 80	175 x 125 mm	DIMM	45,50
MAYDAY	1	RF32563	LED	220-240 V	11,5 W	E27	2700 K	1100 lm		> 80	130 x 70 mm	DIMM	28,50
MAYDAY	1	RF32564	LED	220-240 V	11,5 W	E27	3000 K	1100 lm		> 80	130 x 70 mm	DIMM	28,50
MAYDAY OUTDOOR	1	RF32290	LED	220-240V	8 W	E14	2700 K	900 lm		> 80	110 x 28 mm	DIMM	33,50
MAYDAY OUTDOOR	1	RF32291	LED	220-240V	8 W	E14	3000 K	900 lm		> 80	110 x 28 mm	DIMM	33,50
MINI BUTTON	1	RF26520	LED	220-240 V	2 W	G9	2700 K	240 lm			48 x 13 mm	NO DIMM	13,50
MINI BUTTON	1	RF36378	LED	220-240 V	3,2 W	G9	2700 K	400 lm		80	51 x 16 mm	DIMM	14,50
MINI GLO-BALL C/W	1	RF26520	LED	220-240 V	2 W	G9	2700 K	240 lm			48 x 13 mm	NO DIMM	13,50
MINI GLO-BALL C/W	1	RF36378	LED	220-240 V	3,2 W	G9	2700 K	400 lm		80	51 x 16 mm	DIMM	14,50
MINI GLO-BALL S	1	RF26520	LED	220-240 V	2 W	G9	2700 K	240 lm			48 x 13 mm	NO DIMM	13,50
MINI GLO-BALL S	1	RF36378	LED	220-240 V	3,2 W	G9	2700 K	400 lm		80	51 x 16 mm	DIMM	14,50
MINI GLO-BALL T (NO DIM)	1	RF26520	LED	220-240 V	2 W	G9	2700 K	240 lm			48 x 13 mm	NO DIMM	13,50
MINI GLO-BALL T (DIM)	1	RF36378	LED	220-240 V	3,2 W	G9	2700 K	400 lm		80	51 x 16 mm	DIMM	14,50
MISS K	1	RF32563	LED	220-240 V	11,5 W	E27	2700 K	1100 lm		> 80	130 x 70 mm	DIMM	28,50
MISS K	1	RF32564	LED	220-240 V	11,5 W	E27	3000 K	1100 lm		> 80	130 x 70 mm	DIMM	28,50
MY DOME	2	RF32288	LED	220-240 V	15 W	E27	2700 K	2000 lm		> 80	150 x 38 mm	DIMM	53,50

FITTINGS	BULBS NR	ITEM NR.	LED	Voltage	Power	Socket	°K	lm	Energy Class	CRI	Dimension	DIMM	RRP € INCL.VAT
MY DOME	2	RF32288	LED	220-240 V	15 W	E27	2700 K	2000 lm		> 80	150 x 38 mm	DIMM	53,50
MY SPHERE	1	RF29388	LED	220-240 V	20 W	E27	2700 K	2300 lm		> 80	140 x 46 mm	DIMM	61,00
OVERLAP S1	1	RF32288	LED	220-240 V	15 W	E27	2700 K	2000 lm		> 80	150 x 38 mm	DIMM	53,50
OVERLAP S1	1	RF32289	LED	220-240 V	15 W	E27	3000 K	2000 lm		> 80	150 x 38 mm	DIMM	53,50
OVERLAP S2	2	RF32288	LED	220-240 V	15 W	E27	2700 K	2000 lm		> 80	150 x 38 mm	DIMM	53,50
OVERLAP S2	2	RF32289	LED	220-240 V	15 W	E27	3000 K	2000 lm		> 80	150 x 38 mm	DIMM	53,50
PARENTESI	1	RF32366	LED	220-240 V	12 W	E27	2700 K	1180 lm		> 80	175 x 125 mm	DIMM	45,50
PARENTESI	1	RF31459	LED	220-240 V	13 W	E27	2700 K	1300 lm		> 80	175 x 125 mm	DIMM	52,00
PARENTESI / D	1	RF32366	LED	220-240 V	12 W	E27	2700 K	1180 lm		> 80	175 x 125 mm	DIMM	45,50
PARENTESI / D	1	RF31459	LED	220-240 V	13 W	E27	2700 K	1300 lm		> 80	175 x 125 mm	DIMM	52,00
RAY F2	1	RF26998	LED	220-240 V	21 W	E27	3000 K	2452 lm		> 80	133 x 65 mm	DIMM	37,00
RAY F2	1	RF30429	LED	220-240 V	21 W	E27	2700 K	2250 lm		> 80	133 x 65 mm	DIMM	37,00
RAY T	1	RF32563	LED	220-240 V	11,5 W	E27	2700 K	1100 lm		> 80	130 x 70 mm	DIMM	28,50
RAY T	1	RF32564	LED	220-240 V	11,5 W	E27	3000 K	1100 lm		> 80	130 x 70 mm	DIMM	28,50
ROMEO MOON S1	1	RF32563	LED	220-240 V	11,5 W	E27	2700 K	1100 lm		> 80	130 x 70 mm	DIMM	28,50
ROMEO MOON S1	1	RF32564	LED	220-240 V	11,5 W	E27	3000 K	1100 lm		> 80	130 x 70 mm	DIMM	28,50
ROMEO MOON S2	1	RF32563	LED	220-240 V	11,5 W	E27	2700 K	1100 lm		> 80	130 x 70 mm	DIMM	28,50
ROMEO MOON S2	1	RF32564	LED	220-240 V	11,5 W	E27	3000 K	1100 lm		> 80	130 x 70 mm	DIMM	28,50
ROSY ANGELIS	1	RF32563	LED	220-240 V	11,5 W	E27	2700 K	1100 lm		> 80	130 x 70 mm	DIMM	28,50
ROSY ANGELIS	1	RF32564	LED	220-240 V	11,5 W	E27	3000 K	1100 lm		> 80	130 x 70 mm	DIMM	28,50
SKYGARDEN 1	1	RF29388	LED	220-240 V	20 W	E27	2700 K	2300 lm		> 80	140 x 46 mm	DIMM	61,00
SKYGARDEN 2	1	RF29388	LED	220-240 V	20 W	E27	2700 K	2300 lm		> 80	140 x 46 mm	DIMM	61,00
SKYGARDEN SMALL	1	RF32290	LED	220-240V	8 W	E14	2700 K	900 lm		> 80	110 x 28 mm	DIMM	33,50
SKYGARDEN SMALL	1	RF32767	LED	220-240V	9 W	E14	2700 K	900 lm		> 80	110 x 28 mm	DIMM	32,50
SKYGARDEN SMALL	1	RF32291	LED	220-240V	8 W	E14	3000 K	900 lm		> 80	110 x 28 mm	DIMM	33,50

FITTINGS	BULBS NR	ITEM NR.	LED	Voltage	Power	Socket	°K	lm	Energy Class	CRI	Dimension	DIMM	RRP € INCL.VAT
SKYGARDEN SMALL	1	RF32768	LED	220-240V	9 W	E14	3000 K	900 lm		> 80	110 x 28 mm	DIMM	32,50
SMITHFIELD C	4	RF32288	LED	220-240 V	15 W	E27	2700 K	2000 lm		> 80	150 x 38 mm	DIMM	53,50
SMITHFIELD C	4	RF32289	LED	220-240 V	15 W	E27	3000 K	2000 lm		> 80	150 x 38 mm	DIMM	53,50
SMITHFIELD C	4	RF26259	LED	220-240 V	18 W	E27	2700 K	1900 lm		> 80	180 x 38 mm	DIMM	59,00
SMITHFIELD C	4	RF26258	LED	220-240 V	18 W	E27	3000 K	2000 lm		> 80	180 x 38 mm	DIMM	59,00
SMITHFIELD C	4	RF32563	LED	220-240 V	11,5 W	E27	2700 K	1100 lm		> 80	130 x 70 mm	DIMM	28,50
SMITHFIELD C	4	RF32564	LED	220-240 V	11,5 W	E27	3000 K	1100 lm		> 80	130 x 70 mm	DIMM	28,50
SMITHFIELD S	4	RF32288	LED	220-240 V	15 W	E27	2700 K	2000 lm		> 80	150 x 38 mm	DIMM	53,50
SMITHFIELD S	4	RF32289	LED	220-240 V	15 W	E27	3000 K	2000 lm		> 80	150 x 38 mm	DIMM	53,50
SMITHFIELD S	4	RF26259	LED	220-240 V	18 W	E27	2700 K	1900 lm		> 80	180 x 38 mm	DIMM	59,00
SMITHFIELD S	4	RF26258	LED	220-240 V	18 W	E27	3000 K	2000 lm		> 80	180 x 38 mm	DIMM	59,00
SMITHFIELD S	4	RF32563	LED	220-240 V	11,5 W	E27	2700 K	1100 lm		> 80	130 x 70 mm	DIMM	28,50
SMITHFIELD S	4	RF32564	LED	220-240 V	11,5 W	E27	3000 K	1100 lm		> 80	130 x 70 mm	DIMM	28,50
SNOOPY	1	RF25323	LED	220-240 V	8 W	E27	2700 K	740 lm		> 80	102 x 58 mm	DIMM	23,50
SNOOPY	1	RF25317	LED	220-240 V	8 W	E27	3000 K	740 lm		> 80	102 x 58 mm	DIMM	23,50
SPLUGEN BRAU	1	RF32771	LED	220-240 V	11 W	E27	2700 K	1060 lm		> 80	130 x 70 mm	DIMM	29,00
SPUN LIGHT F	1	RF26998	LED	220-240 V	21 W	E27	3000 K	2452 lm		> 80	133 x 65 mm	DIMM	37,00
SPUN LIGHT F	1	RF30429	LED	220-240 V	21 W	E27	2700 K	2250 lm		> 80	133 x 65 mm	DIMM	37,00
SPUN LIGHT T1	1	RF26998	LED	220-240 V	21 W	E27	3000 K	2452 lm		> 80	133 x 65 mm	DIMM	37,00
SPUN LIGHT T1	1	RF30429	LED	220-240 V	21 W	E27	2700 K	2250 lm		> 80	133 x 65 mm	DIMM	37,00
SPUN LIGHT T2	1	RF26998	LED	220-240 V	21 W	E27	3000 K	2452 lm		> 80	133 x 65 mm	DIMM	37,00
SPUN LIGHT T2	1	RF30429	LED	220-240 V	21 W	E27	2700 K	2250 lm		> 80	133 x 65 mm	DIMM	37,00
STYLOS SOPRA	1	RF30429	LED	220-240 V	21 W	E27	2700 K	2250 lm		> 80	133 x 65 mm	DIMM	37,00
STYLOS SOPRA	1	RF26998	LED	220-240 V	21 W	E27	3000 K	2452 lm		> 80	133 x 65 mm	DIMM	37,00
STYLOS SOTTO	1	RF34147	LED	220-240 V	16W	E27	-	1600 lm	-	> 80	136 x 122 mm	NO DIMM	90,00

FITTINGS	BULBS NR	ITEM NR.	LED	Voltage	Power	Socket	°K	lm	Energy Class	CRI	Dimension	DIMM	RRP € INCL.VAT
SUPERARCHIMOOON	1	RF26998	LED	220-240 V	21 W	E27	3000 K	2452 lm		> 80	133 x 65 mm	DIMM	37,00
SUPERARCHIMOOON	1	RF30429	LED	220-240 V	21 W	E27	2700 K	2250 lm		> 80	133 x 65 mm	DIMM	37,00
TARAXACUM S1/S2/CW	1	RF24894	LED	180-265 V	3 W	E27	2500 K	255 lm		> 85	126 x 180 mm	DIMM	26,00
TARAXACUM S1/S2/CW KIT 15 BULBS LED	15	RF27119	LED	180-265 V	3 W	E27	2500 K	255 lm		> 85	126 x 180 mm	DIMM	370,00
TARAXACUM S1/S2 COCOON NEW EDITION 2005	1	RF32288	LED	220-240 V	15 W	E27	2700 K	2000 lm		> 80	150 x 38 mm	DIMM	53,50
TARAXACUM S1/S2 COCOON NEW EDITION 2005	1	RF32289	LED	220-240 V	15 W	E27	3000 K	2000 lm		> 80	150 x 38 mm	DIMM	53,50
TATOU F	1	RF26998	LED	220-240 V	21 W	E27	3000 K	2452 lm		> 80	133 x 65 mm	DIMM	37,00
TATOU F	1	RF30429	LED	220-240 V	21 W	E27	2700 K	2250 lm		> 80	133 x 65 mm	DIMM	37,00
TATOU S2	1	RF26998	LED	220-240 V	21 W	E27	3000 K	2452 lm		> 80	133 x 65 mm	DIMM	37,00
TATOU S2	1	RF30429	LED	220-240 V	21 W	E27	2700 K	2250 lm		> 80	133 x 65 mm	DIMM	37,00
TATOU T1	1	RF32563	LED	220-240 V	11,5 W	E27	2700 K	1100 lm		> 80	130 x 70 mm	DIMM	28,50
TATOU T1	1	RF32564	LED	220-240 V	11,5 W	E27	3000 K	1100 lm		> 80	130 x 70 mm	DIMM	28,50
TOIO LED	1	RF32297	LED	220-240 V	20W	GX16d	2500 K	2050 lm		> 80	176 x 112 mm	DIMM	235,00
VISCONTEA NEW EDITION 2005	1	RF32288	LED	220-240 V	15 W	E27	2700 K	2000 lm		> 80	150 x 38 mm	DIMM	53,50
VISCONTEA NEW EDITION 2005	1	RF32289	LED	220-240 V	15 W	E27	3000 K	2000 lm		> 80	150 x 38 mm	DIMM	53,50
WAN C/W	1	RF18863	HL	230 V	33 W	G9	2700 K	460 lm		100	43 x 14 mm	DIMM	6,50
WAN S	1	RF18863	HL	230 V	33 W	G9	2700 K	460 lm		100	43 x 14 mm	DIMM	6,50
ZEPELIN 1	1	RF26998	LED	220-240 V	21 W	E27	3000 K	2452 lm		> 80	133 x 65 mm	DIMM	37,00
ZEPELIN 1	1	RF30429	LED	220-240 V	21 W	E27	2700 K	2250 lm		> 80	133 x 65 mm	DIMM	37,00

CLASSIFICAZIONE E MARCHI DI CERTIFICAZIONE · CLASSIFICATION & HOMOLOGATIONS

Classi di isolamento delle lampade · *Luminaires classification*



Classe I: lampada la cui protezione contro la scarica elettrica non si basa solo sull'isolamento di base dell'apparecchio, ma su un ulteriore sistema di sicurezza che consiste nel collegamento dei componenti conduttivi accessibili a un conduttore di sicurezza (messa a terra) facente parte dell'impianto elettrico fisso · *Class I: Luminaire in which protection against electrical shocks is not just based on the basic insulation but also on an additional safety precautions consisting of connecting the accesible conductive parts to a safety conductor (earth)*



Classe II: Lampada la cui protezione contro la scarica elettrica non si basa solo sull'isolamento di base dell'apparecchio, ma su un ulteriore misura di sicurezza che consiste in un doppio isolamento rinforzato senza dispositivi per la messa a terra · *Class II: Luminaire in which protection against electrical shocks is not just based on the basic insulation but also on an additional safety precautions consisting of double reinforced insulation without conductive parts to a safety conductor (earth)*



Classe III: Lampada la cui protezione contro la scarica elettrica si basa su un sistema a bassissima tensione, che non viene mai superata. Una lampada di Classe III non deve mai essere fornita con la messa a terra · *Class III: Luminaire in which protection against electrical shocks is based on the very low safety supply voltage and no voltages are produced higher than this. A Class III luminaire must never be provided with earthing*

Omologazioni · *Homologations*



Tutte le lampade prodotte e presentate in questo programma sono state realizzate in conformità con la Norma Europea EN 60 598 e sono pertanto conformi ai requisiti definiti nella Direttiva CEE 73/23 (Direttiva di Bassa Tensione). La loro realizzazione garantisce anche la conformità alla Direttiva 89/336 per quanto concerne la Compatibilità Elettromagnetica. Tutti i prodotti rientranti nel campo di applicazione delle suddette Direttive riportano la marcatura CE, che ne attesta la conformità ai relativi requisiti · *All lamps manufactured and illustrated in this catalog comply with European Standard EN 60 598 and consequently meet the requirements set forth in Directive 73/23 EEC (Low Voltage Directive). They also comply with Directive 89/336 covering electromagnetic compatibility. All products falling under the scope of the above-mentioned Directives bear the CE mark as proof of their compliance with the respective requirements*



La presenza del marchio ENEC sul prodotto conferma l'adempimento della Normativa Europea e garantisce l'affidabilità del sistema organizzativo e produttivo responsabile della fabbricazione del prodotto, attraverso un ente di certificazione accreditato. Il marchio ENEC conferma il nostro impegno ed è la migliore garanzia in tema di sicurezza e qualità di tutti i nostri prodotti · *The ENEC mark on the product stands for the compliance of European Standard as well as a trustworthy organisation and product system and is guaranteed by an accredited certification body. This agreed mark stands for our engagement and represents the best guarantee in security and quality matter of our products*



L'Associazione Spagnola di Normalizzazione e Certificazione AENOR certifica che il Sistema di garanzia di qualità adottato dalla Antares Iluminación S. A. soddisfa i requisiti della Norma Europea EN ISO 9001: Sistema di Qualità. · *The Spanish Association for Standards and Certification AENOR, certifies that quality assurance system adopted by Antares Iluminación, S.A. complies with the requirements of the standard UNE-EN ISO-9001 Quality Systems.*

GRADO DI PROTEZIONE · DEGREE OF PROTECTION

<hr/> IP <hr/> 20	<p>Indice di protezione contro la penetrazione di corpi solidi e di liquidi · <i>Protection degree offered by the fixture to the ingress of solids and liquids</i></p>
<hr/> IP <hr/> 20	<p>1a cifra, protezione contro la penetrazione dei corpi solidi: 0 Nessuna protezione - 1 Protezione contro i corpi solidi di dimensioni superiori a 50mm - 2 Protezione contro i corpi solidi di dimensioni superiori a 12mm - 3 Protezione contro i corpi solidi di dimensioni superiori a 2,5mm - 4 Protezione contro i corpi solidi di dimensioni superiori a 1mm - 5 Protezione contro la polvere - 6 Totalmente protetto contro la polvere · <i>1st figure, protection against penetration by solid bodies: 0 No protection - 1 Protected against solid bodies over 50 mm in diameter - 2 Protected against solid bodies over 12 mm in diameter - 3 Protected against solid bodies over 2,5 mm in diameter - 4 Protected against solid bodies over 1 mm in diameter - 5 Protected against dust - 6 Fully protected against dust</i></p>
<hr/> IP <hr/> 20	<p>2a cifra, protezione contro l'infiltrazione di acqua: 0 Nessuna protezione - 1 Protezione contro la caduta in verticale di gocce d'acqua - 2 Protezione contro la caduta in verticale di gocce d'acqua con angolo di inclinazione max di 15° - 3 Protezione contro la caduta in verticale di gocce d'acqua con angolo di inclinazione max di 60° - 4 Protezione contro gli spruzzi d'acqua - 5 Protezione contro i getti d'acqua - 6 Protezione contro le ondate d'acqua - 7 Protezione contro l'immersione - 8 Protezione contro l'immersione prolungata · <i>2nd figure, protection against penetration by water: 0 No protection - 1 Protected against drops of water falling vertically - 2 Protected against drops of water at a max. inclination of 15 degrees - 3 Protected against drops of water at a max. inclination of 60 degrees - 4 Protected against splashed of water - 5 Protected against jets of water - 6 Protected against waves - 7 Protected against immersion - 8 Protected against long term immersion</i></p>
<p>Simbologia - <i>Pictography</i></p>	
	<p>Apparecchio idoneo per essere installato su superfici normalmente infiammabili · <i>Luminaire with builtin power packs or transformers, suitable for mounting directly onto normally inflammable surfaces</i></p>
	<p>Distanza minima dagli oggetti illuminati · <i>Minimum distance from illuminated objects</i></p>

In conformità con quanto previsto dal Regolamento 874/2012/EU, integrazione della Direttiva 2010/30/UE e relativo all'etichettatura indicante il consumo d'energia delle lampade elettriche e la compatibilità degli apparecchi di illuminazione con le diverse fonti luminose (integrate o con questi compatibili), Flos S.p.A. ha inserito le etichette richieste, in formato elettronico, sul proprio sito (www.flos.com) nell'area relativa ai prodotti. Le modalità per scaricare le etichette, nelle diverse lingue previste a livello comunitario, sono le seguenti: • Selezionare la collezione/il prodotto di interesse (per esempio <http://www.flos.com/decorative/en/products/floor/Arco>) • Cliccare "Vedi scheda tecnica" • Cliccare "Print Energy Label" • Selezionare la lingua e stampare l'etichetta · *In accordance with the provisions of Regulation 874/2012/EU and integration of the Directive 2010/30/UE concerning labeling indicating the energy consumption of electric lamps and the compatibility of lighting appliances with different light sources (integrated or compatible with these), Flos SpA has inserted the required labels, in electronic form, on its website (www.flos.com) in the area relating to products. The methods to download the labels in different languages envisaged at Community level are as follows: • Choose the collection/product you are interested in (for ex: <http://www.flos.com/decorative/en/products/floor/Arco>) • Click on "see specs sheet" • Click on "Print Energy Label" • Select the language and print the label*

CONDIZIONI GENERALI

Il presente listino sostituisce ed annulla qualsiasi versione precedente.

Flos S.p.A. si riserva il diritto in qualsiasi momento e senza preavviso di eliminare prodotti dalla collezione e di apportare agli stessi variazioni di prezzo o modifiche derivanti da esigenze di carattere tecnico e/o commerciale.

Non si riconosce l'annullamento di ordini regolarmente conferiti.

Non si accettano reclami dopo otto giorni dal ricevimento della merce.

Non si accettano restituzioni se non preventivamente autorizzate. Qualora autorizzate, le spese di trasporto per la restituzione a Flos S.p.A. sono a carico dell'acquirente.

Saranno applicati i termini della garanzia secondo l'attuale regolamentazione europea.

Ogni impegno è assunto salvo i casi di forza maggiore.

Per ogni controversia è competente il foro di Brescia e sarà valida la legge italiana.

GENERAL CONDITIONS

The present price list nullifies and replaces any previous version.

Flos S.p.A. reserves the right to remove products from its collection at any time and without prior notice, as well as adjust the price or apply modifications deriving from technical and/or commercial needs.

The cancellation of duly processed orders is not allowed.

Complaints will not be accepted more than eight days after receipt of merchandise.

Returns are not accepted unless previously authorized. When authorized, shipping costs for returns to Flos S.p.A. will be covered by the purchaser.

The terms of the guarantee will be applied according to current European regulations.

Every effort will be made save in extenuating circumstances.

Any disputes fall under the jurisdiction of the Court of Brescia, and Italian law applies.

NOTE

Imballo compreso nel prezzo.

Resa: secondo le normali condizioni in uso con Flos S.p.A.

Consegna a domicilio: esclusa dal prezzo.

Posa in opera: esclusa dal prezzo. I nostri rivenditori autorizzati sono in condizione di definire preventivamente il costo della posa in opera.

I prezzi indicati sono da intendersi come consigliati al pubblico e sono espressi in Euro, Iva inclusa .

NOTES

Packaging is included in the price.

Returns: according to the usual conditions used with Flos S.p.A.

Home delivery: excluded from the price.

Installation: excluded from the price. Our authorized retailers are able to provide quotes for installation costs.

The prices indicated are recommended for the public and are expressed in euros, VAT included .

FLOS SPA
Via Angelo Faini, 2 - 25073 Bovezzo (Brescia)
Tel. 030 2438.1 - www.flos.com

LISTINO PREZZI CONSIGLIATI EUROPA FEBRUARY 2024 - EUROPE RECOMMENDED PRICE LIST FEBRUARY 2024

Flos si riserva il diritto di apportare ai propri modelli, senza alcun preavviso, qualsiasi modifica ritenesse opportuna.
Flos reserves the right to introduce any changes to its own models, without prior notice.

