

Pricelist Europe

2024



General Information

p. 5

Bolle

Bolle Pendant	p. 6
Bolle Chandelier Circular 14 Bubbles	p. 8
Bolle Chandelier Circular 24 Bubbles	p. 9
Bolle Chandelier Circular 34 Bubbles	p. 10
Bolle Chandelier Linear 14 Bubbles	p. 11
Bolle Chandelier Zigzag 24 Bubbles	p. 12
Bolle Chandelier Zigzag 34 Bubbles	p. 13
Bolle Wall 04	p. 14

Soffio

Soffio Pendant	p. 15
Soffio Wall Horizontal	p. 17
Soffio Wall Vertical 18	p. 18
Soffio Floor	p. 19
Soffio Table 30	p. 20

Bolle Frosted

Bolle Frosted Pendant	p. 21
Bolle Frosted Chandelier Circular 14 Bubbles	p. 22
Bolle Frosted Chandelier Circular 24 Bubbles	p. 23
Bolle Frosted Chandelier Circular 34 Bubbles	p. 24
Bolle Frosted Chandelier Linear 14 Bubbles	p. 25
Bolle Frosted Chandelier Zigzag 24 Bubbles	p. 26
Bolle Frosted Chandelier Zigzag 34 Bubbles	p. 27

Cirque

Cirque Pendant Ellipse Horizontal 75	p. 28
Cirque Pendant Ellipse Horizontal 90	p. 29
Cirque Pendant Ellipse Horizontal 120	p. 30
Cirque Pendant Ellipse Horizontal 150	p. 31

Cirque Pendant Column	p. 32
Cirque Chandelier Skyline Small	p. 33
Cirque Chandelier Skyline Medium	p. 34
Cirque Chandelier Gradient Medium	p. 35
Cirque Chandelier Gradient Large	p. 36
Cirque Chandelier Gradient Extra Large	p. 37
Cirque Chandelier Weave Small	p. 38
Cirque Chandelier Weave Medium	p. 39
Cirque Chandelier Weave Large	p. 40
Cirque Chandelier Pivot Large	p. 41
Cirque Chandelier Pivot Extra Large	p. 42
Cirque Ceiling/Wall Ellipse	p. 43
Cirque Wall Column	p. 44
Cirque Floor-to-Ceiling Column	p. 45
Cirque Floor-to-Ceiling Ellipse Vertical	p. 46

Dewdrops

Dewdrops Chandelier Circular 05 Bubbles	p. 47
Dewdrops Chandelier Linear 07 Bubbles	p. 48

Flauti

Flauti Pendant	p. 49
Flauti Chandelier Circular 21	p. 51
Flauti Chandeliers Circular 3 Pendants	p. 52
Flauti Chandelier Circular 51	p. 53
Flauti Chandelier Circular 71	p. 54
Flauti Chandeliers Linear 3 Pendants	p. 55
Flauti Chandelier Zigzag 5 Pendants	p. 56
Flauti Chandelier Zigzag 7 Pendants	p. 57
Flauti Wall	p. 58

Gem

Gem Pendant Cluster 06	p. 59
Gem Pendant Cluster 09	p. 61

Gem Pendant Vertical 07	p . 63
Gem Pendant Vertical 14	p . 64
Gem Chandelier Branch 08	p . 65
Gem Chandelier Branch 10	p . 66
Gem Chandelier Branch 14	p . 67
Gem Chandelier Ring 10	p . 68
Gem Chandelier Ring 14	p . 69
Gem Chandelier Ring 20	p . 70

Gioielli

Gioielli Ceiling/Wall	p . 71
-----------------------	--------

Maehwa

Maehwa Chandelier Flow 26	p . 72
Maehwa Chandelier Flow 34	p . 73
Maehwa Chandelier Branch 34	p . 74
Maehwa Chandelier Branch 51	p . 75
Maehwa Chandelier Branch 68	p . 76
Maehwa Chandelier Cascade 26	p . 77
Maehwa Chandelier Cascade 30	p . 78
Maehwa Chandelier Cascade 39	p . 79
Maehwa Chandelier Ring 23	p . 80
Maehwa Chandelier Sphere 37	p . 81
Maehwa Ceiling/Wall 03	p . 82
Maehwa Ceiling/Wall 06	p . 83
Maehwa Ceiling/Wall 08	p . 84
Maehwa Ceiling/Wall 11	p . 85
Maehwa Ceiling/Wall 19	p . 86
Maehwa Ceiling/Wall 67	p . 87
Maehwa Pendant Horizontal 09	p . 88
Maehwa Pendant Horizontal 17	p . 89
Maehwa Pendant Vertical 09	p . 90
Maehwa Pendant Vertical 13	p . 91
Maehwa Pendant Vertical 17	p . 92

Milky Way

Milky Way Pendant Infinity Line 120	p . 93
Milky Way Pendant Infinity Line 180	p . 94
Milky Way Pendant Infinity Line 240	p . 95
Milky Way Pendant Infinity Line 360	p . 96
Milky Way Pendant Infinity Elements 120	p . 97
Milky Way Pendant Infinity Elements 180	p . 98
Milky Way Pendant Infinity Elements 240	p . 99
Milky Way Pendant Infinity Elements 360	p . 100
Milky Way Chandelier Horizontal 120	p . 101
Milky Way Chandelier Horizontal 190	p . 102
Milky Way Chandelier Vertical 125	p . 103
Milky Way Chandelier Vertical 165	p . 104
Milky Way Floor-to-Ceiling Column	p . 105

Moonstone

Moonstone Pendant	p . 106
Moonstone Pendant Dome	p . 107
Moonstone Pendant Dome Linen 90	p . 108
Moonstone Pendant Dome Linen 140	p . 109
Moonstone Chandelier Circular 02	p . 110
Moonstone Chandelier Circular 03	p . 111
Moonstone Chandelier Linear 03	p . 112

Softspot

Softspot Pendant	p . 113
Softspot Wall Horizontal	p . 115
Softspot Wall Vertical	p . 116

General Notes

p . 117

Terms and Conditions

p . 118

DRIVER OPTIONS

Remote Driver

A remote driver has to be installed outside and away from the fixture. Its position is to be specified and installed no more than 10m from the lamp by qualified installation personnel in an appropriate space. Remote drivers are recommended for easy maintenance.

Built-in Driver

A built-in driver is positioned within the fixture itself and enables quick installation. This configuration ensures compatibility with all types of wiring. Built-in drivers are recommended where a remote driver configuration cannot be confirmed by qualified installation personnel.

DIMMING STANDARDS

Phase cut dimming

requires standard power cables

Phasecut or Triac dimming is considered compatible in the majority of installations but has a low dimming output quality. It works by restricting the amount of power from the AC mains voltage into the driver through the use of a rotary or slider control wall switch. When the power is reduced to below roughly 40% the fixture effectively turns off.

Switch/push Dimming

requires 1 extra HIGH VOLTAGE cable

Switch or Push dimming is a simple digital dimming option and is operated via a 'push to make' or retractive switch. The push switch controls the switching on and off of the luminaire with momentary pressing, and the dimming up or down by holding down the switch. This dimming method requires an extra 'switched live' cable as well as the standard power wires.

1-10 Volt Dimming

requires 2 extra LOW VOLTAGE cables

1-10 Volt dimming is also known as analogue dimming. This dimming standard is controlled via a potentiometer switch which sends an analogue signal through the 2 extra cables to the driver.

DALI Dimming

requires 2 extra LOW VOLTAGE cables

DALI stands for Digitally Addressable Lighting Interface. DALI is a recognised standard that assigns an individual address to each driver allowing control and communication with each driver. All these drivers can be controlled from a central computer, and manually over-ridden at a DALI wall switch. This advanced dimming method requires two low voltage control wires to be run from the control hub to the driver as well as the standard power wires.

Bolle Pendant

CE IP20 UK

STEP 1:

PRODUCT SIZE	STARTING PRICE	CODE
Bolle Pendant 4 Small Bubbles	€1780	BTPE04S-E
Bolle Pendant 4 Bubbles	€1960	BTPE04-E
Bolle Pendant 6 Bubbles	€2340	BTPE06-E

STEP 2:

METAL FINISH	ADD. PRICE	CODE
Brushed Brass	-	BR
Brushed Bronze	+€80	BZ
Blackened Brass	+€80	BK
Brushed Nickel	+€80	NK
Polished Nickel	+€170	PN



BOLLE PENDANT 4 BUBBLES

STEP 3:

SUSPENSION TYPE	FINISH	LENGTH	ADD. PRICE	CODE
Fabric Flex Cable	Black	4 metres	-	04B
		10 metres	+€50	10B
	White	4 metres	-	04W
		10 metres	+€50	10W
Metal Tube (Drop Height)	Matching Finish	056-200 cm	+€250	XXX
		201-300 cm	+€370	XXX
		301-400 cm	+€490	XXX

STEP 4:

CANOPY (SMALLEST LAST)	FINISH	ADD. PRICE	CODE WITH DIMMABLE STANDARD			
			Recommended	Alternative dimming standard, if required by electrician		
			Phasecut	1-10 Volt	Switch / Push	DALI
1 Canopy: Ø9.5 x H4cm Ceiling Type: All Driver position: Built-in Recommended	Black	-	BL95BP	-	-	-
	White	+€100	WH95BP	-	-	-
	Brushed Brass	+€100	BR95BP	-	-	-
	Brushed Bronze	+€100	BZ95BP	-	-	-
	Blackened Brass	+€100	BK95BP	-	-	-
	Brushed Nickel	+€100	NK95BP	-	-	-
	Polished Nickel	+€100	PN95BP	-	-	-
1 Canopy: Ø13.5 x H4.5cm Ceiling Type: All Driver position: Built-in	Black	-	-	BL135BV	BL135BS	BL135BD
	White	+€110	-	WH135BV	WH135BS	WH135BD
	Brushed Brass	+€110	-	BR135BV	BR135BS	BR135BD
	Brushed Bronze	+€110	-	BZ135BV	BZ135BS	BZ135BD
	Blackened Brass	+€110	-	BK135BV	BK135BS	BK135BD
	Brushed Nickel	+€110	-	NK135BV	NK135BS	NK135BD
	Polished Nickel	+€110	-	PN135BV	PN135BS	PN135BD

CANOPY (SMALLEST LAST)	FINISH	ADD. PRICE	CODE WITH DIMMABLE STANDARD			
			Recommended	Alternative dimming standard, if required by electrician		
			Phasecut	1-10 Volt	Switch / Push	DALI
1 Canopy: Ø7 x H2cm	Black	-	BL70RP	BL70RV	BL70RS	BL70RD
Ceiling Type: All	White	+€90	WH70RP	WH70RV	WH70RS	WH70RD
Driver Position: Remote	Brushed Brass	+€90	BR70RP	BR70RV	BR70RS	BR70RD
Requires Electrician's Approval	Brushed Bronze	+€90	BZ70RP	BZ70RV	BZ70RS	BZ70RD
	Blackened Brass	+€90	BK70RP	BK70RV	BK70RS	BK70RD
	Brushed Nickel	+€90	NK70RP	NK70RV	NK70RS	NK70RD
	Polished Nickel	+€90	PN70RP	PN70RV	PN70RS	PN70RD
1 Canopy: Ø5 x H0.7cm	Black	+€70	BL50RP	BL50RV	BL50RS	BL50RD
Ceiling Type: False	White	+€70	WH50RP	WH50RV	WH50RS	WH50RD
Driver position: Remote						
Requires Electrician's Approval						
STEM HEIGHT	LENGTH	ADD. PRICE				
Standard	55cm	-				
Custom	25-100cm	+€90				

Bolle Chandelier Circular 14 Bubbles

CE IP20 UK

MODEL	STARTING PRICE	CODE
Bolle Chandelier Circular 14 Bubbles	€6590	BTCHCR14-E

STEP 1:		
METAL FINISH	ADD. PRICE	CODE
Brushed Brass	-	BR
Brushed Bronze	+€230	BZ
Blackened Brass	+€230	BK
Brushed Nickel	+€230	NK
Polished Nickel	+€390	PN



BOLLE CHANDELIER CIRCULAR 14 BUBBLES

STEP 2:				
SUSPENSION TYPE	FINISH	LENGTH	ADD. PRICE	CODE
Fabric Flex Cable	Black	4 metres	-	04B
		10 metres	+€150	10B
	White	4 metres	-	04W
		10 metres	+€150	10W
Metal Tube (Drop Height)	Matching Finish	100-200 cm	+€730	XXX
		201-300 cm	+€1090	XXX
		301-400 cm	+€1450	XXX

STEP 3:						
CANOPY	FINISH	ADD. PRICE	CODE WITH DIMMABLE STANDARD			
			Recommended	Alternative dimming standard, if required by electrician		
			Phasecut	1-10 Volt	Switch / Push	DALI
1 Canopy: Ø45 x H4.5cm Driver position: Built-in Recommended	White - RAL 9016	-	WH450BP	WH450BV	WH450BS	WH450BD
	Brushed Brass	+€600	BR450BP	BR450BV	BR450BS	BR450BD
	Brushed Bronze	+€600	BZ450BP	BZ450BV	BZ450BS	BZ450BD
	Blackened Brass	+€600	BK450BP	BK450BV	BK450BS	BK450BD
	Brushed Nickel	+€600	NK450BP	NK450BV	NK450BS	NK450BD
	Polished Nickel	+€600	PN450BP	PN450BV	PN450BS	PN450BD
1 Canopy: Ø45 x H4.5cm Driver position: Remote Requires Electrician's Approval	White - RAL 9016	-	WH450RP	WH450RV	WH450RS	WH450RD
	Brushed Brass	+€600	BR450RP	BR450RV	BR450RS	BR450RD
	Brushed Bronze	+€600	BZ450RP	BZ450RV	BZ450RS	BZ450RD
	Blackened Brass	+€600	BK450RP	BK450RV	BK450RS	BK450RD
	Brushed Nickel	+€600	NK450RP	NK450RV	NK450RS	NK450RD
	Polished Nickel	+€600	PN450RP	PN450RV	PN450RS	PN450RD

STEM HEIGHT	LENGTH	ADD. PRICE
Standard	55cm	-
Custom	25-100cm	+€270

Bolle Chandelier Circular 24 Bubbles

CE IP20 UK

MODEL	STARTING PRICE	CODE
Bolle Chandelier Circular 24 Bubbles	€11120	BTCHCR24-E

STEP 1:		
METAL FINISH	ADD. PRICE	CODE
Brushed Brass	-	BR
Brushed Bronze	+€360	BZ
Blackened Brass	+€360	BK
Brushed Nickel	+€360	NK
Polished Nickel	+€620	PN



BOLLE CHANDELIER CIRCULAR 24 BUBBLES

STEP 2:				
SUSPENSION TYPE	FINISH	LENGTH	ADD. PRICE	CODE
Fabric Flex Cable	Black	4 metres	-	04B
		10 metres	+€240	10B
	White	4 metres	-	04W
		10 metres	+€240	10W
Metal Tube (Drop Height)	Matching Finish	130-200 cm	+€1210	XXX
		201-300 cm	+€1820	XXX
		301-400 cm	+€2420	XXX

STEP 3:						
CANOPY	FINISH	ADD. PRICE	CODE WITH DIMMABLE STANDARD			
			Recommended	Alternative dimming standard, if required by electrician		
			Phasecut	1-10 Volt	Switch / Push	DALI
1 Canopy: Ø62 x H4.5cm Driver position: Built-in Recommended	White - RAL 9016	-	WH620BP	WH620BV	WH620BS	WH620BD
	Brushed Brass	+€840	BR620BP	BR620BV	BR620BS	BR620BD
	Brushed Bronze	+€840	BZ620BP	BZ620BV	BZ620BS	BZ620BD
	Blackened Brass	+€840	BK620BP	BK620BV	BK620BS	BK620BD
	Brushed Nickel	+€840	NK620BP	NK620BV	NK620BS	NK620BD
	Polished Nickel	+€840	PN620BP	PN620BV	PN620BS	PN620BD
1 Canopy: Ø62 x H4.5cm Driver position: Remote Requires Electrician's Approval	White - RAL 9016	-	WH620RP	WH620RV	WH620RS	WH620RD
	Brushed Brass	+€840	BR620RP	BR620RV	BR620RS	BR620RD
	Brushed Bronze	+€840	BZ620RP	BZ620RV	BZ620RS	BZ620RD
	Blackened Brass	+€840	BK620RP	BK620RV	BK620RS	BK620RD
	Brushed Nickel	+€840	NK620RP	NK620RV	NK620RS	NK620RD
	Polished Nickel	+€840	PN620RP	PN620RV	PN620RS	PN620RD

STEM HEIGHT	LENGTH	ADD. PRICE
Standard	55cm	-
Custom	25-100cm	+€450

Bolle Chandelier Circular 34 Bubbles

CE IP20 UK

MODEL	STARTING PRICE	CODE
Bolle Chandelier Circular 34 Bubbles	€15490	BTCHCR34-E

STEP 1:		
METAL FINISH	ADD. PRICE	CODE
Brushed Brass	-	BR
Brushed Bronze	+€530	BZ
Blackened Brass	+€530	BK
Brushed Nickel	+€530	NK
Polished Nickel	+€900	PN



BOLLE CHANDELIER CIRCULAR 34
BUBBLES

STEP 2:				
SUSPENSION TYPE	FINISH	LENGTH	ADD. PRICE	CODE
Fabric Flex Cable	Black	4 metres	-	04B
		10 metres	+€340	10B
	White	4 metres	-	04W
		10 metres	+€340	10W
Metal Tube (Drop Height)	Matching Finish	113-200 cm	+€1700	XXX
		201-300 cm	+€2540	XXX
		301-400 cm	+€3390	XXX

STEP 3:						
CANOPY	FINISH	ADD. PRICE	CODE WITH DIMMABLE STANDARD			
			Recommended	Alternative dimming standard, if required by electrician		
			Phasecut	1-10 Volt	Switch / Push	DALI
1 Canopy: Ø76 x H4.5cm Driver position: Built-in Recommended	White - RAL 9016	-	WH760BP	WH760BV	WH760BS	WH760BD
	Brushed Brass	+€1100	BR760BP	BR760BV	BR760BS	BR760BD
	Brushed Bronze	+€1100	BZ760BP	BZ760BV	BZ760BS	BZ760BD
	Blackened Brass	+€1100	BK760BP	BK760BV	BK760BS	BK760BD
	Brushed Nickel	+€1100	NK760BP	NK760BV	NK760BS	NK760BD
	Polished Nickel	+€1100	PN760BP	PN760BV	PN760BS	PN760BD
1 Canopy: Ø76 x H4.5cm Driver position: Remote Requires Electrician's Approval	White - RAL 9016	-	WH760RP	WH760RV	WH760RS	WH760RD
	Brushed Brass	+€1100	BR760RP	BR760RV	BR760RS	BR760RD
	Brushed Bronze	+€1100	BZ760RP	BZ760RV	BZ760RS	BZ760RD
	Blackened Brass	+€1100	BK760RP	BK760RV	BK760RS	BK760RD
	Brushed Nickel	+€1100	NK760RP	NK760RV	NK760RS	NK760RD
	Polished Nickel	+€1100	PN760RP	PN760RV	PN760RS	PN760RD

STEM HEIGHT	LENGTH	ADD. PRICE
Standard	55cm	-
Custom	25-100cm	+€630

Bolle Chandelier Linear 14 Bubbles

CE IP20 UK
CA

MODEL	STARTING PRICE	CODE
Bolle Chandelier Linear 14 Bubbles	€6590	BTCHLN14-E

STEP 1:		
METAL FINISH	ADD. PRICE	CODE
Brushed Brass	-	BR
Brushed Bronze	+€230	BZ
Blackened Brass	+€230	BK
Brushed Nickel	+€230	NK
Polished Nickel	+€390	PN



BOLLE CHANDELIER LINEAR 14
BUBBLES

STEP 2:				
SUSPENSION TYPE	FINISH	LENGTH	ADD. PRICE	CODE
Fabric Flex Cable	Black	4 metres	-	04B
		10 metres	+€150	10B
	White	4 metres	-	04W
		10 metres	+€150	10W
Metal Tube (Drop Height)	Matching Finish	073-200 cm	+€730	XXX
		201-300 cm	+€1090	XXX
		301-400 cm	+€1450	XXX

STEP 3:						
CANOPY	FINISH	ADD. PRICE	CODE WITH DIMMABLE STANDARD			
			Recommended	Alternative dimming standard, if required by electrician		
			Phasecut	1-10 Volt	Switch / Push	DALI
1 Canopy: W90 x D18 x H4.5cm Driver position: Built-in Recommended	White - RAL 9016	-	WH900BP	WH900BV	WH900BS	WH900BD
	Brushed Brass	+€600	BR900BP	BR900BV	BR900BS	BR900BD
	Brushed Bronze	+€600	BZ900BP	BZ900BV	BZ900BS	BZ900BD
	Blackened Brass	+€600	BK900BP	BK900BV	BK900BS	BK900BD
	Brushed Nickel	+€600	NK900BP	NK900BV	NK900BS	NK900BD
	Polished Nickel	+€600	PN900BP	PN900BV	PN900BS	PN900BD
1 Canopy: W90 x D18 x H4.5cm Driver position: Remote Requires Electrician's Approval	White - RAL 9016	-	WH900RP	WH900RV	WH900RS	WH900RD
	Brushed Brass	+€600	BR900RP	BR900RV	BR900RS	BR900RD
	Brushed Bronze	+€600	BZ900RP	BZ900RV	BZ900RS	BZ900RD
	Blackened Brass	+€600	BK900RP	BK900RV	BK900RS	BK900RD
	Brushed Nickel	+€600	NK900RP	NK900RV	NK900RS	NK900RD
	Polished Nickel	+€600	PN900RP	PN900RV	PN900RS	PN900RD

STEM HEIGHT	LENGTH	ADD. PRICE
Standard	55cm	-
Custom	25-100cm	+€270

Bolle Chandelier Zigzag 24 Bubbles

CE IP20 UK

MODEL	STARTING PRICE	CODE
Bolle Chandelier Zigzag 24 Bubbles	€11120	BTCHZZ24-E

STEP 1:		
METAL FINISH	ADD. PRICE	CODE
Brushed Brass	-	BR
Brushed Bronze	+€360	BZ
Blackened Brass	+€360	BK
Brushed Nickel	+€360	NK
Polished Nickel	+€620	PN



BOLLE CHANDELIER ZIGZAG 24
BUBBLES

STEP 2:				
SUSPENSION TYPE	FINISH	LENGTH	ADD. PRICE	CODE
Fabric Flex Cable	Black	4 metres	-	04B
		10 metres	+€240	10B
	White	4 metres	-	04W
		10 metres	+€240	10W
Metal Tube (Drop Height)	Matching Finish	086-200 cm	+€1210	XXX
		201-300 cm	+€1820	XXX
		301-400 cm	+€2420	XXX

STEP 3:						
CANOPY	FINISH	ADD. PRICE	CODE WITH DIMMABLE STANDARD			
			Recommended	Alternative dimming standard, if required by electrician		
			Phasecut	1-10 Volt	Switch / Push	DALI
1 Canopy: W120 x D23 x H4.5cm Driver position: Built-in Recommended	White - RAL 9016	-	WH1200BP	WH1200BV	WH1200BS	WH1200BD
	Brushed Brass	+€840	BR1200BP	BR1200BV	BR1200BS	BR1200BD
	Brushed Bronze	+€840	BZ1200BP	BZ1200BV	BZ1200BS	BZ1200BD
	Blackened Brass	+€840	BK1200BP	BK1200BV	BK1200BS	BK1200BD
	Brushed Nickel	+€840	NK1200BP	NK1200BV	NK1200BS	NK1200BD
	Polished Nickel	+€840	PN1200BP	PN1200BV	PN1200BS	PN1200BD
1 Canopy: W120 x D23 x H4.5cm Driver position: Remote Requires Electrician's Approval	White - RAL 9016	-	WH1200RP	WH1200RV	WH1200RS	WH1200RD
	Brushed Brass	+€840	BR1200RP	BR1200RV	BR1200RS	BR1200RD
	Brushed Bronze	+€840	BZ1200RP	BZ1200RV	BZ1200RS	BZ1200RD
	Blackened Brass	+€840	BK1200RP	BK1200RV	BK1200RS	BK1200RD
	Brushed Nickel	+€840	NK1200RP	NK1200RV	NK1200RS	NK1200RD
	Polished Nickel	+€840	PN1200RP	PN1200RV	PN1200RS	PN1200RD

STEM HEIGHT	LENGTH	ADD. PRICE
Standard	55cm	-
Custom	25-100cm	+€450

Bolle Chandelier Zigzag 34 Bubbles

CE IP20 UK

MODEL	STARTING PRICE	CODE
Bolle Chandelier Zigzag 34 Bubbles	€15490	BTCHZZ34-E

STEP 1:		
METAL FINISH	ADD. PRICE	CODE
Brushed Brass	-	BR
Brushed Bronze	+€530	BZ
Blackened Brass	+€530	BK
Brushed Nickel	+€530	NK
Polished Nickel	+€900	PN



BOLLE CHANDELIER ZIGZAG 34
BUBBLES

STEP 2:				
SUSPENSION TYPE	FINISH	LENGTH	ADD. PRICE	CODE
Fabric Flex Cable	Black	4 metres	-	04B
		10 metres	+€340	10B
	White	4 metres	-	04W
		10 metres	+€340	10W
Metal Tube (Drop Height)	Matching Finish	090-200 cm	+€1700	XXX
		201-300 cm	+€2540	XXX
		301-400 cm	+€3390	XXX

STEP 3:						
CANOPY	FINISH	ADD. PRICE	CODE WITH DIMMABLE STANDARD			
			Recommended	Alternative dimming standard, if required by electrician		
			Phasecut	1-10 Volt	Switch / Push	DALI
1 Canopy: W138 x D36 x H4.5cm Driver position: Built-in Recommended	White - RAL 9016	-	WH1380BP	WH1380BV	WH1380BS	WH1380BD
	Brushed Brass	+€1100	BR1380BP	BR1380BV	BR1380BS	BR1380BD
	Brushed Bronze	+€1100	BZ1380BP	BZ1380BV	BZ1380BS	BZ1380BD
	Blackened Brass	+€1100	BK1380BP	BK1380BV	BK1380BS	BK1380BD
	Brushed Nickel	+€1100	NK1380BP	NK1380BV	NK1380BS	NK1380BD
	Polished Nickel	+€1100	PN1380BP	PN1380BV	PN1380BS	PN1380BD
1 Canopy: W138 x D36 x H4.5cm Driver position: Remote Requires Electrician's Approval	White - RAL 9016	-	WH1380RP	WH1380RV	WH1380RS	WH1380RD
	Brushed Brass	+€1100	BR1380RP	BR1380RV	BR1380RS	BR1380RD
	Brushed Bronze	+€1100	BZ1380RP	BZ1380RV	BZ1380RS	BZ1380RD
	Blackened Brass	+€1100	BK1380RP	BK1380RV	BK1380RS	BK1380RD
	Brushed Nickel	+€1100	NK1380RP	NK1380RV	NK1380RS	NK1380RD
	Polished Nickel	+€1100	PN1380RP	PN1380RV	PN1380RS	PN1380RD

STEM HEIGHT	LENGTH	ADD. PRICE
Standard	55cm	-
Custom	25-100cm	+€630

Bolle Wall 04

CE IP20 UK
CA

MODEL	STARTING PRICE	CODE
Bolle Wall 04	€2100	BTWA04-E

STEP 1: METAL FINISH	ADD. PRICE	CODE
Brushed Brass	-	BR
Brushed Bronze	+€110	BZ
Blackened Brass	+€110	BK
Brushed Nickel	+€110	NK



BOLLE WALL 04

STEP 2: CANOPY	FINISH	ADD. PRICE	CODE WITH DIMMABLE STANDARD			
			Recommended	Alternative dimming standard, if required by electrician		
			Phasecut	1-10 Volt	Switch / Push	DALI
1 Canopy: Ø12cm	Brushed Brass	-	BR120BP	BR120BV	BR120BS	BR120BD
Driver position: Built-in	Brushed Bronze	-	BZ120BP	BZ120BV	BZ120BS	BZ120BD
Recommended	Blackened Brass	-	BK120BP	BK120BV	BK120BS	BK120BD
	Brushed Nickel	-	NK120BP	NK120BV	NK120BS	NK120BD
1 Canopy: Ø12cm	Brushed Brass	-	BR120RP	BR120RV	BR120RS	BR120RD
Driver position: Remote	Brushed Bronze	-	BZ120RP	BZ120RV	BZ120RS	BZ120RD
Requires Electrician's Approval	Blackened Brass	-	BK120RP	BK120RV	BK120RS	BK120RD
	Brushed Nickel	-	NK120RP	NK120RV	NK120RS	NK120RD

Soffio Pendant

CE IP20 UK CA

STEP 1:

PRODUCT SIZE	STARTING PRICE	CODE
Soffio Pendant 18	€1160	STPE18-E
Soffio Pendant 27	€1400	STPE27-E
Soffio Pendant 35	€1660	STPE35-E

STEP 2:

METAL FINISH	ADD. PRICE	CODE
Brushed Brass	-	BR
Brushed Bronze	+€90	BZ
Blackened Brass	+€90	BK
Brushed Nickel	+€90	NK
Polished Nickel	+€140	PN



SOFFIO PENDANT 35

STEP 3:

SUSPENSION TYPE	FINISH	LENGTH	ADD. PRICE	CODE
Fabric Flex Cable	Black	4 metres	-	04B
		10 metres	+€50	10B
	White	4 metres	-	04W
		10 metres	+€50	10W
Metal Tube (Drop Height)	Matching Finish	050-200 cm	+€250	XXX
		201-300 cm	+€370	XXX
		301-400 cm	+€490	XXX

STEP 4:

CANOPY (SMALLEST LAST)	FINISH	ADD. PRICE	CODE WITH DIMMABLE STANDARD			
			Recommended	Alternative dimming standard, if required by electrician		
			Phasecut	1-10 Volt	Switch / Push	DALI
1 Canopy: Ø9.5 x H4 cm Driver position: Built-in Recommended	Black	-	BL95BP	-	-	-
	White	+€100	WH95BP	-	-	-
	Brushed Brass	+€100	BR95BP	-	-	-
	Brushed Bronze	+€100	BZ95BP	-	-	-
	Blackened Brass	+€100	BK95BP	-	-	-
	Brushed Nickel	+€100	NK95BP	-	-	-
	Polished Nickel	+€100	PN95BP	-	-	-
1 Canopy: Ø13.5 x H4.5cm Driver position: Built-in	Black	-	-	BL135BV	BL135BS	BL135BD
	White	+€110	-	WH135BV	WH135BS	WH135BD
	Brushed Brass	+€110	-	BR135BV	BR135BS	BR135BD
	Brushed Bronze	+€110	-	BZ135BV	BZ135BS	BZ135BD
	Blackened Brass	+€110	-	BK135BV	BK135BS	BK135BD
	Brushed Nickel	+€110	-	NK135BV	NK135BS	NK135BD
	Polished Nickel	+€110	-	PN135BV	PN135BS	PN135BD

CANOPY (SMALLEST LAST)	FINISH	ADD. PRICE	CODE WITH DIMMABLE STANDARD			
			Recommended	Alternative dimming standard, if required by electrician		
			Phasecut	1-10 Volt	Switch / Push	DALI
1 Canopy: Ø7 x H2cm	Black	-	BL70RP	BL70RV	BL70RS	BL70RD
Driver position: Remote	White	+€90	WH70RP	WH70RV	WH70RS	WH70RD
Requires Electrician's Approval	Brushed Brass	+€90	BR70RP	BR70RV	BR70RS	BR70RD
	Brushed Bronze	+€90	BZ70RP	BZ70RV	BZ70RS	BZ70RD
	Blackened Brass	+€90	BK70RP	BK70RV	BK70RS	BK70RD
	Brushed Nickel	+€90	NK70RP	NK70RV	NK70RS	NK70RD
	Polished Nickel	+€90	PN70RP	PN70RV	PN70RS	PN70RD
1 Canopy: Ø5 x H0.7cm	Black	+€70	BL50RP	BL50RV	BL50RS	BL50RD
Ceiling Type: False	White	+€70	WH50RP	WH50RV	WH50RS	WH50RD
Driver position: Remote						
Requires Electrician's Approval						
STEM HEIGHT	LENGTH	ADD. PRICE				
Standard	55cm	-				
Custom	25-100cm	+€90				

Soffio Wall Horizontal

CE IP20 UK CA

STEP 1:

PRODUCT SIZE	STARTING PRICE	CODE
Soffio Wall Horizontal 20	€1290	STWAHR20-E
Soffio Wall Horizontal 25	€1410	STWAHR25-E

STEP 2:

METAL FINISH	ADD. PRICE	CODE
Brushed Brass	-	BR
Brushed Bronze	+€90	BZ
Blackened Brass	+€90	BK
Brushed Nickel	+€90	NK



SOFFIO WALL HORIZONTAL 25

STEP 3:

CANOPY	FINISH	ADD. PRICE	CODE WITH DIMMABLE STANDARD			
			Recommended	Alternative dimming standard, if required by electrician		
			Phasecut	1-10 Volt	Switch / Push	DALI
1 Canopy: Ø12 x H5cm	Brushed Brass	-	BR120BP	BR120BV	BR120BS	BR120BD
Driver position: Built-in	Brushed Bronze	-	BZ120BP	BZ120BV	BZ120BS	BZ120BD
Recommended	Blackened Brass	-	BK120BP	BK120BV	BK120BS	BK120BD
	Brushed Nickel	-	NK120BP	NK120BV	NK120BS	NK120BD
1 Canopy: Ø12 x H5cm	Brushed Brass	-	BR120RP	BR120RV	BR120RS	BR120RD
Driver position: Remote	Brushed Bronze	-	BZ120RP	BZ120RV	BZ120RS	BZ120RD
Requires Electrician's Approval	Blackened Brass	-	BK120RP	BK120RV	BK120RS	BK120RD
	Brushed Nickel	-	NK120RP	NK120RV	NK120RS	NK120RD

Soffio Wall Vertical 18

CE IP20 UK CA

MODEL	STARTING PRICE	CODE
Soffio Wall Vertical 18	€1300	STWAVR18-E

STEP 1: METAL FINISH	ADD. PRICE	CODE
Brushed Brass	-	BR
Brushed Bronze	+€120	BZ
Blackened Brass	+€120	BK
Brushed Nickel	+€120	NK



SOFFIO WALL VERTICAL 18

STEP 2: CANOPY (SMALLEST LAST)	FINISH	ADD. PRICE	CODE WITH DIMMABLE STANDARD			
			Recommended	Alternative dimming standard, if required by electrician		
			Phasecut	1-10 Volt	Switch / Push	DALI
1 Canopy: Ø13.5 x H4.5cm	Brushed Brass	-	BR135BP	BR135BV	BR135BS	BR135BD
Driver position: Built-in	Brushed Bronze	-	BZ135BP	BZ135BV	BZ135BS	BZ135BD
Recommended	Blackened Brass	-	BK135BP	BK135BV	BK135BS	BK135BD
	Brushed Nickel	-	NK135BP	NK135BV	NK135BS	NK135BD
1 Canopy: Ø9.5 x H4cm	Brushed Brass	-	BR95RP	BR95RV	BR95R	BR95RD
Driver position: Remote	Brushed Bronze	-	BZ95RP	BZ95RV	BZ95RS	BZ95RD
Requires Electrician's Approval	Blackened Brass	-	BK95RP	BK95RV	BK95RS	BK95RD
	Brushed Nickel	-	NK95RP	NK95RV	NK95RS	NK95RD

VERTICAL FRAME	LENGTH	ADD. PRICE
Standard	27cm	-
Custom	28 - 100cm	+€190
	101 - 200cm	+€290

Soffio Floor

CE IP20 UK CA

STEP 1:

PRODUCT	SIZE	STARTING PRICE	CODE
Soffio Floor 140		€2230	STFR140-E
Soffio Floor 170		€2360	STFR170-E

STEP 2:

MARBLE BASE TYPE	METAL FINISH	ADD. PRICE	CODE
Black Marquina	Brushed Brass	-	BRBM
	Brushed Bronze	+€130	BZBM
	Blackened Brass	+€130	BKBM
	Brushed Nickel	+€130	NKBM
White Statuario	Brushed Brass	+€130	BRWS
	Brushed Bronze	+€250	BZWS
	Blackened Brass	+€250	BKWS
	Brushed Nickel	+€250	NKWS
Classic Travertine	Brushed Brass	+€80	BRCT
	Brushed Bronze	+€180	BZCT
	Blackened Brass	+€180	BKCT
	Brushed Nickel	+€180	NKCT



SOFFIO FLOOR 170

Soffio Table 30

CE IP20 UK
CA

MODEL	STARTING PRICE	CODE
Soffio Table 30	€2050	STTA30-E

STEP 1:			
MARBLE BASE TYPE	METAL FINISH	ADD. PRICE	CODE
Black Marquina	Brushed Brass	-	BRBM
	Brushed Bronze	+€130	BZBM
	Blackened Brass	+€130	BKBM
	Brushed Nickel	+€130	NKBM
White Statuario	Brushed Brass	+€130	BRWS
	Brushed Bronze	+€250	BZWS
	Blackened Brass	+€250	BKWS
	Brushed Nickel	+€250	NKWS
Classic Travertine	Brushed Brass	+€80	BRCT
	Brushed Bronze	+€180	BZCT
	Blackened Brass	+€180	BKCT
	Brushed Nickel	+€180	NKCT



SOFFIO TABLE 30

Bolle Frosted Pendant

CE IP20 UK

STEP 1:

PRODUCT SIZE	STARTING PRICE	CODE
Bolle Frosted Pendant 4 Bubbles	€1600	BFPE04-E
Bolle Frosted Pendant 6 Bubbles	€1980	BFPE06-E

STEP 2:

METAL FINISH	ADD. PRICE	CODE
Brushed Brass	-	BR
Brushed Bronze	+€90	BZ
Blackened Brass	+€90	BK
Brushed Nickel	+€90	NK
Polished Nickel	+€140	PN



BOLLE FROSTED PENDANT
4 BUBBLES

STEP 3:

SUSPENSION TYPE	FINISH	LENGTH	ADD. PRICE	CODE
Fabric Flex Cable	Black	4 metres	-	04B
		10 metres	+€50	10B
	White	4 metres	-	04W
		10 metres	+€50	10W
Metal Tube (Drop Height)	Matching Finish	056-200 cm	+€250	XXX
		201-300 cm	+€370	XXX
		301-400 cm	+€490	XXX

STEP 4:

CANOPY (SMALLEST LAST)	FINISH	ADD. PRICE	CODE
1 Canopy: Ø7 x H2cm Ceiling Type: All	Black	-	BL70N
	White	+€90	WH70N
	Brushed Brass	+€90	BR70N
	Brushed Bronze	+€90	BZ70N
	Blackened Brass	+€90	BK70N
	Brushed Nickel	+€90	NK70N
	Polished Nickel	+€90	PN70N
1 Canopy: Ø5 x H0.7cm Ceiling Type: False Requires Electrician's Approval	Black	+€70	BL50N
	White	+€70	WH50N

RECOMMENDED LIGHT BULB	ADD. PRICE
Phasecut Dimmable LED Lightbulb E27 10.5W, 1060lm, 2700K Warm White (dimmer not included)	+€30

STEM HEIGHT	LENGTH	ADD. PRICE
Standard	48cm	-
Custom	10-98cm	+€90

Bolle Frosted Chandelier Circular 14 Bubbles

CE IP20 UK
CA

MODEL	STARTING PRICE	CODE
Bolle Frosted Chandelier Circular 14 Bubbles	€5650	BFCHCR14-E

STEP 1:		
METAL FINISH	ADD. PRICE	CODE
Brushed Brass	-	BR
Brushed Bronze	+€240	BZ
Blackened Brass	+€240	BK
Brushed Nickel	+€240	NK
Polished Nickel	+€390	PN



BOLLE FROSTED CHANDELIER
CIRCULAR 14 BUBBLES

STEP 2:				
SUSPENSION TYPE	FINISH	LENGTH	ADD. PRICE	CODE
Fabric Flex Cable	Black	4 metres	-	04B
		10 metres	+€150	10B
	White	4 metres	-	04W
		10 metres	+€150	10W
Metal Tube (Drop Height)	Matching Finish	100-200 cm	+€730	XXX
		201-300 cm	+€1090	XXX
		301-400 cm	+€1450	XXX

STEP 3:			
CANOPY	FINISH	ADD. PRICE	CODE
1 Canopy: Ø45 x H4.5cm	White - RAL 9016	-	WH450N
	Brushed Brass	+€600	BR450N
	Brushed Bronze	+€600	BZ450N
	Blackened Brass	+€600	BK450N
	Brushed Nickel	+€600	NK450N
	Polished Nickel	+€600	PN450N

RECOMMENDED LIGHT BULB	ADD. PRICE
Phasecut Dimmable LED Lightbulb E27 10.5W, 1060lm, 2700K Warm White (dimmer not included)	+€30

STEM HEIGHT	LENGTH	ADD. PRICE
Standard	48cm	-
Custom	10-98cm	+€270

Bolle Frosted Chandelier Circular 24 Bubbles

CE IP20 UK
CA

MODEL	STARTING PRICE	CODE
Bolle Frosted Chandelier Circular 24 Bubbles	€9550	BFCHCR24-E

STEP 1:		
METAL FINISH	ADD. PRICE	CODE
Brushed Brass	-	BR
Brushed Bronze	+€360	BZ
Blackened Brass	+€360	BK
Brushed Nickel	+€360	NK
Polished Nickel	+€620	PN



BOLLE FROSTED CHANDELIER
CIRCULAR 24 BUBBLES

STEP 2:				
SUSPENSION TYPE	FINISH	LENGTH	ADD. PRICE	CODE
Fabric Flex Cable	Black	4 metres	-	04B
		10 metres	+€240	10B
	White	4 metres	-	04W
		10 metres	+€240	10W
Metal Tube (Drop Height)	Matching Finish	130-200 cm	+€1210	XXX
		201-300 cm	+€1820	XXX
		301-400 cm	+€2420	XXX

STEP 3:			
CANOPY	FINISH	ADD. PRICE	CODE
1 Canopy: Ø62 x H4.5cm	White - RAL 9016	-	WH620N
	Brushed Brass	+€840	BR620N
	Brushed Bronze	+€840	BZ620N
	Blackened Brass	+€840	BK620N
	Brushed Nickel	+€840	NK620N
	Polished Nickel	+€840	PN620N

RECOMMENDED LIGHT BULB	ADD. PRICE
Phasecut Dimmable LED Lightbulb E27 10.5W, 1060lm, 2700K Warm White (dimmer not included)	+€30

STEM HEIGHT	LENGTH	ADD. PRICE
Standard	48cm	-
Custom	10-98cm	+€450

Bolle Frosted Chandelier Circular 34 Bubbles

CE IP20 UK

MODEL	STARTING PRICE	CODE
Bolle Frosted Chandelier Circular 34 Bubbles	€13290	BFCHCR34-E

STEP 1:		
METAL FINISH	ADD. PRICE	CODE
Brushed Brass	-	BR
Brushed Bronze	+€530	BZ
Blackened Brass	+€530	BK
Brushed Nickel	+€530	NK
Polished Nickel	+€900	PN



BOLLE FROSTED CHANDELIER
CIRCULAR 34 BUBBLES

STEP 2:				
SUSPENSION TYPE	FINISH	LENGTH	ADD. PRICE	CODE
Fabric Flex Cable	Black	4 metres	-	04B
		10 metres	+€340	10B
	White	4 metres	-	04W
		10 metres	+€340	10W
Metal Tube (Drop Height)	Matching Finish	113-200 cm	+€1700	XXX
		201-300 cm	+€2540	XXX
		301-400 cm	+€3390	XXX

STEP 3:			
CANOPY	FINISH	ADD. PRICE	CODE
1 Canopy: Ø76 x H4.5cm	White - RAL 9016	-	WH760N
	Brushed Brass	+€1100	BR760N
	Brushed Bronze	+€1100	BZ760N
	Blackened Brass	+€1100	BK760N
	Brushed Nickel	+€1100	NK760N
	Polished Nickel	+€1100	PN760N

RECOMMENDED LIGHT BULB	ADD. PRICE
Phasecut Dimmable LED Lightbulb E27 10.5W, 1060lm, 2700K Warm White (dimmer not included)	+€30

STEM HEIGHT	LENGTH	ADD. PRICE
Standard	48cm	-
Custom	10-98cm	+€630

Bolle Frosted Chandelier Linear 14 Bubbles

CE IP20 UK
CA

MODEL	STARTING PRICE	CODE
Bolle Frosted Chandelier Linear 14 Bubbles	€5650	BFCHLN14-E

STEP 1:		
METAL FINISH	ADD. PRICE	CODE
Brushed Brass	-	BR
Brushed Bronze	+€240	BZ
Blackened Brass	+€240	BK
Brushed Nickel	+€240	NK
Polished Nickel	+€390	PN



BOLLE FROSTED CHANDELIER
LINEAR 14 BUBBLES

STEP 2:				
SUSPENSION TYPE	FINISH	LENGTH	ADD. PRICE	CODE
Fabric Flex Cable	Black	4 metres	-	04B
		10 metres	+€150	10B
	White	4 metres	-	04W
		10 metres	+€150	10W
Metal Tube (Drop Height)	Matching Finish	073-200 cm	+€730	XXX
		201-300 cm	+€1090	XXX
		301-400 cm	+€1450	XXX

STEP 3:			
CANOPY	FINISH	ADD. PRICE	CODE
1 Canopy: W90 x D18 x H4.5cm	White - RAL 9016	-	WH900N
	Brushed Brass	+€600	BR900N
	Brushed Bronze	+€600	BZ900N
	Blackened Brass	+€600	BK900N
	Brushed Nickel	+€600	NK900N
	Polished Nickel	+€600	PN900N

RECOMMENDED LIGHT BULB	ADD. PRICE
Phasecut Dimmable LED Lightbulb E27 10.5W, 1060lm, 2700K Warm White (dimmer not included)	+€30


STEM HEIGHT	LENGTH	ADD. PRICE
Standard	48cm	-
Custom	10-98cm	+€270

Bolle Frosted Chandelier Zigzag 24 Bubbles

CE IP20 UK CA

MODEL	STARTING PRICE	CODE
Bolle Frosted Chandelier Zigzag 24 Bubbles	€9550	BFCHZZ24-E

STEP 1:		
METAL FINISH	ADD. PRICE	CODE
Brushed Brass	-	BR
Brushed Bronze	+€360	BZ
Blackened Brass	+€360	BK
Brushed Nickel	+€360	NK
Polished Nickel	+€620	PN



BOLLE FROSTED CHANDELIER
ZIGZAG 24 BUBBLES

STEP 2:				
SUSPENSION TYPE	FINISH	LENGTH	ADD. PRICE	CODE
Fabric Flex Cable	Black	4 metres	-	04B
		10 metres	+€240	10B
	White	4 metres	-	04W
		10 metres	+€240	10W
Metal Tube (Drop Height)	Matching Finish	086-200 cm	+€1210	XXX
		201-300 cm	+€1820	XXX
		301-400 cm	+€2420	XXX

STEP 3:			
CANOPY	FINISH	ADD. PRICE	CODE
1 Canopy: W120 x D23 x H4.5cm	White - RAL 9016	-	WH1200N
	Brushed Brass	+€840	BR1200N
	Brushed Bronze	+€840	BZ1200N
	Blackened Brass	+€840	BK1200N
	Brushed Nickel	+€840	NK1200N
	Polished Nickel	+€840	PN1200N

RECOMMENDED LIGHT BULB	ADD. PRICE
Phasecut Dimmable LED Lightbulb E27 10.5W, 1060lm, 2700K Warm White (dimmer not included)	+€30

STEM HEIGHT	LENGTH	ADD. PRICE
Standard	48cm	-
Custom	10-98cm	+€450

Bolle Frosted Chandelier Zigzag 34 Bubbles

CE IP20 UK CA

MODEL	STARTING PRICE	CODE
Bolle Frosted Chandelier Zigzag 34 Bubbles	€13290	BFCHZZ34-E

STEP 1:		
METAL FINISH	ADD. PRICE	CODE
Brushed Brass	-	BR
Brushed Bronze	+€530	BZ
Blackened Brass	+€530	BK
Brushed Nickel	+€530	NK
Polished Nickel	+€900	PN



BOLLE FROSTED CHANDELIER
ZIGZAG 34 BUBBLES

STEP 2:				
SUSPENSION TYPE	FINISH	LENGTH	ADD. PRICE	CODE
Fabric Flex Cable	Black	4 metres	-	04B
		10 metres	+€340	10B
	White	4 metres	-	04W
		10 metres	+€340	10W
Metal Tube (Drop Height)	Matching Finish	090-200 cm	+€1700	XXX
		201-300 cm	+€2540	XXX
		301-400 cm	+€3390	XXX

STEP 3:			
CANOPY	FINISH	ADD. PRICE	CODE
1 Canopy: W138 x D36 x H4.5cm	White - RAL 9016	-	WH1380N
	Brushed Brass	+€1100	BR1380N
	Brushed Bronze	+€1100	BZ1380N
	Blackened Brass	+€1100	BK1380N
	Brushed Nickel	+€1100	NK1380N
	Polished Nickel	+€1100	PN1380N

RECOMMENDED LIGHT BULB	ADD. PRICE
Phasecut Dimmable LED Lightbulb E27 10.5W, 1060lm, 2700K Warm White (dimmer not included)	+€30


STEM HEIGHT	LENGTH	ADD. PRICE
Standard	48cm	-
Custom	10-98cm	+€630

Cirque Pendant Ellipse Horizontal 75

CE IP20 UK
CA

MODEL	STARTING PRICE	CODE
Cirque Pendant Ellipse Horizontal 75	€4570	CQPEEH75-E

STEP 1:		
METAL FINISH	ADD. PRICE	CODE
Brushed Brass	-	BR
Brushed Bronze	+€420	BZ
Blackened Brass	+€420	BK



CIRQUE PENDANT ELLIPSE
HORIZONTAL 75

STEP 2:				
DROP HEIGHT	FINISH	LENGTH	ADD. PRICE	CODE
Custom Metal Tube	Matching Finish	20-200 cm	-	XXX
		201-300 cm	+€250	XXX
		301-400 cm	+€490	XXX


STEP 3:						
CANOPY (SMALLEST LAST)	FINISH	ADD. PRICE	CODE WITH DIMMABLE STANDARD			
			Recommended	Alternative dimming standard, if required by electrician		
			Phasecut	1-10 Volt	Switch / Push	DALI
1 Canopy: W130 x D5 x H5cm	Brushed Brass	-	BR1300BP	BR1300BV	BR1300BS	BR1300BD
Driver position: Built-in	Brushed Bronze	-	BZ1300BP	BZ1300BV	BZ1300BS	BZ1300BD
Recommended	Blackened Brass	-	BK1300BP	BK1300BV	BK1300BS	BK1300BD
1 Canopy: W130 x D5 x H5cm	Brushed Brass	-	BR1300RP	BR1300RV	BR1300RS	BR1300RD
Driver position: Remote	Brushed Bronze	-	BZ1300RP	BZ1300RV	BZ1300RS	BZ1300RD
Requires Electrician's Approval	Blackened Brass	-	BK1300RP	BK1300RV	BK1300RS	BK1300RD
2 Canopies: Ø12 x H4.5cm	Brushed Brass	-	BR120BP	BR120BV	BR120BS	BR120BD
Driver position: Built-in	Brushed Bronze	-	BZ120BP	BZ120BV	BZ120BS	BZ120BD
Requires Electrician's Approval	Blackened Brass	-	BK120BP	BK120BV	BK120BS	BK120BD
2 canopies: Ø6 x H2cm	Brushed Brass	-	BR60RP	BR60RV	BR60RS	BR60RD
Driver position: Remote	Brushed Bronze	-	BZ60RP	BZ60RV	BZ60RS	BZ60RD
Requires Electrician's Approval	Blackened Brass	-	BK60RP	BK60RV	BK60RS	BK60RD

Cirque Pendant Ellipse Horizontal 90

CE IP20 UK
CA

MODEL	STARTING PRICE	CODE
Cirque Pendant Ellipse Horizontal 90	€4940	CQPEEH90-E

STEP 1:		
METAL FINISH	ADD. PRICE	CODE
Brushed Brass	-	BR
Brushed Bronze	+€420	BZ
Blackened Brass	+€420	BK



CIRQUE PENDANT ELLIPSE
HORIZONTAL 90

STEP 2:				
DROP HEIGHT	FINISH	LENGTH	ADD. PRICE	CODE
Custom Metal Tube	Matching Finish	20-200 cm	-	XXX
		201-300 cm	+€250	XXX
		301-400 cm	+€490	XXX


STEP 3:						
CANOPY (SMALLEST LAST)	FINISH	ADD. PRICE	CODE WITH DIMMABLE STANDARD			
			Recommended	Alternative dimming standard, if required by electrician		
			Phasecut	1-10 Volt	Switch / Push	DALI
1 Canopy: W145 x D5 x H5cm	Brushed Brass	-	BR1450BP	BR1450BV	BR1450BS	BR1450BD
Driver position: Built-in	Brushed Bronze	-	BZ1450BP	BZ1450BV	BZ1450BS	BZ1450BD
Recommended	Blackened Brass	-	BK1450BP	BK1450BV	BK1450BS	BK1450BD
1 Canopy: W145 x D5 x H5cm	Brushed Brass	-	BR1450RP	BR1450RV	BR1450RS	BR1450RD
Driver position: Remote	Brushed Bronze	-	BZ1450RP	BZ1450RV	BZ1450RS	BZ1450RD
Requires Electrician's Approval	Blackened Brass	-	BK1450RP	BK1450RV	BK1450RS	BK1450RD
2 Canopies: Ø12 x H4.5cm	Brushed Brass	-	BR120BP	BR120BV	BR120BS	BR120BD
Driver position: Built-in	Brushed Bronze	-	BZ120BP	BZ120BV	BZ120BS	BZ120BD
Requires Electrician's Approval	Blackened Brass	-	BK120BP	BK120BV	BK120BS	BK120BD
2 canopies: Ø6 x H2cm	Brushed Brass	-	BR60RP	BR60RV	BR60RS	BR60RD
Driver position: Remote	Brushed Bronze	-	BZ60RP	BZ60RV	BZ60RS	BZ60RD
Requires Electrician's Approval	Blackened Brass	-	BK60RP	BK60RV	BK60RS	BK60RD

Cirque Pendant Ellipse Horizontal 120

CE IP20 UK
CA

MODEL	STARTING PRICE	CODE
Cirque Pendant Ellipse Horizontal 120	€5870	CQPEEH120-E

STEP 1: METAL FINISH	ADD. PRICE	CODE
Brushed Brass	-	BR
Brushed Bronze	+€440	BZ
Blackened Brass	+€440	BK



CIRQUE PENDANT ELLIPSE
HORIZONTAL 120

STEP 2: DROP HEIGHT	FINISH	LENGTH	ADD. PRICE	CODE
Custom Metal Tube	Matching Finish	20-200 cm	-	XXX
		201-300 cm	+€250	XXX
		301-400 cm	+€490	XXX


STEP 3: CANOPY (SMALLEST LAST)	FINISH	ADD. PRICE	CODE WITH DIMMABLE STANDARD			
			Recommended	Alternative dimming standard, if required by electrician		
			Phasecut	1-10 Volt	Switch / Push	DALI
1 Canopy: W175 x D5 x H5cm	Brushed Brass	-	BR1750BP	BR1750BV	BR1750BS	BR1750BD
Driver position: Built-in	Brushed Bronze	-	BZ1750BP	BZ1750BV	BZ1750BS	BZ1750BD
Recommended	Blackened Brass	-	BK1750BP	BK1750BV	BK1750BS	BK1750BD
1 Canopy: W175 x D5 x H5cm	Brushed Brass	-	BR1750RP	BR1750RV	BR1750RS	BR1750RD
Driver position: Remote	Brushed Bronze	-	BZ1750RP	BZ1750RV	BZ1750RS	BZ1750RD
Requires Electrician's Approval	Blackened Brass	-	BK1750RP	BK1750RV	BK1750RS	BK1750RD
2 Canopies: Ø12 x H4.5cm	Brushed Brass	-	BR120BP	BR120BV	BR120BS	BR120BD
Driver position: Built-in	Brushed Bronze	-	BZ120BP	BZ120BV	BZ120BS	BZ120BD
Requires Electrician's Approval	Blackened Brass	-	BK120BP	BK120BV	BK120BS	BK120BD
2 Canopies: Ø6 x H2cm	Brushed Brass	-	BR60RP	BR60RV	BR60RS	BR60RD
Driver position: Remote	Brushed Bronze	-	BZ60RP	BZ60RV	BZ60RS	BZ60RD
Requires Electrician's Approval	Blackened Brass	-	BK60RP	BK60RV	BK60RS	BK60RD

Cirque Pendant Ellipse Horizontal 150

CE IP20 UK
CA

MODEL	STARTING PRICE	CODE
Cirque Pendant Ellipse Horizontal 150	€7050	CQPEEH150-E

STEP 1:		
METAL FINISH	ADD. PRICE	CODE
Brushed Brass	-	BR
Brushed Bronze	+€440	BZ
Blackened Brass	+€440	BK



CIRQUE PENDANT ELLIPSE
HORIZONTAL 150

STEP 2:				
DROP HEIGHT	FINISH	LENGTH	ADD. PRICE	CODE
Custom Metal Tube	Matching Finish	20-200 cm	-	XXX
		201-300 cm	+€250	XXX
		301-400 cm	+€490	XXX


STEP 3:						
CANOPY (SMALLEST LAST)	FINISH	ADD. PRICE	CODE WITH DIMMABLE STANDARD			
			Recommended	Alternative dimming standard, if required by electrician		
			Phasecut	1-10 Volt	Switch / Push	DALI
1 Canopy: W206 x D5 x H5cm	Brushed Brass	-	BR2060BP	BR2060BV	BR2060BS	BR2060BD
Driver position: Built-in	Brushed Bronze	-	BZ2060BP	BZ2060BV	BZ2060BS	BZ2060BD
Recommended	Blackened Brass	-	BK2060BP	BK2060BV	BK2060BS	BK2060BD
1 Canopy: W206 x D5 x H5cm	Brushed Brass	-	BR2060RP	BR2060RV	BR2060RS	BR2060RD
Driver position: Remote	Brushed Bronze	-	BZ2060RP	BZ2060RV	BZ2060RS	BZ2060RD
Requires Electrician's Approval	Blackened Brass	-	BK2060RP	BK2060RV	BK2060RS	BK2060RD
2 Canopies: Ø12 x H4.5cm	Brushed Brass	-	BR120BP	BR120BV	BR120BS	BR120BD
Driver position: Built-in	Brushed Bronze	-	BZ120BP	BZ120BV	BZ120BS	BZ120BD
Requires Electrician's Approval	Blackened Brass	-	BK120BP	BK120BV	BK120BS	BK120BD
2 Canopies: Ø6 x H2cm	Brushed Brass	-	BR60RP	BR60RV	BR60RS	BR60RD
Driver position: Remote	Brushed Bronze	-	BZ60RP	BZ60RV	BZ60RS	BZ60RD
Requires Electrician's Approval	Blackened Brass	-	BK60RP	BK60RV	BK60RS	BK60RD

Cirque Pendant Column

CE IP20 UK CA

STEP 1:

PRODUCT SIZE	STARTING PRICE	CODE
Cirque Pendant Column 40	€1940	CQPECM40-E
Cirque Pendant Column 60	€2090	CQPECM60-E
Cirque Pendant Column 90	€2460	CQPECM90-E



CIRQUE PENDANT COLUMN 90

STEP 2:

METAL FINISH	ADD. PRICE	CODE
Brushed Brass	-	BR
Brushed Bronze	+€210	BZ
Blackened Brass	+€210	BK

STEP 3:

DROP HEIGHT	FINISH	LENGTH	ADD. PRICE	CODE
Custom Metal Tube	Matching Finish	from min. height to 200cm	-	XXX
		201-300 cm	+€130	XXX
		301-400 cm	+€250	XXX

STEP 4:

CANOPY (SMALLEST LAST)	FINISH	ADD. PRICE	CODE WITH DIMMABLE STANDARD			
			Recommended	Alternative dimming standard, if required by electrician		
			Phasecut	1-10 Volt	Switch / Push	DALI
1 Canopy: Ø85 x H4.5cm	Brushed Brass	-	BR85BP	-	-	-
Driver position: Built-in	Brushed Bronze	-	BZ85BP			
Recommended	Blackened Brass	-	BK85BP			
1 Canopy: Ø12 x H4.5cm	Brushed Brass	-	-	BR120BV	BR120BS	BR120BD
Driver position: Built-in	Brushed Bronze	-		BZ120BV	BZ120BS	BZ120BD
	Blackened Brass	-		BK120BV	BK120BS	BK120BD
1 Canopy: Ø6 x H2cm	Brushed Brass	-	BR60RP	BR60RV	BR60RS	BR60RD
Driver position: Remote	Brushed Bronze	-	BZ60RP	BZ60RV	BZ60RS	BZ60RD
Requires Electrician's Approval	Blackened Brass	-	BK60RP	BK60RV	BK60RS	BK60RD

Cirque Chandelier Skyline Small

CE IP20 UK CA

MODEL	STARTING PRICE	CODE
Cirque Chandelier Skyline Small	€6530	CQCHSKOS-E

STEP 1:		
METAL FINISH	ADD. PRICE	CODE
Brushed Brass	-	BR
Brushed Bronze	+€760	BZ
Blackened Brass	+€760	BK



CIRQUE CHANDELIER SKYLINE
SMALL

STEP 2:				
DROP HEIGHT	FINISH	LENGTH	ADD. PRICE	CODE
Custom Metal Tube	Matching Finish	76-200 cm	-	XXX
		201-300 cm	+€370	XXX
		301-400 cm	+€730	XXX

STEP 3:						
CANOPY (SMALLEST LAST)	FINISH	ADD. PRICE	CODE WITH DIMMABLE STANDARD			
			Recommended	Alternative dimming standard, if required by electrician		
			Phasecut	1-10 Volt	Switch / Push	DALI
1 Canopy: W115 x D5 x H5cm	Brushed Brass	-	BR1150BP	BR1150BV	BR1150BS	BR1150BD
Driver position: Built-in	Brushed Bronze	-	BZ1150BP	BZ1150BV	BZ1150BS	BZ1150BD
Recommended	Blackened Brass	-	BK1150BP	BK1150BV	BK1150BS	BK1150BD
1 Canopy: W115 x D5 x H5cm	Brushed Brass	-	BR1150RP	BR1150RV	BR1150RS	BR1150RD
Driver position: Remote	Brushed Bronze	-	BZ1150RP	BZ1150RV	BZ1150RS	BZ1150RD
Requires Electrician's Approval	Blackened Brass	-	BK1150RP	BK1150RV	BK1150RS	BK1150RD
2 Canopies: Ø12 x H4.5cm	Brushed Brass	-	BR120BP	BR120BV	BR120BS	BR120BD
Driver position: Built-in	Brushed Bronze	-	BZ120BP	BZ120BV	BZ120BS	BZ120BD
Requires Electrician's Approval	Blackened Brass	-	BK120BP	BK120BV	BK120BS	BK120BD
2 Canopies: Ø8.5 x H4cm	Brushed Brass	-	BR85RP	BR85RV	BR85RS	BR85RD
Driver position: Remote	Brushed Bronze	-	BZ85RP	BZ85RV	BZ85RS	BZ85RD
Requires Electrician's Approval	Blackened Brass	-	BK85RP	BK85RV	BK85RS	BK85RD

Cirque Chandelier Skyline Medium

CE IP20 UK CA

MODEL	STARTING PRICE	CODE
Cirque Chandelier Skyline Medium	€10170	CQCHSKOM-E

STEP 1: METAL FINISH	ADD. PRICE	CODE
Brushed Brass	-	BR
Brushed Bronze	+€1090	BZ
Blackened Brass	+€1090	BK



CIRQUE CHANDELIER SKYLINE MEDIUM

STEP 2: DROP HEIGHT	FINISH	LENGTH	ADD. PRICE	CODE
Custom Metal Tube	Matching Finish	126-200 cm	-	XXX
		201-300 cm	+€490	XXX
		301-400 cm	+€970	XXX

STEP 3: CANOPY (SMALLEST LAST)		FINISH	ADD. PRICE	CODE WITH DIMMABLE STANDARD		
			Recommended	Alternative dimming standard, if required by electrician		
			Phasecut	1-10 Volt	Switch / Push	DALI
1 Canopy: W130 x D5 x H5cm	Brushed Brass	-	BR1300BP	BR1300BV	BR1300BS	BR1300BD
Driver position: Built-in	Brushed Bronze	-	BZ1300BP	BZ1300BV	BZ1300BS	BZ1300BD
Recommended	Blackened Brass	-	BK1300BP	BK1300BV	BK1300BS	BK1300BD
1 Canopy: W130 x D5 x H5cm	Brushed Brass	-	BR1300RP	BR1300RV	BR1300RS	BR1300RD
Driver position: Remote	Brushed Bronze	-	BZ1300RP	BZ1300RV	BZ1300RS	BZ1300RD
Requires Electrician's Approval	Blackened Brass	-	BK1300RP	BK1300RV	BK1300RS	BK1300RD
3 Canopies: Ø12 x H4.5cm	Brushed Brass	-	BR120BP	BR120BV	BR120BS	BR120BD
Driver position: Built-in	Brushed Bronze	-	BZ120BP	BZ120BV	BZ120BS	BZ120BD
Requires Electrician's Approval	Blackened Brass	-	BK120BP	BK120BV	BK120BS	BK120BD
3 Canopies: Ø8.5 x H4cm	Brushed Brass	-	BR85RP	BR85RV	BR85RS	BR85RD
Driver position: Remote	Brushed Bronze	-	BZ85RP	BZ85RV	BZ85RS	BZ85RD
Requires Electrician's Approval	Blackened Brass	-	BK85RP	BK85RV	BK85RS	BK85RD

Cirque Chandelier Gradient Medium

PRICELIST EUROPE 2024

CE IP20 UK
CA

MODEL	STARTING PRICE	CODE
Cirque Chandelier Gradient Medium	€12160	CQCHGAOM-E

STEP 1:		
METAL FINISH	ADD. PRICE	CODE
Brushed Brass	-	BR
Brushed Bronze	+€1250	BZ
Blackened Brass	+€1250	BK



CIRQUE CHANDELIER GRADIENT
MEDIUM

STEP 2:				
DROP HEIGHT	FINISH	LENGTH	ADD. PRICE	CODE
Custom Metal Tube	Matching Finish	51-200 cm	-	XXX
		201-300 cm	+€730	XXX
		301-400 cm	+€1450	XXX

STEP 3:						
CANOPY (SMALLEST LAST)	FINISH	ADD. PRICE	CODE WITH DIMMABLE STANDARD			
			Recommended	Alternative dimming standard, if required by electrician		
			Phasecut	1-10 Volt	Switch / Push	DALI
1 Canopy: W130 x D5 x H5cm	Brushed Brass	-	BR1300BP	BR1300BV	BR1300BS	BR1300BD
Driver position: Built-in	Brushed Bronze	-	BZ1300BP	BZ1300BV	BZ1300BS	BZ1300BD
Recommended	Blackened Brass	-	BK1300BP	BK1300BV	BK1300BS	BK1300BD
1 Canopy: W130 x D5 x H5cm	Brushed Brass	-	BR1300RP	BR1300RV	BR1300RS	BR1300RD
Driver position: Remote	Brushed Bronze	-	BZ1300RP	BZ1300RV	BZ1300RS	BZ1300RD
Requires Electrician's Approval	Blackened Brass	-	BK1300RP	BK1300RV	BK1300RS	BK1300RD
4 Canopies: Ø12 x H4.5cm	Brushed Brass	-	BR120BP	BR120BV	BR120BS	BR120BD
Driver position: Built-in	Brushed Bronze	-	BZ120BP	BZ120BV	BZ120BS	BZ120BD
Requires Electrician's Approval	Blackened Brass	-	BK120BP	BK120BV	BK120BS	BK120BD
6 Canopies: Ø6 x H2cm	Brushed Brass	-	BR60RP	BR60RV	BR60RS	BR60RD
Driver position: Remote	Brushed Bronze	-	BZ60RP	BZ60RV	BZ60RS	BZ60RD
Requires Electrician's Approval	Blackened Brass	-	BK60RP	BK60RV	BK60RS	BK60RD


Cirque Chandelier Gradient Large

PRICELIST EUROPE 2024

CE IP20 UK
CA

MODEL	STARTING PRICE	CODE
Cirque Chandelier Gradient Large	€15120	CQCHGAOL-E

STEP 1:		
METAL FINISH	ADD. PRICE	CODE
Brushed Brass	-	BR
Brushed Bronze	+€1250	BZ
Blackened Brass	+€1250	BK



CIRQUE CHANDELIER GRADIENT
LARGE

STEP 2:				
DROP HEIGHT	FINISH	LENGTH	ADD. PRICE	CODE
Custom Metal Tube	Matching Finish	51-200 cm	-	XXX
		201-300 cm	+€730	XXX
		301-400 cm	+€1450	XXX

STEP 3:						
CANOPY (SMALLEST LAST)	FINISH	ADD. PRICE	CODE WITH DIMMABLE STANDARD			
			Recommended	Alternative dimming standard, if required by electrician		
			Phasecut	1-10 Volt	Switch / Push	DALI
1 Canopy: W175 x D5 x H5cm	Brushed Brass	-	BR1750BP	BR1750BV	BR1750BS	BR1750BD
Driver position: Built-in	Brushed Bronze	-	BZ1750BP	BZ1750BV	BZ1750BS	BZ1750BD
Recommended	Blackened Brass	-	BK1750BP	BK1750BV	BK1750BS	BK1750BD
1 Canopy: W175 x D5 x H5cm	Brushed Brass	-	BR1750RP	BR1750RV	BR1750RS	BR1750RD
Driver position: Remote	Brushed Bronze	-	BZ1750RP	BZ1750RV	BZ1750RS	BZ1750RD
Requires Electrician's Approval	Blackened Brass	-	BK1750RP	BK1750RV	BK1750RS	BK1750RD
4 Canopies: Ø12 x H4.5cm	Brushed Brass	-	BR120BP	BR120BV	BR120BS	BR120BD
Driver position: Built-in	Brushed Bronze	-	BZ120BP	BZ120BV	BZ120BS	BZ120BD
Requires Electrician's Approval	Blackened Brass	-	BK120BP	BK120BV	BK120BS	BK120BD
6 Canopies: Ø6 x H2cm	Brushed Brass	-	BR60RP	BR60RV	BR60RS	BR60RD
Driver position: Remote	Brushed Bronze	-	BZ60RP	BZ60RV	BZ60RS	BZ60RD
Requires Electrician's Approval	Blackened Brass	-	BK60RP	BK60RV	BK60RS	BK60RD


Cirque Chandelier Gradient Extra Large

PRICELIST EUROPE 2024

CE IP20 UK
CA

MODEL	STARTING PRICE	CODE
Cirque Chandelier Gradient Extra Large	€17610	CQCHGAXL-E

STEP 1:		
METAL FINISH	ADD. PRICE	CODE
Brushed Brass	-	BR
Brushed Bronze	+€1280	BZ
Blackened Brass	+€1280	BK



CIRQUE CHANDELIER GRADIENT
EXTRA LARGE

STEP 2:				
DROP HEIGHT	FINISH	LENGTH	ADD. PRICE	CODE
Custom Metal Tube	Matching Finish	51-200 cm	-	XXX
		201-300 cm	+€730	XXX
		301-400 cm	+€1450	XXX

STEP 3:						
CANOPY (SMALLEST LAST)	FINISH	ADD. PRICE	CODE WITH DIMMABLE STANDARD			
			Recommended	Alternative dimming standard, if required by electrician		
			Phasecut	1-10 Volt	Switch / Push	DALI
1 Canopy: W206 x D5 x H5cm Driver position: Built-in Recommended	Brushed Brass	-	BR2060BP	BR2060BV	BR2060BS	BR2060BD
	Brushed Bronze	-	BZ2060BP	BZ2060BV	BZ2060BS	BZ2060BD
	Blackened Brass	-	BK2060BP	BK2060BV	BK2060BS	BK2060BD
1 Canopy: W206 x D5 x H5cm Driver position: Remote Requires Electrician's Approval	Brushed Brass	-	BR2060RP	BR2060RV	BR2060RS	BR2060RD
	Brushed Bronze	-	BZ2060RP	BZ2060RV	BZ2060RS	BZ2060RD
	Blackened Brass	-	BK2060RP	BK2060RV	BK2060RS	BK2060RD
6 Canopies: Ø12 x H4.5cm Driver position: Built-in Requires Electrician's Approval	Brushed Brass	-	BR120BP	BR120BV	BR120BS	BR120BD
	Brushed Bronze	-	BZ120BP	BZ120BV	BZ120BS	BZ120BD
	Blackened Brass	-	BK120BP	BK120BV	BK120BS	BK120BD
6 Canopies: Ø6 x H2cm Driver position: Remote Requires Electrician's Approval	Brushed Brass	-	BR60RP	BR60RV	BR60RS	BR60RD
	Brushed Bronze	-	BZ60RP	BZ60RV	BZ60RS	BZ60RD
	Blackened Brass	-	BK60RP	BK60RV	BK60RS	BK60RD

Cirque Chandelier Weave Small

CE IP20 UK CA

MODEL	STARTING PRICE	CODE
Cirque Chandelier Weave Small	€5770	CQCHWEOS-E

STEP 1:		
METAL FINISH	ADD. PRICE	CODE
Brushed Brass	-	BR
Brushed Bronze	+€680	BZ
Blackened Brass	+€680	BK



CIRQUE CHANDELIER WEAWE SMALL

STEP 2:				
DROP HEIGHT	FINISH	LENGTH	ADD. PRICE	CODE
Custom Metal Tube	Matching Finish	136-200 cm	-	XXX
		201-300 cm	+€250	XXX
		301-400 cm	+€490	XXX

STEP 3:						
CANOPY (SMALLEST LAST)	FINISH	ADD. PRICE	CODE WITH DIMMABLE STANDARD			
			Recommended	Alternative dimming standard, if required by electrician		
			Phasecut	1-10 Volt	Switch / Push	DALI
1 Canopy: Ø30 x H5cm	Brushed Brass	-	BR300BP	BR300BV	BR300BS	BR300BD
Driver position: Built-in	Brushed Bronze	-	BZ300BP	BZ300BV	BZ300BS	BZ300BD
Recommended	Blackened Brass	-	BK300BP	BK300BV	BK300BS	BK300BD
1 Canopy: Ø30 x H5cm	Brushed Brass	-	BR300RP	BR300RV	BR300RS	BR300RD
Driver position: Remote	Brushed Bronze	-	BZ300RP	BZ300RV	BZ300RS	BZ300RD
Requires Electrician's Approval	Blackened Brass	-	BK300RP	BK300RV	BK300RS	BK300RD
2 Canopies: Ø8.5 x H4cm	Brushed Brass	-	BR85RP	BR85RV	BR85RS	BR85RD
Driver position: Remote	Brushed Bronze	-	BZ85RP	BZ85RV	BZ85RS	BZ85RD
Requires Electrician's Approval	Blackened Brass	-	BK85RP	BK85RV	BK85RS	BK85RD

Cirque Chandelier Weave Medium

CE IP20 UK CA

MODEL	STARTING PRICE	CODE
Cirque Chandelier Weave Medium	€8230	CQCHWEOM-E

STEP 1:		
METAL FINISH	ADD. PRICE	CODE
Brushed Brass	-	BR
Brushed Bronze	+€1020	BZ
Blackened Brass	+€1020	BK



CIRQUE CHANDELIER WEAWE MEDIUM

STEP 2:				
DROP HEIGHT	FINISH	LENGTH	ADD. PRICE	CODE
Custom Metal Tube	Matching Finish	136-200 cm	-	XXX
		201-300 cm	+€370	XXX
		301-400 cm	+€730	XXX

STEP 3:						
CANOPY (SMALLEST LAST)	FINISH	ADD. PRICE	CODE WITH DIMMABLE STANDARD			
			Recommended	Alternative dimming standard, if required by electrician		
			Phasecut	1-10 Volt	Switch / Push	DALI
1 Canopy: Ø30 x H5cm	Brushed Brass	-	BR300BP	BR300BV	BR300BS	BR300BD
Driver position: Built-in	Brushed Bronze	-	BZ300BP	BZ300BV	BZ300BS	BZ300BD
Recommended	Blackened Brass	-	BK300BP	BK300BV	BK300BS	BK300BD
1 Canopy: Ø30 x H5cm	Brushed Brass	-	BR300RP	BR300RV	BR300RS	BR300RD
Driver position: Remote	Brushed Bronze	-	BZ300RP	BZ300RV	BZ300RS	BZ300RD
Requires Electrician's Approval	Blackened Brass	-	BK300RP	BK300RV	BK300RS	BK300RD
3 Canopies: Ø8.5 x H4cm	Brushed Brass	-	BR85RP	BR85RV	BR85RS	BR85RD
Driver position: Remote	Brushed Bronze	-	BZ85RP	BZ85RV	BZ85RS	BZ85RD
Requires Electrician's Approval	Blackened Brass	-	BK85RP	BK85RV	BK85RS	BK85RD

Cirque Chandelier Weave Large

CE IP20 UK

MODEL	STARTING PRICE	CODE
Cirque Chandelier Weave Large	€10120	CQCHWEOL-E

STEP 1:		
METAL FINISH	ADD. PRICE	CODE
Brushed Brass	-	BR
Brushed Bronze	+€1010	BZ
Blackened Brass	+€1010	BK



CIRQUE CHANDELIER WEAWE LARGE

STEP 2:				
DROP HEIGHT	FINISH	LENGTH	ADD. PRICE	CODE
Custom Metal Tube	Matching Finish	186-200 cm	-	XXX
		201-300 cm	+€370	XXX
		301-400 cm	+€730	XXX


STEP 3:						
CANOPY (SMALLEST LAST)	FINISH	ADD. PRICE	CODE WITH DIMMABLE STANDARD			
			Recommended	Alternative dimming standard, if required by electrician		
			Phasecut	1-10 Volt	Switch / Push	DALI
1 Canopy: Ø30 x H5cm	Brushed Brass	-	BR300BP	BR300BV	BR300BS	BR300BD
Driver position: Built-in	Brushed Bronze	-	BZ300BP	BZ300BV	BZ300BS	BZ300BD
Recommended	Blackened Brass	-	BK300BP	BK300BV	BK300BS	BK300BD
1 Canopy: Ø30 x H5cm	Brushed Brass	-	BR300RP	BR300RV	BR300RS	BR300RD
Driver position: Remote	Brushed Bronze	-	BZ300RP	BZ300RV	BZ300RS	BZ300RD
Requires Electrician's Approval	Blackened Brass	-	BK300RP	BK300RV	BK300RS	BK300RD
3 Canopies: Ø8.5 x H4cm	Brushed Brass	-	BR85RP	BR85RV	BR85RS	BR85RD
Driver position: Remote	Brushed Bronze	-	BZ85RP	BZ85RV	BZ85RS	BZ85RD
Requires Electrician's Approval	Blackened Brass	-	BK85RP	BK85RV	BK85RS	BK85RD

Cirque Chandelier Pivot Large

CE IP20 UK
CA

MODEL	STARTING PRICE	CODE
Cirque Chandelier Pivot Large	€8550	CQCHPVOL-E

STEP 1:		
METAL FINISH	ADD. PRICE	CODE
Brushed Brass	-	BR
Brushed Bronze	+€670	BZ
Blackened Brass	+€670	BK



CIRQUE CHANDELIER PIVOT LARGE

STEP 2:				
DROP HEIGHT	FINISH	LENGTH	ADD. PRICE	CODE
Custom Metal Tube	Matching Finish	231-300 cm	-	XXX
		301-400 cm	+€250	XXX
		401-500 cm	+€490	XXX


STEP 3:						
CANOPY (SMALLEST LAST)	FINISH	ADD. PRICE	CODE WITH DIMMABLE STANDARD			
			Recommended	Alternative dimming standard, if required by electrician		
			Phasecut	1-10 Volt	Switch / Push	DALI
1 Canopy: Ø17 x H5cm	Brushed Brass	-	BR170BP	BR170BV	BR170BS	BR170BD
Driver position: Built-in	Brushed Bronze	-	BZ170BP	BZ170BV	BZ170BS	BZ170BD
Recommended	Blackened Brass	-	BK170BP	BK170BV	BK170BS	BK170BD
1 Canopy: Ø8.5 x H4cm	Brushed Brass	-	BR85RP	BR85RV	BR85RS	BR85RD
Driver position: Remote	Brushed Bronze	-	BZ85RP	BZ85RV	BZ85RS	BZ85RD
Requires Electrician's Approval	Blackened Brass	-	BK85RP	BK85RV	BK85RS	BK85RD

Cirque Chandelier Pivot Extra Large

CE IP20 UK
CA

MODEL	STARTING PRICE	CODE
Cirque Chandelier Pivot Extra large	€12320	CQCHPVXL-E

STEP 1:		
METAL FINISH	ADD. PRICE	CODE
Brushed Brass	-	BR
Brushed Bronze	+€690	BZ
Blackened Brass	+€690	BK



CIRQUE CHANDELIER PIVOT
EXTRA LARGE

STEP 2:				
DROP HEIGHT	FINISH	LENGTH	ADD. PRICE	CODE
Custom Metal Tube	Matching Finish	292-300cm	-	XXX
		301-400 cm	+€250	XXX
		401-500 cm	+€490	XXX


STEP 3:						
CANOPY (SMALLEST LAST)	FINISH	ADD. PRICE	CODE WITH DIMMABLE STANDARD			
			Recommended	Alternative dimming standard, if required by electrician		
			Phasecut	1-10 Volt	Switch / Push	DALI
1 Canopy: Ø17 x H5cm	Brushed Brass	-	BR170BP	BR170BV	BR170BS	BR170BD
Driver position: Built-in	Brushed Bronze	-	BZ170BP	BZ170BV	BZ170BS	BZ170BD
Recommended	Blackened Brass	-	BK170BP	BK170BV	BK170BS	BK170BD
1 Canopy: Ø8.5 x H4cm	Brushed Brass	-	BR85RP	BR85RV	BR85RS	BR85RD
Driver position: Remote	Brushed Bronze	-	BZ85RP	BZ85RV	BZ85RS	BZ85RD
Requires Electrician's Approval	Blackened Brass	-	BK85RP	BK85RV	BK85RS	BK85RD

Cirque Ceiling/Wall Ellipse

CE IP20 UK

MODEL	STARTING PRICE	CODE
Cirque Ceiling/Wall Ellipse	€4280	CQCWEL40-E

STEP 1: METAL FINISH	ADD. PRICE	CODE
Brushed Brass	-	BR
Brushed Bronze	+€330	BZ
Blackened Brass	+€330	BK



CIRQUE CEILING/WALL ELLIPSE

STEP 2:						
CANOPY (SMALLEST LAST)	FINISH	ADD. PRICE	CODE WITH DIMMABLE STANDARD			
			Recommended	Alternative dimming standard, if required by electrician		
			Phasecut	1-10 Volt	Switch / Push	DALI
2 Canopies: Ø13.5 x H4.5cm	Brushed Brass	-	BR135BP	BR135BV	BR135BS	BR135BD
Driver position: Built-in	Brushed Bronze	-	BZ135BP	BZ135BV	BZ135BS	BZ135BD
Recommended	Blackened Brass	-	BK135BP	BK135BV	BK135BS	BK135BD
2 Canopies: Ø9.5 x H4cm	Brushed Brass	-	BR95RP	BR95RV	BR95RS	BR95RD
Driver position: Remote	Brushed Bronze	-	BZ95RP	BZ95RV	BZ95RS	BZ95RD
Requires Electrician's Approval	Blackened Brass	-	BK95RP	BK95RV	BK95RS	BK95RD

Cirque Wall Column

CE IP20 UK

STEP 1:

PRODUCT SIZE	STARTING PRICE	CODE
Cirque Wall Column 40	€1990	CQWACM40-E
Cirque Wall Column 60	€2180	CQWACM60-E
Cirque Wall Column 75	€2360	CQWACM75-E
Cirque Wall Column 90	€2520	CQWACM90-E



CIRQUE WALL COLUMN 90

STEP 2:

METAL FINISH	ADD. PRICE	CODE
Brushed Brass	-	BR
Brushed Bronze	+€260	BZ
Blackened Brass	+€260	BK

STEP 3:


CANOPY	FINISH	ADD. PRICE	CODE WITH DIMMABLE STANDARD			
			Recommended	Alternative dimming standard, if required by electrician		
			Phasecut	1-10 Volt	Switch / Push	DALI
1 Canopy: Ø9.5 x H4.5cm	Brushed Brass	-	BR95BP	BR95BV	BR95BS	-
Driver position: Built-in	Brushed Bronze	-	BZ95BP	BZ95BV	BZ95BS	
Recommended	Blackened Brass	-	BK95BP	BK95BV	BK95BS	
1 Canopy: Ø13.5 x H4.5cm	Brushed Brass	-	-	-	-	BR135BD
Driver position: Built-in	Brushed Bronze	-				BZ135BD
	Blackened Brass	-				BK135BD
1 Canopy: Ø9.5 x H4cm	Brushed Brass	-	BR95RP	BR95RV	BR95RS	BR95RD
Driver position: Remote	Brushed Bronze	-	BZ95RP	BZ95RV	BZ95RS	BZ95RD
Requires Electrician's Approval	Blackened Brass	-	BK95RP	BK95RV	BK95RS	BK95RD
VERTICAL FRAME	LENGTH	ADD. PRICE				
Standard	16cm	-				
Custom	17 - 200cm	+€190				

Cirque Floor-to-Ceiling Column

CE IP20 UK

STEP 1:

PRODUCT SIZE	STARTING PRICE	CODE
Cirque Floor-to-Ceiling Column 40	€2240	CQFCCM40-E
Cirque Floor-to-Ceiling Column 60	€2400	CQFCCM60-E
Cirque Floor-to-Ceiling Column 90	€2770	CQFCCM90-E
Cirque Floor-to-Ceiling Column 120	€2980	CQFCCM120-E



CIRQUE FLOOR-TO-CEILING
COLUMN 90

STEP 2:

METAL FINISH	ADD. PRICE	CODE
Brushed Brass	-	BR
Brushed Bronze	+€270	BZ
Blackened Brass	+€270	BK

STEP 3:

DROP HEIGHT	FINISH	LENGTH	ADD. PRICE	CODE
Custom Metal Tube	Matching Finish	from min. height to 300 cm	-	XXX
		300-400 cm	+€130	XXX
		401-500 cm	+€250	XXX

STEP 4:

CANOPY	FINISH	ADD. PRICE	CODE WITH DIMMABLE STANDARD			
			Recommended	Alternative dimming standard, if required by electrician		
			Phasecut	1-10 Volt	Switch / Push	DALI
1 Canopy: Ø9.5 x H8.5cm	Brushed Brass	-	BR95BP	BR95BV	BR95BS	-
Driver position: Built-in	Brushed Bronze	-	BZ95BP	BZ95BV	BZ95BS	
Recommended	Blackened Brass	-	BK95BP	BK95BV	BK95BS	
1 Canopy: Ø12 x H10.5cm	Brushed Brass	-	-	-	-	BR120BD
Driver position: Built-in	Brushed Bronze	-				BZ120BD
	Blackened Brass	-				BK120BD
1 Canopy: Ø9.5 x H8.5cm	Brushed Brass	-	BR95RP	BR95RV	BR95RS	BR95RD
Driver position: Remote	Brushed Bronze	-	BZ95RP	BZ95RV	BZ95RS	BZ95RD
Requires Electrician's Approval	Blackened Brass	-	BK95RP	BK95RV	BK95RS	BK95RD

Cirque Floor-to-Ceiling Ellipse Vertical


CE IP20 UK CA

STEP 1:

PRODUCT SIZE	STARTING PRICE	CODE
Cirque Floor-to-Ceiling Ellipse Vertical 40	€3440	CQFCEV40-E
Cirque Floor-to-Ceiling Ellipse Vertical 60	€3750	CQFCEV60-E
Cirque Floor-to-Ceiling Ellipse Vertical 90	€4230	CQFCEV90-E
Cirque Floor-to-Ceiling Ellipse Vertical 120	€4640	CQFCEV120-E

STEP 2:

METAL FINISH	ADD. PRICE	CODE
Brushed Brass	-	BR
Brushed Bronze	+€270	BZ
Blackened Brass	+€270	BK



CIRQUE FLOOR-TO-CEILING ELLIPSE VERTICAL 90

STEP 3:

DROP HEIGHT	FINISH	LENGTH	ADD. PRICE	CODE
Custom Metal Tube	Matching Finish	from min. height to 300 cm	-	XXX
		300-400 cm	+€130	XXX
		401-500 cm	+€250	XXX

STEP 4:


CANOPY	FINISH	ADD. PRICE	CODE WITH DIMMABLE STANDARD			
			Recommended	Alternative dimming standard, if required by electrician		
			Phasecut	1-10 Volt	Switch / Push	DALI
1 Canopy: Ø12 x H10.5cm	Brushed Brass	-	BR120BP	BR120BV	BR120BS	BR120BD
Driver position: Built-in	Brushed Bronze	-	BZ120BP	BZ120BV	BZ120BS	BZ120BD
Recommended	Blackened Brass	-	BK120BP	BK120BV	BK120BS	BK120BD
1 Canopy: Ø12 x H10.5cm	Brushed Brass	-	BR120RP	BR120RV	BR120RS	BR120RD
Driver position: Remote	Brushed Bronze	-	BZ120RP	BZ120RV	BZ120RS	BZ120RD
Requires Electrician's Approval	Blackened Brass	-	BK120RP	BK120RV	BK120RS	BK120RD

Dewdrops Chandelier Circular 05 Bubbles

CE IP20 UK
CA

MODEL	STARTING PRICE	CODE
Dewdrops Chandelier Circular 05 Bubbles	€5690	DDCHCR05-E

STEP 1:		
METAL FINISH	ADD. PRICE	CODE
Brushed Brass	-	BR
Brushed Bronze	+€690	BZ
Blackened Brass	+€690	BK
Brushed Nickel	+€690	NK



DEWDROPS CHANDELIER CIRCULAR
05 BUBBLES

STEP 2:				
SUSPENSION TYPE	FINISH	LENGTH	ADD. PRICE	CODE
Flex Cable	Black	4 metres	-	04B
		10 metres	+€190	10B
	White	4 metres	-	04W
		10 metres	+€190	10W

STEP 3:						
CANOPY	FINISH	ADD. PRICE	CODE WITH DIMMABLE STANDARD			
			Recommended	Alternative dimming standard, if required by electrician		
			Phasecut	1-10 Volt	Switch / Push	DALI
1 Canopy: Ø30 x H5cm	White - RAL 9016	-	WH300BP	WH300BV	WH300BS	WH300BD
Driver position: Built-in	Brushed Brass	+€610	BR300BP	BR300BV	BR300BS	BR300BD
Recommended	Brushed Bronze	+€610	BZ300BP	BZ300BV	BZ300BS	BZ300BD
	Blackened Brass	+€610	BK300BP	BK300BV	BK300BS	BK300BD
	Brushed Nickel	+€610	NK300BP	NK300BV	NK300BS	NK300BD
1 Canopy: Ø30 x H5cm	White - RAL 9016	-	WH300RP	WH300RV	WH300RS	WH300RD
Driver position: Remote	Brushed Brass	+€610	BR300RP	BR300RV	BR300RS	BR300RD
Requires Electrician's Approval	Brushed Bronze	+€610	BZ300RP	BZ300RV	BZ300RS	BZ300RD
	Blackened Brass	+€610	BK300RP	BK300RV	BK300RS	BK300RD
	Brushed Nickel	+€610	NK300RP	NK300RV	NK300RS	NK300RD

Dewdrops Chandelier Linear 07 Bubbles

CE IP20 UK
CA

MODEL	STARTING PRICE	CODE
Dewdrops Chandelier Linear 07 Bubbles	€7730	DDCHLN07-E

STEP 1:		
METAL FINISH	ADD. PRICE	CODE
Brushed Brass	-	BR
Brushed Bronze	+€960	BZ
Blackened Brass	+€960	BK
Brushed Nickel	+€960	NK



DEWDROPS CHANDELIER LINEAR 07
BUBBLES

STEP 2:				
SUSPENSION TYPE	FINISH	LENGTH	ADD. PRICE	CODE
Flex Cable	Black	4 metres	-	04B
		10 metres	+€230	10B
	White	4 metres	-	04W
		10 metres	+€230	10W

STEP 3:						
CANOPY	FINISH	ADD. PRICE	CODE WITH DIMMABLE STANDARD			
			Recommended	Alternative dimming standard, if required by electrician		
			Phasecut	1-10 Volt	Switch / Push	DALI
1 Canopy: W95 x D11.5 x H3.5cm	White - RAL 9016	-	WH950BP	WH950BV	WH950BS	WH950BD
Driver position: Built-in	Brushed Brass	+€900	BR950BP	BR950BV	BR950BS	BR950BD
Recommended	Brushed Bronze	+€900	BZ950BP	BZ950BV	BZ950BS	BZ950BD
	Blackened Brass	+€900	BK950BP	BK950BV	BK950BS	BK950BD
	Brushed Nickel	+€900	NK950BP	NK950BV	NK950BS	NK950BD
1 Canopy: W95 x D11.5 x H3.5cm	White - RAL 9016	-	WH950RP	WH950RV	WH950RS	WH950RD
Driver position: Remote	Brushed Brass	+€900	BR950RP	BR950RV	BR950RS	BR950RD
Requires Electrician's Approval	Brushed Bronze	+€900	BZ950RP	BZ950RV	BZ950RS	BZ950RD
	Blackened Brass	+€900	BK950RP	BK950RV	BK950RS	BK950RD
	Brushed Nickel	+€900	NK950RP	NK950RV	NK950RS	NK950RD

Flauti Pendant

CE IP20 UK

STEP 1:

MODEL	STARTING PRICE	CODE
Flauti Pendant 01	€2340	FLPE01-E
Flauti Pendant 02	€1800	FLPE02-E
Flauti Pendant 06	€1800	FLPE06-E
Flauti Pendant 07	€2030	FLPE07-E
Flauti Pendant 08	€2030	FLPE08-E
Flauti Pendant 10	€2250	FLPE10-E
Flauti Pendant 11	€2030	FLPE11-E
Flauti Pendant 12	€2030	FLPE12-E
Flauti Pendant 30	€2250	FLPE30-E
Flauti Pendant 45	€2030	FLPE45-E



FLAUTI PENDANT 01

STEP 2:

METAL FINISH	ADD. PRICE	CODE
Brushed Brass	-	BR
Brushed Bronze	+€110	BZ
Blackened Brass	+€110	BK
Brushed Nickel	+€110	NK

STEP 3:

SUSPENSION TYPE	FINISH	LENGTH	ADD. PRICE	CODE
Fabric Flex Cable	Black	4 metres	-	04B
		10 metres	+€50	10B
	White	4 metres	-	04W
		10 metres	+€50	10W
Metal Tube (Drop Height)	Matching Finish	Std-200 cm	+€250	XXX
		201-300 cm	+€345	XXX
		301-400 cm	+€490	XXX

STEP 4:

CANOPY (SMALLEST LAST)	FINISH	ADD. PRICE	CODE WITH DIMMABLE STANDARD			
			Recommended	Alternative dimming standard, if required by electrician		
			Phasecut	1-10 Volt	Switch / Push	DALI
1 Canopy: Ø9.5cm	Black	-	BL95BP	-	-	-
Ceiling Type: All	White	+€100	WH95BP	-	-	-
Driver position: Built-in	Brushed Brass	+€100	BR95BP	-	-	-
Recommended	Brushed Bronze	+€100	BZ95BP	-	-	-
	Blackened Brass	+€100	BK95BP	-	-	-
	Brushed Nickel	+€100	NK95BP	-	-	-

CANOPY (SMALLEST LAST)	FINISH	ADD. PRICE	CODE WITH DIMMABLE STANDARD			
			Recommended	Alternative dimming standard, if required by electrician		
			Phasecut	1-10 Volt	Switch / Push	DALI
1 Canopy: Ø13.5cm	Black	-	-	BL135BV	BL135BS	BL135BD
Ceiling Type: All	White	+€110	-	WH135BV	WH135BS	WH135BD
Driver position: Built-in	Brushed Brass	+€110	-	BR135BV	BR135BS	BR135BD
	Brushed Bronze	+€110	-	BZ135BV	BZ135BS	BZ135BD
	Blackened Brass	+€110	-	BK135BV	BK135BS	BK135BD
	Brushed Nickel	+€110	-	NK135BV	NK135BS	NK135BD
1 Canopy: Ø7cm	Black	-	BL70RP	BL70RV	BL70RS	BL70RD
Ceiling Type: All	White	+€90	WH70RP	WH70RV	WH70RS	WH70RD
Driver position: Remote	Brushed Brass	+€90	BR70RP	BR70RV	BR70RS	BR70RD
Requires Electrician's Approval	Brushed Bronze	+€90	BZ70RP	BZ70RV	BZ70RS	BZ70RD
	Blackened Brass	+€90	BK70RP	BK70RV	BK70RS	BK70RD
	Brushed Nickel	+€90	NK70RP	NK70RV	NK70RS	NK70RD
1 Canopy: Ø5 x H0.7cm	Black	+€70	BL50RP	BL50RV	BL50RS	BL50RD
Ceiling Type: False	White	+€70	WH50RP	WH50RV	WH50RS	WH50RD
Driver position: Remote						
Requires Electrician's Approval						

Flauti Chandelier Circular 21

CE IP20 UK

MODEL	STARTING PRICE	CODE
Flauti Chandelier Circular 21 Rose	€3830	FLCHCR21 - E

STEP 1:		
METAL FINISH	ADD. PRICE	CODE
Brushed Brass	-	BR
Brushed Bronze	+€180	BZ
Blackened Brass	+€180	BK
Brushed Nickel	+€180	NK



FLAUTI CHANDELIER
CIRCULAR 21

STEP 2:				
SUSPENSION TYPE	FINISH	LENGTH	ADD. PRICE	CODE
Fabric Flex Cable	Black	4 metres	-	04B
		10 metres	+€100	10B
	White	4 metres	-	04W
		10 metres	+€100	10W
Metal Tube (Drop Height)	Matching Finish	110-200 cm	+€490	XXX
		201-300 cm	+€730	XXX
		301-400 cm	+€970	XXX

STEP 3:						
CANOPY	FINISH	ADD. PRICE	CODE WITH DIMMABLE STANDARD			
			Recommended	Alternative dimming standard, if required by electrician		
			Phasecut	1-10 Volt	Switch / Push	DALI
1 Canopy: Ø21.5 x H4.5cm	White - RAL 9016	-	WH215BP	WH215BV	WH215BS	WH215BD
Driver position: Built-in Recommended	Brushed Brass	+€450	BR215BP	BR215BV	BR215BS	BR215BD
	Brushed Bronze	+€450	BZ215BP	BZ215BV	BZ215BS	BZ215BD
	Blackened Brass	+€450	BK215BP	BK215BV	BK215BS	BK215BD
	Brushed Nickel	+€450	NK215BP	NK215BV	NK215BS	NK215BD
1 Canopy: Ø21.5 x H4.5cm	White - RAL 9016	-	WH215RP	WH215RV	WH215RS	WH215RD
Driver position: Remote Requires Electrician's Approval	Brushed Brass	+€450	BR215RP	BR215RV	BR215RS	BR215RD
	Brushed Bronze	+€450	BZ215RP	BZ215RV	BZ215RS	BZ215RD
	Blackened Brass	+€450	BK215RP	BK215RV	BK215RS	BK215RD
	Brushed Nickel	+€450	NK215RP	NK215RV	NK215RS	NK215RD

Flauti Chandeliers Circular 3 Pendants

CE IP20 UK

STEP 1:

MODEL	STARTING PRICE	CODE
Flauti Chandelier Circular 31 Rose	€5790	FLCHCR31-E
Flauti Chandelier Circular 32 Amber	€6260	FLCHCR32-E

STEP 2:

METAL FINISH	ADD. PRICE	CODE
Brushed Brass	-	BR
Brushed Bronze	+€280	BZ
Blackened Brass	+€280	BK
Brushed Nickel	+€280	NK



FLAUTI CHANDELIER
CIRCULAR 31

STEP 3:

SUSPENSION TYPE	FINISH	LENGTH	ADD. PRICE	CODE
Fabric Flex Cable	Black	4 metres	-	04B
		10 metres	+€150	10B
	White	4 metres	-	04W
		10 metres	+€150	10W
Metal Tube (Drop Height)	Matching Finish	110-200 cm	+€730	XXX
		201-300 cm	+€1090	XXX
		301-400 cm	+€1450	XXX

STEP 4:

CANOPY	FINISH	ADD. PRICE	CODE WITH DIMMABLE STANDARD			
			Recommended	Alternative dimming standard, if required by electrician		
			Phasecut	1-10 Volt	Switch / Push	DALI
1 Canopy: Ø45 x H4.5cm Driver position: Built-in Recommended	White - RAL 9016	-	WH450BP	WH450BV	WH450BS	WH450BD
	Brushed Brass	+€600	BR450BP	BR450BV	BR450BS	BR450BD
	Brushed Bronze	+€600	BZ450BP	BZ450BV	BZ450BS	BZ450BD
	Blackened Brass	+€600	BK450BP	BK450BV	BK450BS	BK450BD
	Brushed Nickel	+€600	NK450BP	NK450BV	NK450BS	NK450BD
1 Canopy: Ø45 x H4.5cm Driver position: Remote Requires Electrician's Approval	White - RAL 9016	-	WH450RP	WH450RV	WH450RS	WH450RD
	Brushed Brass	+€600	BR450RP	BR450RV	BR450RS	BR450RD
	Brushed Bronze	+€600	BZ450RP	BZ450RV	BZ450RS	BZ450RD
	Blackened Brass	+€600	BK450RP	BK450RV	BK450RS	BK450RD
	Brushed Nickel	+€600	NK450RP	NK450RV	NK450RS	NK450RD

Flauti Chandelier Circular 51

CE IP20 UK CA

MODEL	STARTING PRICE	CODE
Flauti Chandelier Circular 51 Rose	€10040	FLCHCR51 - E

STEP 1:		
METAL FINISH	ADD. PRICE	CODE
Brushed Brass	-	BR
Brushed Bronze	+€420	BZ
Blackened Brass	+€420	BK
Brushed Nickel	+€420	NK



FLAUTI CHANDELIER
CIRCULAR 51

STEP 2:				
SUSPENSION TYPE	FINISH	LENGTH	ADD. PRICE	CODE
Fabric Flex Cable	Black	4 metres	-	04B
		10 metres	+€240	10B
	White	4 metres	-	04W
		10 metres	+€240	10W
Metal Tube (Drop Height)	Matching Finish	123-200 cm	+€1210	XXX
		201-300 cm	+€1820	XXX
		301-400 cm	+€2420	XXX

STEP 3:						
CANOPY	FINISH	ADD. PRICE	CODE WITH DIMMABLE STANDARD			
			Recommended	Alternative dimming standard, if required by electrician		
			Phasecut	1-10 Volt	Switch / Push	DALI
1 Canopy: Ø62 x H4.5cm	White - RAL 9016	-	WH620BP	WH620BV	WH620BS	WH620BD
Driver position: Built-in Recommended	Brushed Brass	+€840	BR620BP	BR620BV	BR620BS	BR620BD
	Brushed Bronze	+€840	BZ620BP	BZ620BV	BZ620BS	BZ620BD
	Blackened Brass	+€840	BK620BP	BK620BV	BK620BS	BK620BD
	Brushed Nickel	+€840	NK620BP	NK620BV	NK620BS	NK620BD
1 Canopy: Ø62 x H4.5cm	White - RAL 9016	-	WH620RP	WH620RV	WH620RS	WH620RD
Driver position: Remote Requires Electrician's Approval	Brushed Brass	+€840	BR620RP	BR620RV	BR620RS	BR620RD
	Brushed Bronze	+€840	BZ620RP	BZ620RV	BZ620RS	BZ620RD
	Blackened Brass	+€840	BK620RP	BK620RV	BK620RS	BK620RD
	Brushed Nickel	+€840	NK620RP	NK620RV	NK620RS	NK620RD

Flauti Chandelier Circular 71

CE IP20 UK

MODEL	STARTING PRICE	CODE
Flauti Chandelier Circular 71 Rose	€14280	FLCHCR71 - E

STEP 1:		
METAL FINISH	ADD. PRICE	CODE
Brushed Brass	-	BR
Brushed Bronze	+€590	BZ
Blackened Brass	+€590	BK
Brushed Nickel	+€590	NK



FLAUTI CHANDELIER
CIRCULAR 71

STEP 2:				
SUSPENSION TYPE	FINISH	LENGTH	ADD. PRICE	CODE
Fabric Flex Cable	Black	4 metres	-	04B
		10 metres	+€340	10B
	White	4 metres	-	04W
		10 metres	+€340	10W
Metal Tube (Drop Height)	Matching Finish	120-200 cm	+€1700	XXX
		201-300 cm	+€2540	XXX
		301-400 cm	+€3390	XXX

STEP 3:						
CANOPY	FINISH	ADD. PRICE	CODE WITH DIMMABLE STANDARD			
			Recommended	Alternative dimming standard, if required by electrician		
			Phasecut	1-10 Volt	Switch / Push	DALI
1 Canopy: Ø76 x H4.5cm Driver position: Built-in Recommended	White - RAL 9016	-	WH760BP	WH760BV	WH760BS	WH760BD
	Brushed Brass	+€1100	BR760BP	BR760BV	BR760BS	BR760BD
	Brushed Bronze	+€1100	BZ760BP	BZ760BV	BZ760BS	BZ760BD
	Blackened Brass	+€1100	BK760BP	BK760BV	BK760BS	BK760BD
	Brushed Nickel	+€1100	NK760BP	NK760BV	NK760BS	NK760BD
1 Canopy: Ø76 x H4.5cm Driver position: Remote Requires Electrician's Approval	White - RAL 9016	-	WH760RP	WH760RV	WH760RS	WH760RD
	Brushed Brass	+€1100	BR760RP	BR760RV	BR760RS	BR760RD
	Brushed Bronze	+€1100	BZ760RP	BZ760RV	BZ760RS	BZ760RD
	Blackened Brass	+€1100	BK760RP	BK760RV	BK760RS	BK760RD
	Brushed Nickel	+€1100	NK760RP	NK760RV	NK760RS	NK760RD

Flauti Chandeliers Linear 3 Pendants

CE IP20 UK
CA

STEP 1:

MODEL	STARTING PRICE	CODE
Flauti Chandelier Linear 31 Rose	€5790	FLCHLN31-E
Flauti Chandelier Linear 32 Amber	€6260	FLCHLN32-E

STEP 2:

METAL FINISH	ADD. PRICE	CODE
Brushed Brass	-	BR
Brushed Bronze	+€280	BZ
Blackened Brass	+€280	BK
Brushed Nickel	+€280	NK



FLAUTI CHANDELIER LINEAR 31

STEP 3:

SUSPENSION TYPE	FINISH	LENGTH	ADD. PRICE	CODE
Fabric Flex Cable	Black	4 metres	-	04B
		10 metres	+€150	10B
	White	4 metres	-	04W
		10 metres	+€150	10W
Metal Tube (Drop Height)	Matching Finish	77-200 cm	+€730	XXX
		201-300 cm	+€1090	XXX
		301-400 cm	+€1450	XXX

STEP 4:

CANOPY	FINISH	ADD. PRICE	CODE WITH DIMMABLE STANDARD			
			Recommended	Alternative dimming standard, if required by electrician		
			Phasecut	1-10 Volt	Switch / Push	DALI
1 Canopy: W90 x D18 x H4.5cm Driver position: Built-in Recommended	White - RAL 9016	-	WH900BP	WH900BV	WH900BS	WH900BD
	Brushed Brass	+€600	BR900BP	BR900BV	BR900BS	BR900BD
	Brushed Bronze	+€600	BZ900BP	BZ900BV	BZ900BS	BZ900BD
	Blackened Brass	+€600	BK900BP	BK900BV	BK900BS	BK900BD
	Brushed Nickel	+€600	NK900BP	NK900BV	NK900BS	NK900BD
1 Canopy: W90 x D18 x H4.5cm Driver position: Remote Requires Electrician's Approval	White - RAL 9016	-	WH900RP	WH900RV	WH900RS	WH900RD
	Brushed Brass	+€600	BR900RP	BR900RV	BR900RS	BR900RD
	Brushed Bronze	+€600	BZ900RP	BZ900RV	BZ900RS	BZ900RD
	Blackened Brass	+€600	BK900RP	BK900RV	BK900RS	BK900RD
	Brushed Nickel	+€600	NK900RP	NK900RV	NK900RS	NK900RD

Flauti Chandelier Zigzag 5 Pendants

PRICELIST EUROPE 2024

CE IP20 UK

MODEL	STARTING PRICE	CODE
Flauti Chandelier Zigzag 51 Rose	€10040	FLCHZZ51-E

STEP 1:

METAL FINISH	ADD. PRICE	CODE
Brushed Brass	-	BR
Brushed Bronze	+€420	BZ
Blackened Brass	+€420	BK
Brushed Nickel	+€420	NK



FLAUTI CHANDELIER ZIGZAG 51

STEP 2:

SUSPENSION TYPE	FINISH	LENGTH	ADD. PRICE	CODE
Fabric Flex Cable	Black	4 metres	-	04B
		10 metres	+€240	10B
	White	4 metres	-	04W
		10 metres	+€240	10W
Metal Tube (Drop Height)	Matching Finish	105-200 cm	+€1210	XXX
		201-300 cm	+€1820	XXX
		301-400 cm	+€2420	XXX

STEP 3:

CANOPY	FINISH	ADD. PRICE	CODE WITH DIMMABLE STANDARD			
			Recommended	Alternative dimming standard, if required by electrician		
			Phasecut	1-10 Volt	Switch / Push	DALI
1 Canopy: W120 x D23 x H4.5cm	White - RAL 9016	-	WH1200BP	WH1200BV	WH1200BS	WH1200BD
Driver position: Built-in	Brushed Brass	+€840	BR1200BP	BR1200BV	BR1200BS	BR1200BD
Recommended	Brushed Bronze	+€840	BZ1200BP	BZ1200BV	BZ1200BS	BZ1200BD
	Blackened Brass	+€840	BK1200BP	BK1200BV	BK1200BS	BK1200BD
	Brushed Nickel	+€840	NK1200BP	NK1200BV	NK1200BS	NK1200BD
1 Canopy: W120 x D23 x H4.5cm	White - RAL 9016	-	WH1200RP	WH1200RV	WH1200RS	WH1200RD
Driver position: Remote	Brushed Brass	+€840	BR1200RP	BR1200RV	BR1200RS	BR1200RD
Requires Electrician's Approval	Brushed Bronze	+€840	BZ1200RP	BZ1200RV	BZ1200RS	BZ1200RD
	Blackened Brass	+€840	BK1200RP	BK1200RV	BK1200RS	BK1200RD
	Brushed Nickel	+€840	NK1200RP	NK1200RV	NK1200RS	NK1200RD

Flauti Chandelier Zigzag 7 Pendants

CE IP20 UK

MODEL	STARTING PRICE	CODE
Flauti Chandelier Zigzag 71 Rose	€14280	FLCHZZ71-E

STEP 1:		
METAL FINISH	ADD. PRICE	CODE
Brushed Brass	-	BR
Brushed Bronze	+€590	BZ
Blackened Brass	+€590	BK
Brushed Nickel	+€590	NK



FLAUTI CHANDELIER ZIGZAG 71

STEP 2:				
SUSPENSION TYPE	FINISH	LENGTH	ADD. PRICE	CODE
Fabric Flex Cable	Black	4 metres	-	04B
		10 metres	+€340	10B
	White	4 metres	-	04W
		10 metres	+€340	10W
Metal Tube (Drop Height)	Matching Finish	105-200 cm	+€1700	XXX
		201-300 cm	+€2540	XXX
		301-400 cm	+€3390	XXX

STEP 3:						
CANOPY	FINISH	ADD. PRICE	CODE WITH DIMMABLE STANDARD			
			Recommended	Alternative dimming standard, if required by electrician		
			Phasecut	1-10 Volt	Switch / Push	DALI
1 Canopy: W138 x D36 x H4.5cm	White - RAL 9016	-	WH1380BP	WH1380BV	WH1380BS	WH1380BD
Driver position: Built-in	Brushed Brass	+€1100	BR1380BP	BR1380BV	BR1380BS	BR1380BD
Recommended	Brushed Bronze	+€1100	BZ1380BP	BZ1380BV	BZ1380BS	BZ1380BD
	Blackened Brass	+€1100	BK1380BP	BK1380BV	BK1380BS	BK1380BD
	Brushed Nickel	+€1100	NK1380BP	NK1380BV	NK1380BS	NK1380BD
1 Canopy: W138 x D36 x H4.5cm	White - RAL 9016	-	WH1380RP	WH1380RV	WH1380RS	WH1380RD
Driver position: Remote	Brushed Brass	+€1100	BR1380RP	BR1380RV	BR1380RS	BR1380RD
Requires Electrician's Approval	Brushed Bronze	+€1100	BZ1380RP	BZ1380RV	BZ1380RS	BZ1380RD
	Blackened Brass	+€1100	BK1380RP	BK1380RV	BK1380RS	BK1380RD
	Brushed Nickel	+€1100	NK1380RP	NK1380RV	NK1380RS	NK1380RD

Flauti Wall

PRICELIST EUROPE 2024

CE IP20 UK

STEP 1:

MODEL	STARTING PRICE	CODE
Flauti Wall 01	€2520	FLWA01-E
Flauti Wall 02	€1990	FLWA02-E
Flauti Wall 06	€1990	FLWA06-E
Flauti Wall 07	€2220	FLWA07-E
Flauti Wall 08	€2220	FLWA08-E
Flauti Wall 10	€2460	FLWA10-E
Flauti Wall 11	€2220	FLWA11-E
Flauti Wall 12	€2220	FLWA12-E
Flauti Wall 30	€2460	FLWA30-E
Flauti Wall 45	€2220	FLWA45-E



FLAUTI WALL 01

STEP 2:

METAL FINISH	ADD. PRICE	CODE
Brushed Brass	-	BR
Brushed Bronze	+€90	BZ
Blackened Brass	+€90	BK
Brushed Nickel	+€90	NK

STEP 3:

CANOPY	FINISH	ADD. PRICE	CODE WITH DIMMABLE STANDARD			
			Recommended	Alternative dimming standard, if required by electrician		
			Phasecut	1-10 Volt	Switch / Push	DALI
1 Canopy: Ø9,5cm	Brushed Brass	-	BR95BP	-	-	-
Driver position: Built-in	Brushed Bronze	-	BZ95BP	-	-	-
Recommended	Blackened Brass	-	BK95BP	-	-	-
	Brushed Nickel	-	NK95BP	-	-	-
1 Canopy: Ø13,5cm	Brushed Brass	-	-	BR135BV	BR135BS	BR135BD
Driver position: Built-in	Brushed Bronze	-	-	BZ135BV	BZ135BS	BZ135BD
	Blackened Brass	-	-	BK135BV	BK135BS	BK135BD
	Brushed Nickel	-	-	NK135BV	NK135BS	NK135BD
1 Canopy: Ø9,5cm	Brushed Brass	-	BR95RP	BR95RV	BR95RS	BR95RD
Driver position: Remote	Brushed Bronze	-	BZ95RP	BZ95RV	BZ95RS	BZ95RD
Requires Electrician's Approval	Blackened Brass	-	BK95RP	BK95RV	BK95RS	BK95RD
	Brushed Nickel	-	NK95RP	NK95RV	NK95RS	NK95RD

VERTICAL FRAME	LENGTH	ADD. PRICE
Standard	27cm	-
Custom	28 - 100cm	+€190
	101 - 200cm	+€270

Gem Pendant Cluster 06

CE IP20 UK CA

STEP 1:

PRODUCT	SIZE	STARTING PRICE	CODE
Gem Pendant Cluster 06		€5520	GMPECU06-E
Gem Pendant Cluster 06 Small		€5520	GMPECU06S-E

STEP 2:

METAL FINISH	ADD. PRICE	CODE
Brushed Brass	-	BR
Brushed Bronze	+€830	BZ
Blackened Brass	+€830	BK
Brushed Nickel	+€830	NK
Polished Nickel	+€1660	PN

STEP 3:

GLASS FINISH	ADD. PRICE	CODE
Corroded	-	CO
Mist	-	MI

STEP 4:

DROP	HEIGHT	FINISH	LENGTH	ADD. PRICE	CODE
Standard		Matching Finish	Minimum	-	XXX
Custom Metal Tube	Matching Finish		Minimum-200 cm	+€320	XXX
			201-300 cm	+€480	XXX
			301-400 cm	+€630	XXX
Extra Drop Height Kit	Matching Finish		Adjustable on site min.: 81cm, max.: 226 cm by combining five tubes of different length from 5cm to 80cm	+€440	KIT

STEP 5:

CANOPY (SMALLEST LAST)	FINISH	ADD. PRICE	CODE WITH DIMMABLE STANDARD			
			Recommended		Alternative dimming standard, if required by electrician	
			Phasecut	1-10 Volt	Switch / Push	DALI
1 Canopy: Ø12 x H4.5cm Driver position: Built-in Recommended	Brushed Brass	-	BR120BP	BR120BV	BR120BS	BR120BD
	Brushed Bronze	-	BZ120BP	BZ120BV	BZ120BS	BZ120BD
	Blackened Brass	-	BK120BP	BK120BV	BK120BS	BK120BD
	Brushed Nickel	-	NK120BP	NK120BV	NK120BS	NK120BD
	Polished Nickel	-	PN120BP	PN120BV	PN120BS	PN120BD



GEM PENDANT CLUSTER 06

CANOPY (SMALLEST LAST)	FINISH	ADD. PRICE	CODE WITH DIMMABLE STANDARD			
			Recommended	Alternative dimming standard, if required by electrician		
			Phasecut	1-10 Volt	Switch / Push	DALI
1 Canopy: Ø8.5 h4cm	Brushed Brass	-	BR85RP	BR85RV	BR85RS	BR85RD
Driver position: Remote	Brushed Bronze	-	BZ85RP	BZ85RV	BZ85RS	BZ85RD
Requires Electrician's Approval	Blackened Brass	-	BK85RP	BK85RV	BK85RS	BK85RD
	Brushed Nickel	-	NK85RP	NK85RV	NK85RS	NK85RD
	Polished Nickel	-	PN85RP	PN85RV	PN85RS	PN85RD
ACCESSORY		ADD. PRICE				
Optional Downlight		+€210				

Gem Pendant Cluster 09

PRICELIST EUROPE 2024

CE IP20 UK CA

STEP 1:

PRODUCT SIZE	STARTING PRICE	CODE
Gem Pendant Cluster 09	€8470	GMPECU09-E
Gem Pendant Cluster 09 Small	€8470	GMPECU09S-E

STEP 2:

METAL FINISH	ADD. PRICE	CODE
Brushed Brass	-	BR
Brushed Bronze	+€1170	BZ
Blackened Brass	+€1170	BK
Brushed Nickel	+€1170	NK
Polished Nickel	+€2360	PN



GEM PENDANT CLUSTER 09

STEP 3:

GLASS FINISH	ADD. PRICE	CODE
Corroded	-	CO
Mist	-	MI

STEP 4:

DROP HEIGHT	FINISH	LENGTH	ADD. PRICE	CODE
Standard	Matching Finish	Minimum	-	XXX
Custom Metal Tube	Matching Finish	Minimum-200 cm	+€320	XXX
		201-300 cm	+€480	XXX
		301-400 cm	+€630	XXX
Extra Drop Height Kit	Matching Finish	Adjustable on site min.: 76 cm, max.: 226 cm by combining five tubes of different length from 5cm to 80cm	+€440	KIT

STEP 5:

CANOPY (SMALLEST LAST)	FINISH	ADD. PRICE	CODE WITH DIMMABLE STANDARD			
			Recommended	Alternative dimming standard, if required by electrician		
			Phasecut	1-10 Volt	Switch / Push	DALI
1 Canopy: Ø17 x H5cm Driver position: Built-in Recommended	Brushed Brass	-	BR170BP	BR170BV	BR170BS	BR170BD
	Brushed Bronze	-	BZ170BP	BZ170BV	BZ170BS	BZ170BD
	Blackened Brass	-	BK170BP	BK170BV	BK170BS	BK170BD
	Brushed Nickel	-	NK170BP	NK170BV	NK170BS	NK170BD
	Polished Nickel	-	PN170BP	PN170BV	PN170BS	PN170BD

CANOPY (SMALLEST LAST)	FINISH	ADD. PRICE	CODE WITH DIMMABLE STANDARD			
			Recommended		Alternative dimming standard, if required by electrician	
			Phasecut	1-10 Volt	Switch / Push	DALI
1 Canopy: Ø12 x H4.5cm	Brushed Brass	-	BR120RP	BR120RV	BR120RS	BR120RD
Driver position: Remote	Brushed Bronze	-	BZ120RP	BZ120RV	BZ120RS	BZ120RD
Requires Electrician's Approval	Blackened Brass	-	BK120RP	BK120RV	BK120RS	BK120RD
	Brushed Nickel	-	NK120RP	NK120RV	NK120RS	NK120RD
	Polished Nickel	-	PN120RP	PN120RV	PN120RS	PN120RD
ACCESSORY		ADD. PRICE				
Optional Downlight		+€210				

Gem Pendant Vertical 07

CE IP20 UK CA

MODEL	STARTING PRICE	CODE
Gem Pendant Vertical 07	€6700	GMPEVR07-E

STEP 1:		
METAL FINISH	ADD. PRICE	CODE
Brushed Brass	-	BR
Brushed Bronze	+€940	BZ
Blackened Brass	+€940	BK
Brushed Nickel	+€940	NK
Polished Nickel	+€1880	PN



GEM PENDANT VERTICAL 07

STEP 2:		
GLASS FINISH	ADD. PRICE	CODE
Corroded	-	CO
Mist	-	MI

STEP 3:				
DROP HEIGHT	FINISH	LENGTH	ADD. PRICE	CODE
Standard	Matching Finish	127 cm	-	127
Custom Metal Tube	Matching Finish	130-200 cm	+€320	XXX
		201-300 cm	+€480	XXX
		301-400 cm	+€630	XXX
Extra Drop Height Kit	Matching Finish	Adjustable on site min.: 132 cm, max.: 282 cm by combining five tubes of different length from 5cm to 80cm	+€440	KIT

STEP 4:						
CANOPY (SMALLEST LAST)	FINISH	ADD. PRICE	CODE WITH DIMMABLE STANDARD			
			Recommended	Alternative dimming standard, if required by electrician		
			Phasecut	1-10 Volt	Switch / Push	DALI
1 Canopy: Ø12 x H4.5cm Driver position: Built-in Recommended	Brushed Brass	-	BR120BP	BR120BV	BR120BS	BR120BD
	Brushed Bronze	-	BZ120BP	BZ120BV	BZ120BS	BZ120BD
	Blackened Brass	-	BK120BP	BK120BV	BK120BS	BK120BD
	Brushed Nickel	-	NK120BP	NK120BV	NK120BS	NK120BD
	Polished Nickel	-	PN120BP	PN120BV	PN120BS	PN120BD
1 Canopy: Ø8.5 x H4cm Driver position: Remote Requires Electrician's Approval	Brushed Brass	-	BR85RP	BR85RV	BR85RS	BR85RD
	Brushed Bronze	-	BZ85RP	BZ85RV	BZ85RS	BZ85RD
	Blackened Brass	-	BK85RP	BK85RV	BK85RS	BK85RD
	Brushed Nickel	-	NK85RP	NK85RV	NK85RS	NK85RD
	Polished Nickel	-	PN85RP	PN85RV	PN85RS	PN85RD

ACCESSORY	ADD. PRICE
Optional Downlight	+€210

Gem Pendant Vertical 14

CE IP20 UK CA

MODEL	STARTING PRICE	CODE
Gem Pendant Vertical 14	€12220	GMPEVR14-E

STEP 1:		
METAL FINISH	ADD. PRICE	CODE
Brushed Brass	-	BR
Brushed Bronze	+€1770	BZ
Blackened Brass	+€1770	BK
Brushed Nickel	+€1770	NK
Polished Nickel	+€3520	PN



GEM PENDANT VERTICAL 14

STEP 2:		
GLASS FINISH	ADD. PRICE	CODE
Corroded	-	CO
Mist	-	MI

STEP 3:				
DROP HEIGHT	FINISH	LENGTH	ADD. PRICE	CODE
Standard	Matching Finish	192 cm	-	192
Custom Metal Tube	Matching Finish	195-200 cm	+€320	XXX
		201-300 cm	+€480	XXX
		301-400 cm	+€630	XXX
Extra Drop Height Kit	Matching Finish	Adjustable on site min.: 197 cm, max.: 347 cm by combining five tubes of different length from 5cm to 80cm	+€440	KIT

STEP 4:						
CANOPY (SMALLEST LAST)	FINISH	ADD. PRICE	CODE WITH DIMMABLE STANDARD			
			Recommended	Alternative dimming standard, if required by electrician		
			Phasecut	1-10 Volt	Switch / Push	DALI
1 Canopy: Ø17 x H5cm Driver position: Built-in Recommended	Brushed Brass	-	BR170BP	BR170BV	BR170BS	BR170BD
	Brushed Bronze	-	BZ170BP	BZ170BV	BZ170BS	BZ170BD
	Blackened Brass	-	BK170BP	BK170BV	BK170BS	BK170BD
	Brushed Nickel	-	NK170BP	NK170BV	NK170BS	NK170BD
	Polished Nickel	-	PN170BP	PN170BV	PN170BS	PN170BD
1 Canopy: Ø12 x H4.5cm Driver position: Remote Requires Electrician's Approval	Brushed Brass	-	BR120RP	BR120RV	BR120RS	BR120RD
	Brushed Bronze	-	BZ120RP	BZ120RV	BZ120RS	BZ120RD
	Blackened Brass	-	BK120RP	BK120RV	BK120RS	BK120RD
	Brushed Nickel	-	NK120RP	NK120RV	NK120RS	NK120RD
	Polished Nickel	-	PN120RP	PN120RV	PN120RS	PN120RD

ACCESSORY	ADD. PRICE
Optional Downlight	+€210

Gem Chandelier Branch 08

CE IP20 UK
CA

MODEL	STARTING PRICE	CODE
Gem Chandelier Branch 08	€7960	GMCHBH08-E

STEP 1:		
METAL FINISH	ADD. PRICE	CODE
Brushed Brass	-	BR
Brushed Bronze	+€1120	BZ
Blackened Brass	+€1120	BK
Brushed Nickel	+€1120	NK
Polished Nickel	+€1730	PN



GEM CHANDELIER BRANCH 08

STEP 2:		
GLASS FINISH	ADD. PRICE	CODE
Corroded	-	CO
Mist	-	MI

STEP 3:				
DROP HEIGHT	FINISH	LENGTH	ADD. PRICE	CODE
Standard	Matching Finish	73 cm	-	073
Custom Metal Tube	Matching Finish	76-200 cm	+€320	XXX
		201-300 cm	+€480	XXX
		301-400 cm	+€630	XXX
Extra Drop Height Kit	Matching Finish	Adjustable on site min.: 78 cm, max.: 228 cm by combining five tubes of different length from 5cm to 80cm	+€440	KIT

STEP 4:						
CANOPY (SMALLEST LAST)	FINISH	ADD. PRICE	CODE WITH DIMMABLE STANDARD			
			Recommended	Alternative dimming standard, if required by electrician		
			Phasecut	1-10 Volt	Switch / Push	DALI
1 Canopy: Ø12 x H4.5cm Driver position: Built-in Recommended	Brushed Brass	-	BR120BP	BR120BV	BR120BS	BR120BD
	Brushed Bronze	-	BZ120BP	BZ120BV	BZ120BS	BZ120BD
	Blackened Brass	-	BK120BP	BK120BV	BK120BS	BK120BD
	Brushed Nickel	-	NK120BP	NK120BV	NK120BS	NK120BD
	Polished Nickel	-	PN120BP	PN120BV	PN120BS	PN120BD
1 Canopy: Ø8.5 x H4cm Driver position: Remote Requires Electrician's Approval	Brushed Brass	-	BR85RP	BR85RV	BR85RS	BR85RD
	Brushed Bronze	-	BZ85RP	BZ85RV	BZ85RS	BZ85RD
	Blackened Brass	-	BK85RP	BK85RV	BK85RS	BK85RD
	Brushed Nickel	-	NK85RP	NK85RV	NK85RS	NK85RD
	Polished Nickel	-	PN85RP	PN85RV	PN85RS	PN85RD

Gem Chandelier Branch 10

CE IP20 UK
CA

MODEL	STARTING PRICE	CODE
Gem Chandelier Branch 10	€10170	GMCHBH10-E

STEP 1:		
METAL FINISH	ADD. PRICE	CODE
Brushed Brass	-	BR
Brushed Bronze	+€1330	BZ
Blackened Brass	+€1330	BK
Brushed Nickel	+€1330	NK
Polished Nickel	+€2670	PN



GEM CHANDELIER BRANCH 10

STEP 2:		
GLASS FINISH	ADD. PRICE	CODE
Corroded	-	CO
Mist	-	MI

STEP 3:				
DROP HEIGHT	FINISH	LENGTH	ADD. PRICE	CODE
Standard	Matching Finish	79 cm	-	079
Custom Metal Tube	Matching Finish	82-200 cm	+€320	XXX
		201-300 cm	+€480	XXX
		301-400 cm	+€630	XXX
Extra Drop Height Kit	Matching Finish	Adjustable on site min.: 84 cm, max.: 234 cm by combining five tubes of different length from 5cm to 80cm	+€440	KIT

STEP 4:						
CANOPY (SMALLEST LAST)	FINISH	ADD. PRICE	CODE WITH DIMMABLE STANDARD			
			Recommended	Alternative dimming standard, if required by electrician		
			Phasecut	1-10 Volt	Switch / Push	DALI
1 Canopy: Ø17 x H5cm Driver position: Built-in Recommended	Brushed Brass	-	BR170BP	BR170BV	BR170BS	BR170BD
	Brushed Bronze	-	BZ170BP	BZ170BV	BZ170BS	BZ170BD
	Blackened Brass	-	BK170BP	BK170BV	BK170BS	BK170BD
	Brushed Nickel	-	NK170BP	NK170BV	NK170BS	NK170BD
	Polished Nickel	-	PN170BP	PN170BV	PN170BS	PN170BD
1 Canopy: Ø12 x H4.5cm Driver position: Remote Requires Electrician's Approval	Brushed Brass	-	BR120RP	BR120RV	BR120RS	BR120RD
	Brushed Bronze	-	BZ120RP	BZ120RV	BZ120RS	BZ120RD
	Blackened Brass	-	BK120RP	BK120RV	BK120RS	BK120RD
	Brushed Nickel	-	NK120RP	NK120RV	NK120RS	NK120RD
	Polished Nickel	-	PN120RP	PN120RV	PN120RS	PN120RD

Gem Chandelier Branch 14

CE IP20 UK CA

MODEL	STARTING PRICE	CODE
Gem Chandelier Branch 14	€12470	GMCHBH14-E

STEP 1:		
METAL FINISH	ADD. PRICE	CODE
Brushed Brass	-	BR
Brushed Bronze	+€1850	BZ
Blackened Brass	+€1850	BK
Brushed Nickel	+€1850	NK
Polished Nickel	+€3700	PN



GEM CHANDELIER BRANCH 14

STEP 2:		
GLASS FINISH	ADD. PRICE	CODE
Corroded	-	CO
Mist	-	MI

STEP 3:				
DROP HEIGHT	FINISH	LENGTH	ADD. PRICE	CODE
Standard	Matching Finish	84 cm	-	084
Custom Metal Tube	Matching Finish	87-200 cm	+€320	XXX
		201-300 cm	+€480	XXX
		301-400 cm	+€630	XXX
Extra Drop Height Kit	Matching Finish	Adjustable on site min.: 89 cm, max.: 234 cm by combining five tubes of different length from 5cm to 80cm	+€440	KIT

STEP 4:						
CANOPY (SMALLEST LAST)	FINISH	ADD. PRICE	CODE WITH DIMMABLE STANDARD			
			Recommended	Alternative dimming standard, if required by electrician		
			Phasecut	1-10 Volt	Switch / Push	DALI
1 Canopy: Ø17 x H5cm Driver position: Built-in Recommended	Brushed Brass	-	BR170BP	BR170BV	BR170BS	BR170BD
	Brushed Bronze	-	BZ170BP	BZ170BV	BZ170BS	BZ170BD
	Blackened Brass	-	BK170BP	BK170BV	BK170BS	BK170BD
	Brushed Nickel	-	NK170BP	NK170BV	NK170BS	NK170BD
	Polished Nickel	-	PN170BP	PN170BV	PN170BS	PN170BD
1 Canopy: Ø12 x H4.5cm Driver position: Remote Requires Electrician's Approval	Brushed Brass	-	BR120RP	BR120RV	BR120RS	BR120RD
	Brushed Bronze	-	BZ120RP	BZ120RV	BZ120RS	BZ120RD
	Blackened Brass	-	BK120RP	BK120RV	BK120RS	BK120RD
	Brushed Nickel	-	NK120RP	NK120RV	NK120RS	NK120RD
	Polished Nickel	-	PN120RP	PN120RV	PN120RS	PN120RD

Gem Chandelier Ring 10

CE IP20 UK

STEP 1:

PRODUCT SIZE	STARTING PRICE	CODE
Gem Chandelier Ring 10	€10900	GMCHRN10-E
Gem Chandelier Ring 10 Small	€10900	GMCHRN10S-E

STEP 2:

METAL FINISH	ADD. PRICE	CODE
Brushed Brass	-	BR
Brushed Bronze	+€1330	BZ
Blackened Brass	+€1330	BK
Brushed Nickel	+€1330	NK
Polished Nickel	+€2590	PN



GEM CHANDELIER RING 10

STEP 3:

GLASS FINISH	ADD. PRICE	CODE
Corroded	-	CO
Mist	-	MI

STEP 4:

SUSPENSION TYPE	LENGTH	ADD. PRICE	CODE
Steel Wires and Flex Cable	4 metres	-	04
	10 metres	+€140	10

STEP 5:

CANOPY	FINISH	ADD. PRICE	CODE WITH DIMMABLE STANDARD			
			Recommended	Alternative dimming standard, if required by electrician		
			Phasecut	1-10 Volt	Switch / Push	DALI
1 Canopy: Ø17 x H5cm Driver position: Built-in Recommended	Brushed Brass	-	BR170BP	BR170BV	BR170BS	BR170BD
	Brushed Bronze	-	BZ170BP	BZ170BV	BZ170BS	BZ170BD
	Blackened Brass	-	BK170BP	BK170BV	BK170BS	BK170BD
	Brushed Nickel	-	NK170BP	NK170BV	NK170BS	NK170BD
	Polished Nickel	-	PN170BP	PN170BV	PN170BS	PN170BD
1 Canopy: Ø17 x H5cm Driver position: Remote Requires Electrician's Approval	Brushed Brass	-	BR170RP	BR170RV	BR170RS	BR170RD
	Brushed Bronze	-	BZ170RP	BZ170RV	BZ170RS	BZ170RD
	Blackened Brass	-	BK170RP	BK170RV	BK170RS	BK170RD
	Brushed Nickel	-	NK170RP	NK170RV	NK170RS	NK170RD
	Polished Nickel	-	PN170RP	PN170RV	PN170RS	PN170RD

Gem Chandelier Ring 14

CE IP20 UK

STEP 1:

PRODUCT SIZE	STARTING PRICE	CODE
Gem Chandelier Ring 14	€14690	GMCHRN14-E
Gem Chandelier Ring 14 Small	€14690	GMCHRN14S-E



GEM CHANDELIER RING 14

STEP 2:

METAL FINISH	ADD. PRICE	CODE
Brushed Brass	-	BR
Brushed Bronze	+€1870	BZ
Blackened Brass	+€1870	BK
Brushed Nickel	+€1870	NK
Polished Nickel	+€3650	PN

STEP 3:

GLASS FINISH	ADD. PRICE	CODE
Corroded	-	CO
Mist	-	MI

STEP 4:

SUSPENSION TYPE	LENGTH	ADD. PRICE	CODE
Steel Wires and Flex Cable	4 metres	-	04
	10 metres	+€140	10

STEP 5:

CANOPY	FINISH	ADD. PRICE	CODE WITH DIMMABLE STANDARD			
			Recommended	Alternative dimming standard, if required by electrician		
			Phasecut	1-10 Volt	Switch / Push	DALI
1 Canopy: Ø17 x H5cm Driver position: Built-in Recommended	Brushed Brass	-	BR170BP	BR170BV	BR170BS	BR170BD
	Brushed Bronze	-	BZ170BP	BZ170BV	BZ170BS	BZ170BD
	Blackened Brass	-	BK170BP	BK170BV	BK170BS	BK170BD
	Brushed Nickel	-	NK170BP	NK170BV	NK170BS	NK170BD
	Polished Nickel	-	PN170BP	PN170BV	PN170BS	PN170BD
1 Canopy: Ø17 x H5cm Driver position: Remote Requires Electrician's Approval	Brushed Brass	-	BR170RP	BR170RV	BR170RS	BR170RD
	Brushed Bronze	-	BZ170RP	BZ170RV	BZ170RS	BZ170RD
	Blackened Brass	-	BK170RP	BK170RV	BK170RS	BK170RD
	Brushed Nickel	-	NK170RP	NK170RV	NK170RS	NK170RD
	Polished Nickel	-	PN170RP	PN170RV	PN170RS	PN170RD

Gem Chandelier Ring 20

CE IP20 UK

STEP 1:

PRODUCT SIZE	STARTING PRICE	CODE
Gem Chandelier Ring 20	€21510	GMCHRN20-E
Gem Chandelier Ring 20 Small	€21510	GMCHRN20S-E

STEP 2:

METAL FINISH	ADD. PRICE	CODE
Brushed Brass	-	BR
Brushed Bronze	+€2230	BZ
Blackened Brass	+€2230	BK
Brushed Nickel	+€2230	NK
Polished Nickel	+€4470	PN



GEM CHANDELIER RING 20

STEP 3:

GLASS FINISH	ADD. PRICE	CODE
Corroded	-	CO
Mist	-	MI

STEP 4:

SUSPENSION TYPE	LENGTH	ADD. PRICE	CODE
Steel Wires and Flex Cable	4 metres	-	04
	10 metres	+€140	10

STEP 5:

CANOPY	FINISH	ADD. PRICE	CODE WITH DIMMABLE STANDARD			
			Recommended	Alternative dimming standard, if required by electrician		
			Phasecut	1-10 Volt	Switch / Push	DALI
1 Canopy: Ø30 x H5cm Driver position: Built-in Recommended	Brushed Brass	-	BR300BP	BR300BV	BR300BS	BR300BD
	Brushed Bronze	-	BZ300BP	BZ300BV	BZ300BS	BZ300BD
	Blackened Brass	-	BK300BP	BK300BV	BK300BS	BK300BD
	Brushed Nickel	-	NK300BP	NK300BV	NK300BS	NK300BD
	Polished Nickel	-	PN300BP	PN300BV	PN300BS	PN300BD
1 Canopy: Ø30 x H5cm Driver position: Remote Requires Electrician's Approval	Brushed Brass	-	BR300RP	BR300RV	BR300RS	BR300RD
	Brushed Bronze	-	BZ300RP	BZ300RV	BZ300RS	BZ300RD
	Blackened Brass	-	BK300RP	BK300RV	BK300RS	BK300RD
	Brushed Nickel	-	NK300RP	NK300RV	NK300RS	NK300RD
	Polished Nickel	-	PN300RP	PN300RV	PN300RS	PN300RD

Gioielli Ceiling/Wall

CE IP20 UK

STEP 1:

MODEL	STARTING PRICE	CODE
Gioielli Ceiling/Wall 01	€3610	GLCW01-E
Gioielli Ceiling/Wall 02	€5090	GLCW02-E
Gioielli Ceiling/Wall 03	€4450	GLCW03-E
Gioielli Ceiling/Wall 04	€6430	GLCW04-E
Gioielli Ceiling/Wall 05	€3050	GLCW05-E
Gioielli Ceiling/Wall 06	€5770	GLCW06-E
Gioielli Ceiling/Wall 07	€2490	GLCW07-E
Gioielli Ceiling/Wall 09	€3900	GLCW09-E
Gioielli Ceiling/Wall 10	€4330	GLCW10-E
Gioielli Ceiling/Wall 11	€2650	GLCW11-E



GIOIELLI CEILING/WALL 04

METAL FINISH	ADD. PRICE	CODE
Brushed Brass	-	BR

STEP 2 (NOTE: NOT VALID FOR 01, 05, 07):

MURANO GLASS	ADD. PRICE	CODE
Emerald	-	EM
Taupe	-	TP

STEP 3:

DRIVER	ADD. PRICE	CODE WITH DIMMABLE STANDARD			
		Recommended	Alternative dimming standard, if required by electrician		
		Phasecut	1-10 Volt	Switch / Push	DALI
Driver position: Built-in Recommended	-	BP	BV	BS	BD
Driver position: Remote Requires Electrician's Approval	-	RP	RV	RS	RD

Maehwa Chandelier Flow 26

CE IP20 UK

MODEL	STARTING PRICE	CODE
Maehwa Chandelier Flow 26	€12020	MECHFW26-E

STEP 1: METAL FINISH	ADD. PRICE	CODE
Brushed Brass	-	BR
Brushed Nickel	+€550	NK

STEP 2: GLASS COLOUR COMBINATION	ADD. PRICE	CODE
Transparent	-	TR
Opal White Mix (14 blushed +12translucent)	+€1640	OW
Pale Pink Mix (14 blushed +12translucent)	+€1640	PP
Smokey Grey Mix (14 blushed +12translucent)	+€1640	SG

STEP 3: SUSPENSION TYPE	ADD. PRICE	CODE
4 metres steel wires and flex cables	-	04
10 metres steel wires and flex cables	+€240	10

STEP 4: CANOPY (SMALLEST LAST)		FINISH	ADD. PRICE	CODE WITH DIMMABLE STANDARD			
				Recommended	Alternative dimming standard, if required by electrician		
				Phasecut	1-10 Volt	Switch / Push	DALI
1 Canopy: W35 x D8 x H5cm	White - RAL 9016	-	WH350BP	WH350BV	WH350BS	WH350BD	
Ceiling Type: All	Brushed Brass	+€340	BR350BP	BR350BV	BR350BS	BR350BD	
Driver position: Built-in	Brushed Nickel	+€340	NK350BP	NK350BV	NK350BS	NK350BD	
Recommended							
1 Canopy: W35 x D8 x H5cm	White - RAL 9016	-	WH350RP	WH350RV	WH350RS	WH350RD	
Ceiling Type: All	Brushed Brass	+€340	BR350RP	BR350RV	BR350RS	BR350RD	
Driver position: Remote	Brushed Nickel	+€340	NK350RP	NK350RV	NK350RS	NK350RD	
Requires Electrician's Approval							
2 Canopies: Ø8 x H0.5cm	White - RAL 9016	-	WH80RP	WH80RV	WH80RS	WH80RD	
Ceiling Type: False							
Driver position: Remote							
Requires Electrician's Approval							



MAEHWA CHANDELIER FLOW 26

Maehwa Chandelier Flow 34

CE IP20 UK

MODEL	STARTING PRICE	CODE
Maehwa Chandelier Flow 34	€15710	MECHFW34-E

STEP 1: METAL FINISH	ADD. PRICE	CODE
Brushed Brass	-	BR
Brushed Nickel	+€720	NK

STEP 2: GLASS COLOUR COMBINATION	ADD. PRICE	CODE
Transparent	-	TR
Opal White Mix (18 blushed +16 translucent)	+€2150	OW
Pale Pink Mix (18 blushed +16 translucent)	+€2150	PP
Smokey Grey Mix (18 blushed +16 translucent)	+€2150	SG

STEP 3: SUSPENSION TYPE	ADD. PRICE	CODE
4 metres steel wires and flex cables	-	04
10 metres steel wires and flex cables	+€290	10

STEP 4: CANOPY (SMALLEST LAST)		FINISH	ADD. PRICE	CODE WITH DIMMABLE STANDARD			
				Recommended	Alternative dimming standard, if required by electrician		
				Phasecut	1-10 Volt	Switch / Push	DALI
1 Canopy: W65 x D8 x H5cm	White - RAL 9016	-	WH650BP	WH650BV	WH650BS	WH650BD	
Ceiling Type: All	Brushed Brass	+€620	BR650BP	BR650BV	BR650BS	BR650BD	
Driver position: Built-in	Brushed Nickel	+€620	NK650BP	NK650BV	NK650BS	NK650BD	
Recommended							
1 Canopy: W65 x D8 x H5cm	White - RAL 9016	-	WH650RP	WH650RV	WH650RS	WH650RD	
Ceiling Type: All	Brushed Brass	+€620	BR650RP	BR650RV	BR650RS	BR650RD	
Driver position: Remote	Brushed Nickel	+€620	NK650RP	NK650RV	NK650RS	NK650RD	
Requires Electrician's Approval							
2 Canopies: Ø8 x H0.5cm	White - RAL 9016	-	WH80RP	WH80RV	WH80RS	WH80RD	
Ceiling Type: False							
Driver position: Remote							
Requires Electrician's Approval							



MAEHWA CHANDELIER FLOW 34

Maehwa Chandelier Branch 34

CE IP20 UK

MODEL	STARTING PRICE	CODE
Maehwa Chandelier Branch 34	€15710	MECHBH34-E

STEP 1: METAL FINISH	ADD. PRICE	CODE
Brushed Brass	-	BR
Brushed Nickel	+€720	NK

STEP 2: GLASS COLOUR COMBINATION	ADD. PRICE	CODE
Transparent	-	TR
Opal White Mix (18 blushed +16 translucent)	+€2150	OW
Pale Pink Mix (18 blushed +16 translucent)	+€2150	PP
Smokey Grey Mix (18 blushed +16 translucent)	+€2150	SG

STEP 3: SUSPENSION TYPE	ADD. PRICE	CODE
4 metres steel wires and flex cables	-	04
10 metres steel wires and flex cables	+€290	10

STEP 4: CANOPY (SMALLEST LAST)		FINISH	ADD. PRICE	CODE WITH DIMMABLE STANDARD			
				Recommended	Alternative dimming standard, if required by electrician		
				Phasecut	1-10 Volt	Switch / Push	DALI
1 Canopy: W35 x D8 x H5cm	White - RAL 9016	-	WH350BP	WH350BV	WH350BS	WH350BD	
Ceiling Type: All	Brushed Brass	+€340	BR350BP	BR350BV	BR350BS	BR350BD	
Driver position: Built-in	Brushed Nickel	+€340	NK350BP	NK350BV	NK350BS	NK350BD	
Recommended							
1 Canopy: W35 x D8 x H5cm	White - RAL 9016	-	WH350RP	WH350RV	WH350RS	WH350RD	
Ceiling Type: All	Brushed Brass	+€340	BR350RP	BR350RV	BR350RS	BR350RD	
Driver position: Remote	Brushed Nickel	+€340	NK350RP	NK350RV	NK350RS	NK350RD	
Requires Electrician's Approval							
2 Canopies: Ø8 x H0.5cm	White - RAL 9016	-	WH80RP	WH80RV	WH80RS	WH80RD	
Ceiling Type: False							
Driver position: Remote							
Requires Electrician's Approval							



MAEHWA CHANDELIER BRANCH 34

Maehwa Chandelier Branch 51

CE IP20 UK CA

MODEL	STARTING PRICE	CODE
Maehwa Chandelier Branch 51	€23570	MECHBH51 - E

STEP 1: METAL FINISH	ADD. PRICE	CODE
Brushed Brass	-	BR
Brushed Nickel	+€1080	NK

STEP 2: GLASS COLOUR COMBINATION	ADD. PRICE	CODE
Transparent	-	TR
Opal White Mix (27 blushed +24 translucent)	+€3220	OW
Pale Pink Mix (27 blushed +24 translucent)	+€3220	PP
Smokey Grey Mix (27 blushed +24 translucent)	+€3220	SG

STEP 3: SUSPENSION TYPE	ADD. PRICE	CODE
4 metres steel wires and flex cables	-	04
10 metres steel wires and flex cables	+€430	10

STEP 4: CANOPY (SMALLEST LAST)		FINISH	ADD. PRICE	CODE WITH DIMMABLE STANDARD			
				Recommended	Alternative dimming standard, if required by electrician		
				Phasecut	1-10 Volt	Switch / Push	DALI
1 Canopy: W95 x D8 x H5cm	White - RAL 9016	-	WH950BP	WH950BV	WH950BS	WH950BD	
Ceiling Type: All	Brushed Brass	+€900	BR950BP	BR950BV	BR950BS	BR950BD	
Driver position: Built-in	Brushed Nickel	+€900	NK950BP	NK950BV	NK950BS	NK950BD	
Recommended							
1 Canopy: W95 x D8 x H5cm	White - RAL 9016	-	WH950RP	WH950RV	WH950RS	WH950RD	
Ceiling Type: All	Brushed Brass	+€900	BR950RP	BR950RV	BR950RS	BR950RD	
Driver position: Remote	Brushed Nickel	+€900	NK950RP	NK950RV	NK950RS	NK950RD	
Requires Electrician's Approval							
3 Canopies: Ø8 x H0.5cm	White - RAL 9016	-	WH80RP	WH80RV	WH80RS	WH80RD	
Ceiling Type: False							
Driver position: Remote							
Requires Electrician's Approval							



MAEHWA CHANDELIER BRANCH 51

Maehwa Chandelier Branch 68

CE IP20 UK

MODEL	STARTING PRICE	CODE
Maehwa Chandelier Branch 68	€31420	MECHBH68-E

STEP 1: METAL FINISH	ADD. PRICE	CODE
Brushed Brass	-	BR
Brushed Nickel	+€1430	NK

STEP 2: GLASS COLOUR COMBINATION	ADD. PRICE	CODE
Transparent	-	TR
Opal White Mix (36 blushed +32 translucent)	+€4290	OW
Pale Pink Mix (36 blushed +32 translucent)	+€4290	PP
Smokey Grey Mix (36 blushed +32 translucent)	+€4290	SG

STEP 3: SUSPENSION TYPE	ADD. PRICE	CODE
4 metres steel wires and flex cables	-	04
10 metres steel wires and flex cables	+€570	10

STEP 4: CANOPY (SMALLEST LAST)		FINISH	ADD. PRICE	CODE WITH DIMMABLE STANDARD			
				Recommended	Alternative dimming standard, if required by electrician		
				Phasecut	1-10 Volt	Switch / Push	DALI
1 Canopy: W155 x D8 x H5cm	White - RAL 9016	-	WH1550BP	WH1550BV	WH1550BS	WH1550BD	
Ceiling Type: All	Brushed Brass	+€1460	BR1550BP	BR1550BV	BR1550BS	BR1550BD	
Driver position: Built-in	Brushed Nickel	+€1460	NK1550BP	NK1550BV	NK1550BS	NK1550BD	
Recommended							
1 Canopy: W155 x D8 x H5cm	White - RAL 9016	-	WH1550RP	WH1550RV	WH1550RS	WH1550RD	
Ceiling Type: All	Brushed Brass	+€1460	BR1550RP	BR1550RV	BR1550RS	BR1550RD	
Driver position: Remote	Brushed Nickel	+€1460	NK1550RP	NK1550RV	NK1550RS	NK1550RD	
Requires Electrician's Approval							
4 Canopies: Ø8 x H0.5cm	White - RAL 9016	-	WH80RP	WH80RV	WH80RS	WH80RD	
Ceiling Type: False							
Driver position: Remote							
Requires Electrician's Approval							



MAEHWA CHANDELIER BRANCH 68

Maehwa Chandelier Cascade 26

CE IP20 UK CA

MODEL	STARTING PRICE	CODE
Maehwa Chandelier Cascade 26	€12020	MECHCD26-E

STEP 1: METAL FINISH	ADD. PRICE	CODE
Brushed Brass	-	BR
Brushed Nickel	+€550	NK

STEP 2: GLASS COLOUR COMBINATION	ADD. PRICE	CODE
Transparent	-	TR
Opal White Mix (14 blushed +12 translucent)	+€1640	OW
Pale Pink Mix (14 blushed +12 translucent)	+€1640	PP
Smokey Grey Mix (14 blushed +12 translucent)	+€1640	SG

STEP 3: SUSPENSION TYPE	ADD. PRICE	CODE
4 metres steel wires and flex cables	-	04
10 metres steel wires and flex cables	+€100	10

STEP 4: CANOPY	FINISH	ADD. PRICE	CODE WITH DIMMABLE STANDARD			
			Recommended Phasecut	Alternative dimming standard, if required by electrician 1-10 Volt	Switch / Push	DALI
1 Canopy: Ø20 x H5cm	White - RAL 9016	-	WH200BP	WH200BV	WH200BS	WH200BD
Driver position: Built-in	Brushed Brass	+€280	BR200BP	BR200BV	BR200BS	BR200BD
Recommended	Brushed Nickel	+€280	NK200BP	NK200BV	NK200BS	NK200BD
1 Canopy: Ø20 x H5cm	White - RAL 9016	-	WH200RP	WH200RV	WH200RS	WH200RD
Driver position: Remote	Brushed Brass	+€280	BR200RP	BR200RV	BR200RS	BR200RD
Requires Electrician's Approval	Brushed Nickel	+€280	NK200RP	NK200RV	NK200RS	NK200RD



MAEHWA CHANDELIER CASCADE 26

Maehwa Chandelier Cascade 30

CE IP20 UK CA

MODEL	STARTING PRICE	CODE
Maehwa Chandelier Cascade 30	€13860	MECHCD30-E

STEP 1: METAL FINISH	ADD. PRICE	CODE
Brushed Brass	-	BR
Brushed Nickel	+€630	NK

STEP 2: GLASS COLOUR COMBINATION	ADD. PRICE	CODE
Transparent	-	TR
Opal White Mix (16 blushed +14 translucent)	+€1890	OW
Pale Pink Mix (16 blushed +14 translucent)	+€1890	PP
Smokey Grey Mix (16 blushed +14 translucent)	+€1890	SG

STEP 3: SUSPENSION TYPE	ADD. PRICE	CODE
4 metres steel wires and flex cables	-	04
10 metres steel wires and flex cables	+€100	10

STEP 4: CANOPY	FINISH	ADD. PRICE	CODE WITH DIMMABLE STANDARD			
			Recommended	Alternative dimming standard, if required by electrician		
			Phasecut	1-10 Volt	Switch / Push	DALI
1 Canopy: Ø20 x H5cm	White - RAL 9016	-	WH200BP	WH200BV	WH200BS	WH200BD
Driver position: Built-in	Brushed Brass	+€280	BR200BP	BR200BV	BR200BS	BR200BD
Recommended	Brushed Nickel	+€280	NK200BP	NK200BV	NK200BS	NK200BD
1 Canopy: Ø20 x H5cm	White - RAL 9016	-	WH200RP	WH200RV	WH200RS	WH200RD
Driver position: Remote	Brushed Brass	+€280	BR200RP	BR200RV	BR200RS	BR200RD
Requires Electrician's Approval	Brushed Nickel	+€280	NK200RP	NK200RV	NK200RS	NK200RD



MAEHWA CHANDELIER CASCADE 30

Maehwa Chandelier Cascade 39

CE IP20 UK CA

MODEL	STARTING PRICE	CODE
Maehwa Chandelier Cascade 39	€18020	MECHCD39-E

STEP 1: METAL FINISH	ADD. PRICE	CODE
Brushed Brass	-	BR
Brushed Nickel	+€820	NK

STEP 2: GLASS COLOUR COMBINATION	ADD. PRICE	CODE
Transparent	-	TR
Opal White Mix (21 blushed +18 translucent)	+€2460	OW
Pale Pink Mix (21 blushed +18 translucent)	+€2460	PP
Smokey Grey Mix (21 blushed +18 translucent)	+€2460	SG

STEP 3: SUSPENSION TYPE	ADD. PRICE	CODE
4 metres steel wires and flex cable	-	04
10 metres steel wires and flex cables	+€150	10

STEP 4: CANOPY	FINISH	ADD. PRICE	CODE WITH DIMMABLE STANDARD			
			Recommended Phasecut	Alternative dimming standard, if required by electrician 1-10 Volt	Switch / Push	DALI
1 Canopy: Ø30 x H5cm	White - RAL 9016	-	WH300BP	WH300BV	WH300BS	WH300BD
Driver position: Built-in	Brushed Brass	+€630	BR300BP	BR300BV	BR300BS	BR300BD
Recommended	Brushed Nickel	+€630	NK300BP	NK300BV	NK300BS	NK300BD
1 Canopy: Ø30 x H5cm	White - RAL 9016	-	WH300RP	WH300RV	WH300RS	WH300RD
Driver position: Remote	Brushed Brass	+€630	BR300RP	BR300RV	BR300RS	BR300RD
Requires Electrician's Approval	Brushed Nickel	+€630	NK300RP	NK300RV	NK300RS	NK300RD



MAEHWA CHANDELIER CASCADE 39

Maehwa Chandelier Ring 23

CE IP20 UK

MODEL	STARTING PRICE	CODE
Maehwa Chandelier Ring 23	€9730	MECHRN23-E

STEP 1: METAL FINISH	ADD. PRICE	CODE
Brushed Brass	-	BR
Brushed Nickel	+€1160	NK

STEP 2: GLASS COLOUR COMBINATION	ADD. PRICE	CODE
Transparent	-	TR
Opal White Mix (12 blushed +11 translucent)	+€1700	OW
Pale Pink Mix (12 blushed +11 translucent)	+€1700	PP
Smokey Grey Mix (12 blushed +11 translucent)	+€1700	SG

STEP 3: SUSPENSION TYPE	ADD. PRICE	CODE
4 metres steel wires and flex cables	-	04
10 metres steel wires and flex cables	+€150	10

STEP 4: CANOPY	FINISH	ADD. PRICE	CODE WITH DIMMABLE STANDARD			
			Recommended	Alternative dimming standard, if required by electrician		
			Phasecut	1-10 Volt	Switch / Push	DALI
1 Canopy: Ø20 x H5cm	White - RAL 9016	-	WH200BP	WH200BV	WH200BS	WH200BD
Driver position: Built-in	Brushed Brass	+€280	BR200BP	BR200BV	BR200BS	BR200BD
Recommended	Brushed Nickel	+€280	NK200BP	NK200BV	NK200BS	NK200BD
1 Canopy: Ø20 x H5cm	White - RAL 9016	-	WH200RP	WH200RV	WH200RS	WH200RD
Driver position: Remote	Brushed Brass	+€280	BR200RP	BR200RV	BR200RS	BR200RD
Requires Electrician's Approval	Brushed Nickel	+€280	NK200RP	NK200RV	NK200RS	NK200RD



MAEHWA CHANDELIER RING 23

Maehwa Chandelier Sphere 37

CE IP20 UK

MODEL	STARTING PRICE	CODE
Maehwa Chandelier Sphere 37	€17070	MECHSP37-E

STEP 1: METAL FINISH	ADD. PRICE	CODE
Brushed Brass	-	BR
Brushed Nickel	+€440	NK

STEP 2: GLASS COLOUR COMBINATION	ADD. PRICE	CODE
Transparent	-	TR
Opal White Mix (19 blushed +18 translucent)	+€2150	OW
Pale Pink Mix (19 blushed +18 translucent)	+€2150	PP
Smokey Grey Mix (19 blushed +18 translucent)	+€2150	SG

STEP 3: SUSPENSION TYPE	ADD. PRICE	CODE
4 metres steel wires and flex cables	-	04
10 metres steel wires and flex cables	+€290	10

STEP 4: CANOPY	FINISH	ADD. PRICE	CODE WITH DIMMABLE STANDARD			
			Recommended	Alternative dimming standard, if required by electrician		
			Phasecut	1-10 Volt	Switch / Push	DALI
1 Canopy: Ø30 x H5cm	White - RAL 9016	-	WH300BP	WH300BV	WH300BS	WH300BD
Driver position: Built-in	Brushed Brass	+€630	BR300BP	BR300BV	BR300BS	BR300BD
Recommended	Brushed Nickel	+€630	NK300BP	NK300BV	NK300BS	NK300BD
1 Canopy: Ø30 x H5cm	White - RAL 9016	-	WH300RP	WH300RV	WH300RS	WH300RD
Driver position: Remote	Brushed Brass	+€630	BR300RP	BR300RV	BR300RS	BR300RD
Requires Electrician's Approval	Brushed Nickel	+€630	NK300RP	NK300RV	NK300RS	NK300RD



MAEHWA CHANDELIER SPHERE 37


Maehwa Ceiling/Wall 03

CE IP20 UK

MODEL	STARTING PRICE	CODE
Maehwa Ceiling/Wall 03	€3070	MECW03-E

STEP 1: METAL FINISH	ADD. PRICE	CODE
Brushed Brass	-	BR
Brushed Nickel	+€50	NK

STEP 2: GLASS COLOUR COMBINATION	ADD. PRICE	CODE
Transparent	-	TR
Opal White Mix (2 blushed +1 translucent)	+€320	OW
Pale Pink Mix (2 blushed +1 translucent)	+€320	PP
Smokey Grey Mix (2 blushed +1 translucent)	+€320	SG



MAEHWA CEILING/WALL 03

STEP 3: CANOPY	FINISH	ADD. PRICE	CODE WITH DIMMABLE STANDARD			
			Recommended	Alternative dimming standard, if required by electrician		
			Phasecut	1-10 Volt	Switch / Push	DALI
1 Canopy: Ø13.5 x H4.5cm	Brushed Brass	-	BR135BP	BR135BV	BR135BS	BR135BD
Driver position: Built-in	Brushed Nickel	-	NK135BP	NK135BV	NK135BS	NK135BD
Recommended						
1 Canopy: Ø13.5 x H4.5cm	Brushed Brass	-	BR135RP	BR135RV	BR135RS	BR135RD
Driver position: Remote	Brushed Nickel	-	NK135RP	NK135RV	NK135RS	NK135RD
Requires Electrician's Approval						

Maehwa Ceiling/Wall 06

CE IP20 UK

MODEL	STARTING PRICE	CODE
Maehwa Ceiling/Wall 06	€4090	MECW06-E

STEP 1: METAL FINISH	ADD. PRICE	CODE
Brushed Brass	-	BR
Brushed Nickel	+€60	NK

STEP 2: GLASS COLOUR COMBINATION	ADD. PRICE	CODE
Transparent	-	TR
Opal White Mix (3 blushed +3 translucent)	+€420	OW
Pale Pink Mix (3 blushed +3 translucent)	+€420	PP
Smokey Grey Mix (3 blushed +3 translucent)	+€420	SG



MAEHWA CEILING/WALL 06

STEP 3: CANOPY	FINISH	ADD. PRICE	CODE WITH DIMMABLE STANDARD			
			Recommended	Alternative dimming standard, if required by electrician		
			Phasecut	1-10 Volt	Switch / Push	DALI
1 Canopy: Ø13.5 x H4.5cm	Brushed Brass	-	BR135BP	BR135BV	BR135BS	BR135BD
Driver position: Built-in	Brushed Nickel	-	NK135BP	NK135BV	NK135BS	NK135BD
Recommended						
1 Canopy: Ø13.5 x H4.5cm	Brushed Brass	-	BR135RP	BR135RV	BR135RS	BR135RD
Driver position: Remote	Brushed Nickel	-	NK135RP	NK135RV	NK135RS	NK135RD
Requires Electrician's Approval						

Maehwa Ceiling/Wall 08

CE IP20 UK

MODEL	STARTING PRICE	CODE
Maehwa Ceiling/Wall 08	€4920	MECW08-E

STEP 1: METAL FINISH	ADD. PRICE	CODE
Brushed Brass	-	BR
Brushed Nickel	+€90	NK

STEP 2: GLASS COLOUR COMBINATION	ADD. PRICE	CODE
Transparent	-	TR
Opal White Mix (5 blushed +3 translucent)	+€540	OW
Pale Pink Mix (5 blushed +3 translucent)	+€540	PP
Smokey Grey Mix (5 blushed +3 translucent)	+€540	SG



MAEHWA CEILING/WALL 08

STEP 3: CANOPY	FINISH	ADD. PRICE	CODE WITH DIMMABLE STANDARD			
			Recommended	Alternative dimming standard, if required by electrician		
			Phasecut	1-10 Volt	Switch / Push	DALI
1 Canopy: Ø13.5 x H4.5cm	Brushed Brass	-	BR135BP	BR135BV	BR135BS	BR135BD
Driver position: Built-in	Brushed Nickel	-	NK135BP	NK135BV	NK135BS	NK135BD
Recommended						
1 Canopy: Ø13.5 x H4.5cm	Brushed Brass	-	BR135RP	BR135RV	BR135RS	BR135RD
Driver position: Remote	Brushed Nickel	-	NK135RP	NK135RV	NK135RS	NK135RD
Requires Electrician's Approval						

Maehwa Ceiling/Wall 11

CE IP20 UK

MODEL	STARTING PRICE	CODE
Maehwa Ceiling/Wall 11	€5840	MECW11-E

STEP 1: METAL FINISH	ADD. PRICE	CODE
Brushed Brass	-	BR
Brushed Nickel	+€290	NK

STEP 2: GLASS COLOUR COMBINATION	ADD. PRICE	CODE
Transparent	-	TR
Opal White Mix (6 blushed +5 translucent)	+€700	OW
Pale Pink Mix (6 blushed +5 translucent)	+€700	PP
Smokey Grey Mix (6 blushed +5 translucent)	+€700	SG



MAEHWA CEILING/WALL 11

STEP 3: CANOPY	FINISH	ADD. PRICE	CODE WITH DIMMABLE STANDARD			
			Recommended	Alternative dimming standard, if required by electrician		
			Phasecut	1-10 Volt	Switch / Push	DALI
1 Canopy: Ø13.5 x H4.5cm	Brushed Brass	-	BR135BP	BR135BV	BR135BS	BR135BD
Driver position: Built-in	Brushed Nickel	-	NK135BP	NK135BV	NK135BS	NK135BD
Recommended						
1 Canopy: Ø13.5 x H4.5cm	Brushed Brass	-	BR135RP	BR135RV	BR135RS	BR135RD
Driver position: Remote	Brushed Nickel	-	NK135RP	NK135RV	NK135RS	NK135RD
Requires Electrician's Approval						

Maehwa Ceiling/Wall 19

CE IP20 UK

MODEL	STARTING PRICE	CODE
Maehwa Ceiling/Wall 19	€10790	MECW19-E

STEP 1: METAL FINISH	ADD. PRICE	CODE
Brushed Brass	-	BR
Brushed Nickel	+€260	NK

STEP 2: GLASS COLOUR COMBINATION	ADD. PRICE	CODE
Transparent	-	TR
Opal White Mix (10 blushed +9 translucent)	+€1240	OW
Pale Pink Mix (10 blushed +9 translucent)	+€1240	PP
Smokey Grey Mix (10 blushed +9 translucent)	+€1240	SG



MAEHWA CEILING/WALL 19

STEP 3: CANOPY	FINISH	ADD. PRICE	CODE WITH DIMMABLE STANDARD			
			Recommended	Alternative dimming standard, if required by electrician		
			Phasecut	1-10 Volt	Switch / Push	DALI
1 Canopy: Ø21.5 x H5cm	Brushed Brass	-	BR215BP	BR215BV	BR215BS	BR215BD
Driver position: Built-in	Brushed Nickel	-	NK215BP	NK215BV	NK215BS	NK215BD
Recommended						
1 Canopy: Ø21.5 x H5cm	Brushed Brass	-	BR215RP	BR215RV	BR215RS	BR215RD
Driver position: Remote	Brushed Nickel	-	NK215RP	NK215RV	NK215RS	NK215RD
Requires Electrician's Approval						


Maehwa Ceiling/Wall 67

CE IP20 UK

MODEL	STARTING PRICE	CODE
Maehwa Ceiling/Wall 67	€43600	MECW67-E

STEP 1: METAL FINISH	ADD. PRICE	CODE
Brushed Brass	-	BR
Brushed Nickel	+€420	NK

STEP 2: GLASS COLOUR COMBINATION	ADD. PRICE	CODE
Transparent	-	TR
Opal White Mix (34 blushed +33 translucent)	+€4700	OW
Pale Pink Mix (34 blushed +33 translucent)	+€4700	PP
Smokey Grey Mix (34 blushed +33 translucent)	+€4700	SG



MAEHWA CEILING/WALL 67

STEP 3: CANOPY (SMALLEST LAST)		FINISH	ADD. PRICE	CODE WITH DIMMABLE STANDARD		
			Recommended	Alternative dimming standard, if required by electrician		
			Phasecut	1-10 Volt	Switch / Push	DALI
1 Canopy Ø21.5 x H5cm + 7 Canopy Ø13.5 x H4.5cm Driver position: Built-in Recommended	Brushed Brass	-	BR215BP	BR215BV	BR215BS	BR215BD
	Brushed Nickel	-	NK215BP	NK215BV	NK215BS	NK215BD
1 Canopy Ø21.5 x H5cm + 7 Canopy Ø13.5 x H4.5cm Driver position: Remote Requires Electrician's Approval	Brushed Brass	-	BR215RP	BR215RV	BR215RS	BR215RD
	Brushed Nickel	-	NK215RP	NK215RV	NK215RS	NK215RD

Maehwa Pendant Horizontal 09

CE IP20 UK CA

MODEL	STARTING PRICE	CODE
Maehwa Pendant Horizontal 09	€4080	MEPEHR09-E

STEP 1: METAL FINISH	ADD. PRICE	CODE
Brushed Brass	-	BR
Brushed Nickel	+€180	NK

STEP 2: GLASS COLOUR COMBINATION	ADD. PRICE	CODE
Transparent	-	TR
Opal White Mix (5 blushed +4 translucent)	+€560	OW
Pale Pink Mix (5 blushed +4 translucent)	+€560	PP
Smokey Grey Mix (5 blushed +4 translucent)	+€560	SG

STEP 3: SUSPENSION TYPE	ADD. PRICE	CODE
4 metres steel wires and flex cables	-	04B
10 metres steel wires and flex cables	+€150	10B

STEP 4: CANOPY (SMALLEST LAST)		FINISH	ADD. PRICE	CODE WITH DIMMABLE STANDARD			
				Recommended	Alternative dimming standard, if required by electrician		
				Phasecut	1-10 Volt	Switch / Push	DALI
1 Canopy: Ø12 x H4.5cm	White - RAL 9016	-		WH120BP	WH120BV	WH120BS	WH120BD
Ceiling Type: All	Brushed Brass	+€110		BR120BP	BR120BV	BR120BS	BR120BD
Driver position: Built-in	Brushed Nickel	+€110		NK120BP	NK120BV	NK120BS	NK120BD
Recommended							
1 Canopy: Ø12 x H4.5cm	White - RAL 9016	-		WH120RP	WH120RV	WH120RS	WH120RD
Ceiling Type: All	Brushed Brass	+€110		BR120RP	BR120RV	BR120RS	BR120RD
Driver position: Remote	Brushed Nickel	+€110		NK120RP	NK120RV	NK120RS	NK120RD
Requires Electrician's Approval							
1 Canopy: Ø8 x H0.5cm	White - RAL 9016	-		WH80RP	WH80RV	WH80RS	WH80RD
Ceiling Type: False							
Driver position: Remote							
Requires Electrician's Approval							

Maehwa Pendant Horizontal 17

CE IP20 UK CA

STEP 1:

MODEL	STARTING PRICE	CODE
Maehwa Pendant Horizontal 17Y	€7710	MEPEHR17Y-E
Maehwa Pendant Horizontal 17C	€7710	MEPEHR17C-E
Maehwa Pendant Horizontal 17E	€7710	MEPEHR17E-E

STEP 2:

METAL FINISH	ADD. PRICE	CODE
Brushed Brass	-	BR
Brushed Nickel	+€340	NK

STEP 3:

GLASS COLOUR COMBINATION	ADD. PRICE	CODE
Transparent	-	TR
Opal White Mix (9 blushed +8 translucent)	+€1050	OW
Pale Pink Mix (9 blushed +8 translucent)	+€1050	PP
Smokey Grey Mix (9 blushed +8 translucent)	+€1050	SG

STEP 4:

SUSPENSION TYPE	ADD. PRICE	CODE
4 metres steel wires and flex cables	-	04B
10 metres steel wires and flex cables	+€150	10B

STEP 5:

CANOPY (SMALLEST LAST)	FINISH	ADD. PRICE	CODE WITH DIMMABLE STANDARD			
			Recommended	Alternative dimming standard, if required by electrician		
			Phasecut	1-10 Volt	Switch / Push	DALI
1 Canopy: Ø12 x H4.5cm	White - RAL 9016	-	WH120BP	WH120BV	WH120BS	WH120BD
Ceiling Type: All	Brushed Brass	+€110	BR120BP	BR120BV	BR120BS	BR120BD
Driver position: Built-in	Brushed Nickel	+€110	NK120BP	NK120BV	NK120BS	NK120BD
Recommended						
1 Canopy: Ø12 x H4.5cm	White - RAL 9016	-	WH120RP	WH120RV	WH120RS	WH120RD
Ceiling Type: All	Brushed Brass	+€110	BR120RP	BR120RV	BR120RS	BR120RD
Driver position: Remote	Brushed Nickel	+€110	NK120RP	NK120RV	NK120RS	NK120RD
Requires Electrician's Approval						
1 Canopy: Ø8 x H0.5cm	White - RAL 9016	-	WH80RP	WH80RV	WH80RS	WH80RD
Ceiling Type: False						
Driver position: Remote						
Requires Electrician's Approval						

Maehwa Pendant Vertical 09

CE IP20 UK CA

STEP 1:

MODEL	STARTING PRICE	CODE
Maehwa Pendant Vertical 09I	€4080	MEPEVR09I - E
Maehwa Pendant Vertical 09C	€4080	MEPEVR09C - E

STEP 2:

METAL FINISH	ADD. PRICE	CODE
Brushed Brass	-	BR
Brushed Nickel	+€180	NK

STEP 3:

GLASS COLOUR COMBINATION	ADD. PRICE	CODE
Transparent	-	TR
Opal White Mix (5 blushed +4 translucent)	+€560	OW
Pale Pink Mix (5 blushed +4 translucent)	+€560	PP
Smokey Grey Mix (5 blushed +4 translucent)	+€560	SG

STEP 4:

SUSPENSION TYPE	ADD. PRICE	CODE
4 metres steel wires and flex cables	-	04B
10 metres steel wires and flex cables	+€50	10B

STEP 5:

CANOPY	FINISH	ADD. PRICE	CODE WITH DIMMABLE STANDARD			
			Recommended	Alternative dimming standard, if required by electrician		
			Phasecut	1-10 Volt	Switch / Push	DALI
1 Canopy: Ø17 x H5cm	White - RAL 9016	-	WH170BP	WH170BV	WH170BS	WH170BD
Driver position: Built-in	Brushed Brass	+€140	BR170BP	BR170BV	BR170BS	BR170BD
Recommended	Brushed Nickel	+€140	NK170BP	NK170BV	NK170BS	NK170BD
1 Canopy: Ø17 x H5cm	White - RAL 9016	-	WH170RP	WH170RV	WH170RS	WH170RD
Driver position: Remote	Brushed Brass	+€140	BR170RP	BR170RV	BR170RS	BR170RD
Requires Electrician's Approval	Brushed Nickel	+€140	NK170RP	NK170RV	NK170RS	NK170RD

Maehwa Pendant Vertical 13

CE IP20 UK CA

MODEL	STARTING PRICE	CODE
Maehwa Pendant Vertical 13	€5900	MEPEVR13-E

STEP 1: METAL FINISH	ADD. PRICE	CODE
Brushed Brass	-	BR
Brushed Nickel	+€260	NK

STEP 2: GLASS COLOUR COMBINATION	ADD. PRICE	CODE
Transparent	-	TR
Opal White Mix (7 blushed +6 translucent)	+€800	OW
Pale Pink Mix (7 blushed +6 translucent)	+€800	PP
Smokey Grey Mix (7 blushed +6 translucent)	+€800	SG

STEP 3: SUSPENSION TYPE	ADD. PRICE	CODE
4 metres steel wires and flex cables	-	04B
10 metres steel wires and flex cables	+€50	10B

STEP 4: CANOPY	FINISH	ADD. PRICE	CODE WITH DIMMABLE STANDARD			
			Recommended	Alternative dimming standard, if required by electrician		
			Phasecut	1-10 Volt	Switch / Push	DALI
1 Canopy: Ø17 x H5cm	White - RAL 9016	-	WH170BP	WH170BV	WH170BS	WH170BD
Driver position: Built-in	Brushed Brass	+€140	BR170BP	BR170BV	BR170BS	BR170BD
Recommended	Brushed Nickel	+€140	NK170BP	NK170BV	NK170BS	NK170BD
1 Canopy: Ø17 x H5cm	White - RAL 9016	-	WH170RP	WH170RV	WH170RS	WH170RD
Driver position: Remote	Brushed Brass	+€140	BR170RP	BR170RV	BR170RS	BR170RD
Requires Electrician's Approval	Brushed Nickel	+€140	NK170RP	NK170RV	NK170RS	NK170RD

Maehwa Pendant Vertical 17

CE IP20 UK CA

MODEL	STARTING PRICE	CODE
Maehwa Pendant Vertical 17	€7710	MEPEVR17-E

STEP 1: METAL FINISH	ADD. PRICE	CODE
Brushed Brass	-	BR
Brushed Nickel	+€340	NK

STEP 2: GLASS COLOUR COMBINATION	ADD. PRICE	CODE
Transparent	-	TR
Opal White Mix (9 blushed +8 translucent)	+€1050	OW
Pale Pink Mix (9 blushed +8 translucent)	+€1050	PP
Smokey Grey Mix (9 blushed +8 translucent)	+€1050	SG

STEP 3: SUSPENSION TYPE	ADD. PRICE	CODE
4 metres steel wires and flex cables	-	04B
10 metres steel wires and flex cables	+€50	10B

STEP 4: CANOPY	FINISH	ADD. PRICE	CODE WITH DIMMABLE STANDARD			
			Recommended	Alternative dimming standard, if required by electrician		
			Phasecut	1-10 Volt	Switch / Push	DALI
1 Canopy: Ø17 x H5cm	White - RAL 9016	-	WH170BP	WH170BV	WH170BS	WH170BD
Driver position: Built-in	Brushed Brass	+€140	BR170BP	BR170BV	BR170BS	BR170BD
Recommended	Brushed Nickel	+€140	NK170BP	NK170BV	NK170BS	NK170BD
1 Canopy: Ø17 x H5cm	White - RAL 9016	-	WH170RP	WH170RV	WH170RS	WH170RD
Driver position: Remote	Brushed Brass	+€140	BR170RP	BR170RV	BR170RS	BR170RD
Requires Electrician's Approval	Brushed Nickel	+€140	NK170RP	NK170RV	NK170RS	NK170RD

Milky Way Pendant Infinity Line 120

CE IP20 UK

MODEL	STARTING PRICE	CODE
Milky Way Pendant Infinity Line 120	€5800	MWPEIL120-E

STEP 1: METAL FINISH	ADD. PRICE	CODE
Polished Gold	-	PG
Polished Nickel	-	PN
Brushed Brass	+€980	BR
Blackened Brass	+€980	BK



MILKY WAY PENDANT INFINITY
LINE 120

STEP 2: SUSPENSION TYPE	FINISH	LENGTH	ADD. PRICE	CODE
Fabric Flex Cable	Black	4 metres	-	04B
		10 metres	+€100	10B
	White	4 metres	-	04W
		10 metres	+€100	10W

STEP 3: CANOPY (SMALLEST LAST)	FINISH	ADD. PRICE	CODE WITH DIMMABLE STANDARD			
			Recommended Alternative dimming standard, if required by electrician			
			Phasecut	1-10 Volt	Switch / Push	DALI
1 Canopy: W85 x D5 x H6.5cm Driver position: Built-in Recommended	Polished Gold	-	PG850BP	PG850BV	PG850BS	PG850BD
	Polished Nickel	-	PN850BP	PN850BV	PN850BS	PN850BD
	Brushed Brass	-	BR850BP	BR850BV	BR850BS	BR850BD
	Blackened Brass	-	BK850BP	BK850BV	BK850BS	BK850BD
1 Canopy: W85 x D5 x H6.5cm Driver position: Remote Requires Electrician's Approval	Polished Gold	-	PG850RP	PG850RV	PG850RS	PG850RD
	Polished Nickel	-	PN850RP	PN850RV	PN850RS	PN850RD
	Brushed Brass	-	BR850RP	BR850RV	BR850RS	BR850RD
	Blackened Brass	-	BK850RP	BK850RV	BK850RS	BK850RD
2 Canopies: Ø20 x H5cm Driver position: Built-in Requires Electrician's Approval	Polished Gold	-	PG200BP	PG200BV	PG200BS	PG200BD
	Polished Nickel	-	PN200BP	PN200BV	PN200BS	PN200BD
	Brushed Brass	-	BR200BP	BR200BV	BR200BS	BR200BD
	Blackened Brass	-	BK200BP	BK200BV	BK200BS	BK200BD
2 Canopies: Ø8.5 x H4cm Driver position: Remote Requires Electrician's Approval	Polished Gold	-	PG85RP	PG85RV	PG85RS	PG85RD
	Polished Nickel	-	PN85RP	PN85RV	PN85RS	PN85RD
	Brushed Brass	-	BR85RP	BR85RV	BR85RS	BR85RD
	Blackened Brass	-	BK85RP	BK85RV	BK85RS	BK85RD

Milky Way Pendant Infinity Line 180

CE IP20 UK

MODEL	STARTING PRICE	CODE
Milky Way Pendant Infinity Line 180	€7970	MWPEIL180-E

STEP 1: METAL FINISH	ADD. PRICE	CODE
Polished Gold	-	PG
Polished Nickel	-	PN
Brushed Brass	+€1390	BR
Blackened Brass	+€1390	BK



MILKY WAY PENDANT INFINITY
LINE 180

STEP 2: SUSPENSION TYPE	FINISH	LENGTH	ADD. PRICE	CODE
Fabric Flex Cable	Black	4 metres	-	04B
		10 metres	+€100	10B
	White	4 metres	-	04W
		10 metres	+€100	10W

STEP 3:		FINISH	ADD. PRICE	CODE WITH DIMMABLE STANDARD		
CANOPY (SMALLEST LAST)						
			Recommended	Alternative dimming standard, if required by electrician		
			Phasecut	1-10 Volt	Switch / Push	DALI
1 Canopy: W85 x D5 x H6.5cm	Polished Gold	-	PG850BP	PG850BV	PG850BS	PG850BD
Driver position: Built-in	Polished Nickel	-	PN850BP	PN850BV	PN850BS	PN850BD
Recommended	Brushed Brass	-	BR850BP	BR850BV	BR850BS	BR850BD
	Blackened Brass	-	BK850BP	BK850BV	BK850BS	BK850BD
1 Canopy: W85 x D5 x H6.5cm	Polished Gold	-	PG850RP	PG850RV	PG850RS	PG850RD
Driver position: Remote	Polished Nickel	-	PN850RP	PN850RV	PN850RS	PN850RD
Requires Electrician's Approval	Brushed Brass	-	BR850RP	BR850RV	BR850RS	BR850RD
	Blackened Brass	-	BK850RP	BK850RV	BK850RS	BK850RD
2 Canopies: Ø20 x H5cm	Polished Gold	-	PG200BP	PG200BV	PG200BS	PG200BD
Driver position: Built-in	Polished Nickel	-	PN200BP	PN200BV	PN200BS	PN200BD
Requires Electrician's Approval	Brushed Brass	-	BR200BP	BR200BV	BR200BS	BR200BD
	Blackened Brass	-	BK200BP	BK200BV	BK200BS	BK200BD
2 Canopies: Ø8.5 x H4cm	Polished Gold	-	PG85RP	PG85RV	PG85RS	PG85RD
Driver position: Remote	Polished Nickel	-	PN85RP	PN85RV	PN85RS	PN85RD
Requires Electrician's Approval	Brushed Brass	-	BR85RP	BR85RV	BR85RS	BR85RD
	Blackened Brass	-	BK85RP	BK85RV	BK85RS	BK85RD

Milky Way Pendant Infinity Line 240

CE IP20 UK

MODEL	STARTING PRICE	CODE
Milky Way Pendant Infinity Line 240	€11600	MWPEIL240-E

STEP 1: METAL FINISH	ADD. PRICE	CODE
Polished Gold	-	PG
Polished Nickel	-	PN
Brushed Brass	+€1960	BR
Blackened Brass	+€1960	BK



MILKY WAY PENDANT INFINITY LINE 240

STEP 2: SUSPENSION TYPE	FINISH	LENGTH	ADD. PRICE	CODE
Fabric Flex Cable	Black	4 metres	-	04B
		10 metres	+€190	10B
	White	4 metres	-	04W
		10 metres	+€190	10W

STEP 3: CANOPY (SMALLEST LAST)		FINISH	ADD. PRICE	CODE WITH DIMMABLE STANDARD		
			Recommended	Alternative dimming standard, if required by electrician		
			Phasecut	1-10 Volt	Switch / Push	DALI
2 Canopies: W85 x D5 x H6.5cm Driver position: Built-in Recommended	Polished Gold	-	PG850BP	PG850BV	PG850BS	PG850BD
	Polished Nickel	-	PN850BP	PN850BV	PN850BS	PN850BD
	Brushed Brass	-	BR850BP	BR850BV	BR850BS	BR850BD
	Blackened Brass	-	BK850BP	BK850BV	BK850BS	BK850BD
2 Canopies: W85 x D5 x H6.5cm Driver position: Remote Requires Electrician's Approval	Polished Gold	-	PG850RP	PG850RV	PG850RS	PG850RD
	Polished Nickel	-	PN850RP	PN850RV	PN850RS	PN850RD
	Brushed Brass	-	BR850RP	BR850RV	BR850RS	BR850RD
	Blackened Brass	-	BK850RP	BK850RV	BK850RS	BK850RD
4 Canopies: Ø20 x H5cm Driver position: Built-in Requires Electrician's Approval	Polished Gold	-	PG200BP	PG200BV	PG200BS	PG200BD
	Polished Nickel	-	PN200BP	PN200BV	PN200BS	PN200BD
	Brushed Brass	-	BR200BP	BR200BV	BR200BS	BR200BD
	Blackened Brass	-	BK200BP	BK200BV	BK200BS	BK200BD
4 Canopies: Ø8.5 x H4cm Driver position: Remote Requires Electrician's Approval	Polished Gold	-	PG85RP	PG85RV	PG85RS	PG85RD
	Polished Nickel	-	PN85RP	PN85RV	PN85RS	PN85RD
	Brushed Brass	-	BR85RP	BR85RV	BR85RS	BR85RD
	Blackened Brass	-	BK85RP	BK85RV	BK85RS	BK85RD

Milky Way Pendant Infinity Line 360

CE IP20 UK

MODEL	STARTING PRICE	CODE
Milky Way Pendant Infinity Line 360	€15920	MWPEIL360-E

STEP 1: METAL FINISH	ADD. PRICE	CODE
Polished Gold	-	PG
Polished Nickel	-	PN
Brushed Brass	+€2800	BR
Blackened Brass	+€2800	BK



MILKY WAY PENDANT INFINITY
LINE 360

STEP 2: SUSPENSION TYPE	FINISH	LENGTH	ADD. PRICE	CODE
Fabric Flex Cable	Black	4 metres	-	04B
		10 metres	+€190	10B
	White	4 metres	-	04W
		10 metres	+€190	10W

STEP 3: CANOPY (SMALLEST LAST)	FINISH	ADD. PRICE	CODE WITH DIMMABLE STANDARD			
			Recommended	Alternative dimming standard, if required by electrician		
			Phasecut	1-10 Volt	Switch / Push	DALI
2 Canopies: W85 x D5 x H6.5cm Driver position: Built-in Recommended	Polished Gold	-	PG850BP	PG850BV	PG850BS	PG850BD
	Polished Nickel	-	PN850BP	PN850BV	PN850BS	PN850BD
	Brushed Brass	-	BR850BP	BR850BV	BR850BS	BR850BD
	Blackened Brass	-	BK850BP	BK850BV	BK850BS	BK850BD
2 Canopies: W85 x D5 x H6.5cm Driver position: Remote Requires Electrician's Approval	Polished Gold	-	PG850RP	PG850RV	PG850RS	PG850RD
	Polished Nickel	-	PN850RP	PN850RV	PN850RS	PN850RD
	Brushed Brass	-	BR850RP	BR850RV	BR850RS	BR850RD
	Blackened Brass	-	BK850RP	BK850RV	BK850RS	BK850RD
4 Canopies: Ø20 x H5cm Driver position: Built-in Requires Electrician's Approval	Polished Gold	-	PG200BP	PG200BV	PG200BS	PG200BD
	Polished Nickel	-	PN200BP	PN200BV	PN200BS	PN200BD
	Brushed Brass	-	BR200BP	BR200BV	BR200BS	BR200BD
	Blackened Brass	-	BK200BP	BK200BV	BK200BS	BK200BD
4 Canopies: Ø8.5 x H4cm Driver position: Remote Requires Electrician's Approval	Polished Gold	-	PG85RP	PG85RV	PG85RS	PG85RD
	Polished Nickel	-	PN85RP	PN85RV	PN85RS	PN85RD
	Brushed Brass	-	BR85RP	BR85RV	BR85RS	BR85RD
	Blackened Brass	-	BK85RP	BK85RV	BK85RS	BK85RD

Milky Way Pendant Infinity Elements 120

PRICELIST EUROPE 2024

CE IP20 UK

MODEL	STARTING PRICE	CODE
Milky Way Pendant Infinity Elements 120	€8500	MWPEIE120-E

STEP 1:		
METAL FINISH	ADD. PRICE	CODE
Polished Gold	-	PG
Polished Nickel	-	PN
Brushed Brass	+€880	BR
Blackened Brass	+€880	BK



MILKY WAY PENDANT INFINITY
LINE 120

STEP 2:		
MURANO GLASS FINISH	ADD. PRICE	CODE
Black Spots	-	BS
Gold Drops	+€190	GD

STEP 3:				
SUSPENSION TYPE	FINISH	LENGTH	ADD. PRICE	CODE
Fabric Flex Cable	Black	4 metres	-	04B
		10 metres	+€100	10B
	White	4 metres	-	04W
		10 metres	+€100	10W

STEP 4:						
CANOPY (SMALLEST LAST)	FINISH	ADD. PRICE	CODE WITH DIMMABLE STANDARD			
			Recommended	Alternative dimming standard, if required by electrician		
			Phasecut	1-10 Volt	Switch / Push	DALI
1 Canopy: W85 x D5 x H6.5cm Driver position: Built-in Recommended	Polished Gold	-	PG850BP	PG850BV	PG850BS	PG850BD
	Polished Nickel	-	PN850BP	PN850BV	PN850BS	PN850BD
	Brushed Brass	-	BR850BP	BR850BV	BR850BS	BR850BD
	Blackened Brass	-	BK850BP	BK850BV	BK850BS	BK850BD
1 Canopy: W85 x D5 x H6.5cm Driver position: Remote Requires Electrician's Approval	Polished Gold	-	PG850RP	PG850RV	PG850RS	PG850RD
	Polished Nickel	-	PN850RP	PN850RV	PN850RS	PN850RD
	Brushed Brass	-	BR850RP	BR850RV	BR850RS	BR850RD
	Blackened Brass	-	BK850RP	BK850RV	BK850RS	BK850RD
2 Canopies: Ø20 x H5cm Driver position: Built-in Requires Electrician's Approval	Polished Gold	-	PG200BP	PG200BV	PG200BS	PG200BD
	Polished Nickel	-	PN200BP	PN200BV	PN200BS	PN200BD
	Brushed Brass	-	BR200BP	BR200BV	BR200BS	BR200BD
	Blackened Brass	-	BK200BP	BK200BV	BK200BS	BK200BD
2 Canopies: Ø8.5 x H4cm Driver position: Remote Requires Electrician's Approval	Polished Gold	-	PG85RP	PG85RV	PG85RS	PG85RD
	Polished Nickel	-	PN85RP	PN85RV	PN85RS	PN85RD
	Brushed Brass	-	BR85RP	BR85RV	BR85RS	BR85RD
	Blackened Brass	-	BK85RP	BK85RV	BK85RS	BK85RD

Milky Way Pendant Infinity Elements 180

PRICELIST EUROPE 2024

CE IP20 UK

MODEL	STARTING PRICE	CODE
Milky Way Pendant Infinity Elements 180	€10960	MWPEIE180-E

STEP 1:		
METAL FINISH	ADD. PRICE	CODE
Polished Gold	-	PG
Polished Nickel	-	PN
Brushed Brass	+€1380	BR
Blackened Brass	+€1380	BK



MILKY WAY PENDANT INFINITY
ELEMENTS 180

STEP 2:		
MURANO GLASS FINISH	ADD. PRICE	CODE
Black Spots	-	BS
Gold Drops	+€190	GD

STEP 3:				
SUSPENSION TYPE	FINISH	LENGTH	ADD. PRICE	CODE
Fabric Flex Cable	Black	4 metres	-	04B
		10 metres	+€100	10B
	White	4 metres	-	04W
		10 metres	+€100	10W

STEP 4:						
CANOPY (SMALLEST LAST)	FINISH	ADD. PRICE	CODE WITH DIMMABLE STANDARD			
			Recommended	Alternative dimming standard, if required by electrician		
			Phasecut	1-10 Volt	Switch / Push	DALI
1 Canopy: W85 x D5 x H6.5cm	Polished Gold	-	PG850BP	PG850BV	PG850BS	PG850BD
Driver position: Built-in	Polished Nickel	-	PN850BP	PN850BV	PN850BS	PN850BD
Recommended	Brushed Brass	-	BR850BP	BR850BV	BR850BS	BR850BD
	Blackened Brass	-	BK850BP	BK850BV	BK850BS	BK850BD
1 Canopy: W85 x D5 x H6.5cm	Polished Gold	-	PG850RP	PG850RV	PG850RS	PG850RD
Driver position: Remote	Polished Nickel	-	PN850RP	PN850RV	PN850RS	PN850RD
Requires Electrician's Approval	Brushed Brass	-	BR850RP	BR850RV	BR850RS	BR850RD
	Blackened Brass	-	BK850RP	BK850RV	BK850RS	BK850RD
2 Canopies: Ø20 x H5cm	Polished Gold	-	PG200BP	PG200BV	PG200BS	PG200BD
Driver position: Built-in	Polished Nickel	-	PN200BP	PN200BV	PN200BS	PN200BD
Requires Electrician's Approval	Brushed Brass	-	BR200BP	BR200BV	BR200BS	BR200BD
	Blackened Brass	-	BK200BP	BK200BV	BK200BS	BK200BD
2 Canopies: Ø8.5 x H4cm	Polished Gold	-	PG85RP	PG85RV	PG85RS	PG85RD
Driver position: Remote	Polished Nickel	-	PN85RP	PN85RV	PN85RS	PN85RD
Requires Electrician's Approval	Brushed Brass	-	BR85RP	BR85RV	BR85RS	BR85RD
	Blackened Brass	-	BK85RP	BK85RV	BK85RS	BK85RD

Milky Way Pendant Infinity Elements 240

PRICELIST EUROPE 2024

CE IP20 UK

MODEL	STARTING PRICE	CODE
Milky Way Pendant Infinity Elements 240	€15750	MWPEIE240-E

STEP 1: METAL FINISH	ADD. PRICE	CODE
Polished Gold	-	PG
Polished Nickel	-	PN
Brushed Brass	+€2020	BR
Blackened Brass	+€2020	BK



MILKY WAY PENDANT INFINITY
ELEMENTS 240

STEP 2: MURANO GLASS FINISH	ADD. PRICE	CODE
Black Spots	-	BS
Gold Drops	+€190	GD

STEP 3: SUSPENSION TYPE	FINISH	LENGTH	ADD. PRICE	CODE
Fabric Flex Cable	Black	4 metres	-	04B
		10 metres	+€190	10B
	White	4 metres	-	04W
		10 metres	+€190	10W

STEP 4: CANOPY (SMALLEST LAST)	FINISH	ADD. PRICE	CODE WITH DIMMABLE STANDARD			
			Recommended	Alternative dimming standard, if required by electrician		
			Phasecut	1-10 Volt	Switch / Push	DALI
2 Canopies: W85 x D5 x H6.5cm Driver position: Built-in Recommended	Polished Gold	-	PG850BP	PG850BV	PG850BS	PG850BD
	Polished Nickel	-	PN850BP	PN850BV	PN850BS	PN850BD
	Brushed Brass	-	BR850BP	BR850BV	BR850BS	BR850BD
	Blackened Brass	-	BK850BP	BK850BV	BK850BS	BK850BD
2 Canopies: W85 x D5 x H6.5cm Driver position: Remote Requires Electrician's Approval	Polished Gold	-	PG850RP	PG850RV	PG850RS	PG850RD
	Polished Nickel	-	PN850RP	PN850RV	PN850RS	PN850RD
	Brushed Brass	-	BR850RP	BR850RV	BR850RS	BR850RD
	Blackened Brass	-	BK850RP	BK850RV	BK850RS	BK850RD
4 Canopies: Ø20 x H5cm Driver position: Built-in Requires Electrician's Approval	Polished Gold	-	PG200BP	PG200BV	PG200BS	PG200BD
	Polished Nickel	-	PN200BP	PN200BV	PN200BS	PN200BD
	Brushed Brass	-	BR200BP	BR200BV	BR200BS	BR200BD
	Blackened Brass	-	BK200BP	BK200BV	BK200BS	BK200BD
4 Canopies: Ø8.5 x H4cm Driver position: Remote Requires Electrician's Approval	Polished Gold	-	PG85RP	PG85RV	PG85RS	PG85RD
	Polished Nickel	-	PN85RP	PN85RV	PN85RS	PN85RD
	Brushed Brass	-	BR85RP	BR85RV	BR85RS	BR85RD
	Blackened Brass	-	BK85RP	BK85RV	BK85RS	BK85RD

Milky Way Pendant Infinity Elements 360

PRICELIST EUROPE 2024

CE IP20 UK

MODEL	STARTING PRICE	CODE
Milky Way Pendant Infinity Elements 360	€20700	MWPEIE360-E

STEP 1: METAL FINISH	ADD. PRICE	CODE
Polished Gold	-	PG
Polished Nickel	-	PN
Brushed Brass	+€2780	BR
Blackened Brass	+€2780	BK

STEP 2: MURANO GLASS FINISH	ADD. PRICE	CODE
Black Spots	-	BS
Gold Drops	+€190	GD

STEP 3: SUSPENSION TYPE	FINISH	LENGTH	ADD. PRICE	CODE
Fabric Flex Cable	Black	4 metres	-	04B
		10 metres	+€190	10B
	White	4 metres	-	04W
		10 metres	+€190	10W

STEP 4: CANOPY (SMALLEST LAST)	FINISH	ADD. PRICE	CODE WITH DIMMABLE STANDARD			
			Recommended	Alternative dimming standard, if required by electrician		
			Phasecut	1-10 Volt	Switch / Push	DALI
2 Canopies: W85 x D5 x H6.5cm Driver position: Built-in Recommended	Polished Gold	-	PG850BP	PG850BV	PG850BS	PG850BD
	Polished Nickel	-	PN850BP	PN850BV	PN850BS	PN850BD
	Brushed Brass	-	BR850BP	BR850BV	BR850BS	BR850BD
	Blackened Brass	-	BK850BP	BK850BV	BK850BS	BK850BD
2 Canopies: W85 x D5 x H6.5cm Driver position: Remote Requires Electrician's Approval	Polished Gold	-	PG850RP	PG850RV	PG850RS	PG850RD
	Polished Nickel	-	PN850RP	PN850RV	PN850RS	PN850RD
	Brushed Brass	-	BR850RP	BR850RV	BR850RS	BR850RD
	Blackened Brass	-	BK850RP	BK850RV	BK850RS	BK850RD
4 Canopies: Ø20 x H5cm Driver position: Built-in Requires Electrician's Approval	Polished Gold	-	PG200BP	PG200BV	PG200BS	PG200BD
	Polished Nickel	-	PN200BP	PN200BV	PN200BS	PN200BD
	Brushed Brass	-	BR200BP	BR200BV	BR200BS	BR200BD
	Blackened Brass	-	BK200BP	BK200BV	BK200BS	BK200BD
4 Canopies: Ø8.5 x H4cm Driver position: Remote Requires Electrician's Approval	Polished Gold	-	PG85RP	PG85RV	PG85RS	PG85RD
	Polished Nickel	-	PN85RP	PN85RV	PN85RS	PN85RD
	Brushed Brass	-	BR85RP	BR85RV	BR85RS	BR85RD
	Blackened Brass	-	BK85RP	BK85RV	BK85RS	BK85RD



MILKY WAY PENDANT INFINITY
ELEMENTS 360


Milky Way Chandelier Horizontal 120

PRICELIST EUROPE 2024

CE IP20 UK

MODEL	STARTING PRICE	CODE
Milky Way Chandelier Horizontal 120	€14060	MWCHHR120-E

STEP 1: METAL FINISH	ADD. PRICE	CODE
Polished Gold	-	PG
Polished Nickel	-	PN
Brushed Brass	+€2630	BR
Blackened Brass	+€2630	BK



MILKY WAY CHANDELIER
HORIZONTAL 120

STEP 2: MURANO GLASS FINISH	ADD. PRICE	CODE
Black Spots	-	BS
Gold Drops	+€190	GD

STEP 3: SUSPENSION TYPE	FINISH	LENGTH	ADD. PRICE	CODE
Fabric Flex Cable	Black	4 metres	-	04B
		10 metres	+€240	10B
	White	4 metres	-	04W
		10 metres	+€240	10W

STEP 4: CANOPY	FINISH	ADD. PRICE	CODE WITH DIMMABLE STANDARD			
			Recommended	Alternative dimming standard, if required by electrician		
			Phasecut	1-10 Volt	Switch / Push	DALI
1 Canopy: W115 x D11.5 x H4cm Driver position: Built-in Recommended	Polished Gold	-	PG1150BP	PG1150BV	PG1150BS	PG1150BD
	Polished Nickel	-	PN1150BP	PN1150BV	PN1150BS	PN1150BD
	Brushed Brass	-	BR1150BP	BR1150BV	BR1150BS	BR1150BD
	Blackened Brass	-	BK1150BP	BK1150BV	BK1150BS	BK1150BD
1 Canopy: W115 x D11.5 x H4cm Driver position: Remote Requires Electrician's Approval	Polished Gold	-	PG1150RP	PG1150RV	PG1150RS	PG1150RD
	Polished Nickel	-	PN1150RP	PN1150RV	PN1150RS	PN1150RD
	Brushed Brass	-	BR1150RP	BR1150RV	BR1150RS	BR1150RD
	Blackened Brass	-	BK1150RP	BK1150RV	BK1150RS	BK1150RD

Milky Way Chandelier Horizontal 190

PRICELIST EUROPE 2024

CE IP20 UK

MODEL	STARTING PRICE	CODE
Milky Way Chandelier Horizontal 190	€17010	MWCHHR190 - E

STEP 1: METAL FINISH	ADD. PRICE	CODE
Polished Gold	-	PG
Polished Nickel	-	PN
Brushed Brass	+€3780	BR
Blackened Brass	+€3780	BK



MILKY WAY CHANDELIER
HORIZONTAL 190

STEP 2: MURANO GLASS FINISH	ADD. PRICE	CODE
Black Spots	-	BS
Gold Drops	+€190	GD

STEP 3: SUSPENSION TYPE	FINISH	LENGTH	ADD. PRICE	CODE
Fabric Flex Cable	Black	4 metres	-	04B
		10 metres	+€290	10B
	White	4 metres	-	04W
		10 metres	+€290	10W

STEP 4: CANOPY	FINISH	ADD. PRICE	CODE WITH DIMMABLE STANDARD			
			Recommended	Alternative dimming standard, if required by electrician		
			Phasecut	1-10 Volt	Switch / Push	DALI
1 Canopy: W85 x D11.5 x H4cm	Polished Gold	-	PG850BP	PG850BV	PG850BS	PG850BD
Driver position: Built-in	Polished Nickel	-	PN850BP	PN850BV	PN850BS	PN850BD
Recommended	Brushed Brass	-	BR850BP	BR850BV	BR850BS	BR850BD
	Blackened Brass	-	BK850BP	BK850BV	BK850BS	BK850BD
1 Canopy: W85 x D11.5 x H4cm	Polished Gold	-	PG850RP	PG850RV	PG850RS	PG850RP
Driver position: Remote	Polished Nickel	-	PN850RP	PN850RV	PN850RS	PN850RP
Requires Electrician's Approval	Brushed Brass	-	BR850RP	BR850RV	BR850RS	BR850RP
	Blackened Brass	-	BK850RP	BK850RV	BK850RS	BK850RP

Milky Way Chandelier Vertical 125


PRICELIST EUROPE 2024

CE IP20 UK CA

MODEL	STARTING PRICE	CODE
Milky Way Chandelier Vertical 125	€13790	MWCHVR125-E

STEP 1:

METAL FINISH	ADD. PRICE	CODE
Polished Gold	-	PG
Polished Nickel	-	PN
Brushed Brass	+€3050	BR
Blackened Brass	+€3050	BK



MILKY WAY CHANDELIER
VERTICAL 125

STEP 2:

MURANO GLASS FINISH	ADD. PRICE	CODE
Black Spots	-	BS
Gold Drops	+€190	GD

STEP 3:

SUSPENSION TYPE	FINISH	LENGTH	ADD. PRICE	CODE
Fabric Flex Cable	Black	4 metres	-	04B
		10 metres	+€150	10B
	White	4 metres	-	04W
		10 metres	+€150	10W

STEP 4:

CANOPY	FINISH	ADD. PRICE	CODE WITH DIMMABLE STANDARD			
			Recommended	Alternative dimming standard, if required by electrician		
			Phasecut	1-10 Volt	Switch / Push	DALI
1 Canopy: Ø45 x H5cm Driver position: Built-in Recommended	Polished Gold	-	PG450BP	PG450BV	PG450BS	PG450BD
	Polished Nickel	-	PN450BP	PN450BV	PN450BS	PN450BD
	Brushed Brass	-	BR450BP	BR450BV	BR450BS	BR450BD
	Blackened Brass	-	BK450BP	BK450BV	BK450BS	BK450BD
1 Canopy: Ø45 x H5cm Driver position: Remote Requires Electrician's Approval	Polished Gold	-	PG450RP	PG450RV	PG450RS	PG450RP
	Polished Nickel	-	PN450RP	PN450RV	PN450RS	PN450RP
	Brushed Brass	-	BR450RP	BR450RV	BR450RS	BR450RP
	Blackened Brass	-	BK450RP	BK450RV	BK450RS	BK450RP

Milky Way Chandelier Vertical 165

CE IP20 UK
CA

MODEL	STARTING PRICE	CODE
Milky Way Chandelier Vertical 165	€16280	MWCHVR165-E

STEP 1: METAL FINISH	ADD. PRICE	CODE
Polished Gold	-	PG
Polished Nickel	-	PN
Brushed Brass	+€3780	BR
Blackened Brass	+€3780	BK



MILKY WAY CHANDELIER
VERTICAL 165

STEP 2: SUSPENSION TYPE	FINISH	LENGTH	ADD. PRICE	CODE
Fabric Flex Cable	Black	4 metres	-	04B
		10 metres	+€150	10B
	White	4 metres	-	04W
		10 metres	+€150	10W

STEP 3: CANOPY	FINISH	ADD. PRICE	CODE WITH DIMMABLE STANDARD			
			Recommended		Alternative dimming standard, if required by electrician	
			Phasecut	1-10 Volt	Switch / Push	DALI
1 Canopy: Ø40 x H5cm Driver position: Built-in Recommended	Polished Gold	-	PG400BP	PG400BV	PG400BS	PG400BD
	Polished Nickel	-	PN400BP	PN400BV	PN400BS	PN400BD
	Brushed Brass	-	BR400BP	BR400BV	BR400BS	BR400BD
	Blackened Brass	-	BK400BP	BK400BV	BK400BS	BK400BD
1 Canopy: Ø40 x H5cm Driver position: Remote Requires Electrician's Approval	Polished Gold	-	PG400RP	PG400RV	PG400RS	PG400RD
	Polished Nickel	-	PN400RP	PN400RV	PN400RS	PN400RD
	Brushed Brass	-	BR400RP	BR400RV	BR400RS	BR400RD
	Blackened Brass	-	BK400RP	BK400RV	BK400RS	BK400RD

Milky Way Floor-to-Ceiling Column

CE IP20 UK CA

MODEL	STARTING PRICE	CODE
Milky Way Floor-to-Ceiling Column	€10610	MWFCCM-E

STEP 1:		
METAL FINISH	ADD. PRICE	CODE
Polished Gold	-	PG
Polished Nickel	-	PN
Brushed Brass	+€1340	BR
Blackened Brass	+€1340	BK



MILKY WAY FLOOR-TO-CEILING COLUMN

STEP 2:				
DROP HEIGHT	FINISH	LENGTH	ADD. PRICE	CODE
Fabric Flex Cable	Black	4 metres	-	04B
		10 metres	+€100	10B
	White	4 metres	-	04W
		10 metres	+€100	10W

STEP 3:						
CANOPY	FINISH	ADD. PRICE	CODE WITH DIMMABLE STANDARD			
			Recommended	Alternative dimming standard, if required by electrician		
			Phasecut	1-10 Volt	Switch / Push	DALI
1 Canopy: Ø20 x H5cm Driver position: Built-in Recommended	Polished Gold	-	PG200BP	PG200BV	PG200BS	PG200BD
	Polished Nickel	-	PN200BP	PN200BV	PN200BS	PN200BD
	Brushed Brass	-	BR200BP	BR200BV	BR200BS	BR200BD
	Blackened Brass	-	BK200BP	BK200BV	BK200BS	BK200BD
1 Canopy: Ø20 x H5cm Driver position: Remote Requires Electrician's Approval	Polished Gold	-	PG200RP	PG200RV	PG200RS	PG200RD
	Polished Nickel	-	PN200RP	PN200RV	PN200RS	PN200RD
	Brushed Brass	-	BR200RP	BR200RV	BR200RS	BR200RD
	Blackened Brass	-	BK200RP	BK200RV	BK200RS	BK200RD

Moonstone Pendant

CE IP20 UK

STEP 1:

MODEL	STARTING PRICE	CODE
Moonstone Pendant Arch	€4580	MSPEAR-E
Moonstone Pendant Nest	€3890	MSPENS-E
Moonstone Pendant Shell	€4490	MSPESH-E

STEP 2:

METAL FINISH	ADD. PRICE	CODE
Brushed Brass	-	BR
Brushed Bronze	+€170	BZ
Blackened Brass	+€170	BK
Brushed Nickel	+€170	NK



MOONSTONE PENDANT ARCH

STEP 3:

SUSPENSION TYPE	FINISH	LENGTH	ADD. PRICE	CODE
Fabric Flex Cable	Black	4 metres	-	04B
		10 metres	+€100	10B
	White	4 metres	-	04W
		10 metres	+€100	10W
Metal Tube	Matching Finish	070-200 cm	+€490	XXX
		201-300 cm	+€730	XXX
		301-400 cm	+€970	XXX

STEP 3:

CANOPY (SMALLEST LAST)	FINISH	ADD. PRICE	CODE
1 Canopy: Ø12 x H4.5cm Ceiling Type: All Recommended	White	-	WH120N
	Black	+€100	BL120N
	Brushed Brass	+€100	BR120N
	Brushed Bronze	+€100	BZ120N
	Blackened Brass	+€100	BK120N
	Brushed Nickel	+€100	NK120N
2 Canopy: Ø5 x H0.7cm Ceiling Type: False Requires Electrician's Approval	Black	+€110	BL50N
	White	+€110	WH50N

RECOMMENDED LIGHT BULB	ADD. PRICE
Dimmable LED GU10 Lightbulb 8W, 575lm, 3000K 120D Warm White	+€20

STEM HEIGHT	LENGTH	ADD. PRICE
Standard	48cm	-
Custom	20-98cm	+€190

Moonstone Pendant Dome

PRICELIST EUROPE 2024

CE IP20 UK
CA

MODEL	STARTING PRICE	CODE
Moonstone Pendant Dome	€5610	MSPEDM-E

STEP 1:

METAL FINISH	ADD. PRICE	CODE
Brushed Brass	-	BR
Brushed Bronze	+€270	BZ
Blackened Brass	+€270	BK
Brushed Nickel	+€270	NK



MOONSTONE PENDANT DOME

STEP 2:

SUSPENSION TYPE	FINISH	LENGTH	ADD. PRICE	CODE
Fabric Flex Cable	Black	4 metres	-	04B
		10 metres	+€150	10B
	White	4 metres	-	04W
		10 metres	+€150	10W
Metal Tube	Matching Finish	052-200 cm	+€730	XXX
		201-300 cm	+€1090	XXX
		301-400 cm	+€1450	XXX

STEP 3:

CANOPY	FINISH	ADD. PRICE	CODE
1 Canopy: Ø17 x H5cm	White	-	WH170N
	Black	+€240	BL170N
	Brushed Brass	+€240	BR170N
	Brushed Bronze	+€240	BZ170N
	Blackened Brass	+€240	BK170N
	Brushed Nickel	+€240	NK170N

RECOMMENDED LIGHT BULB	ADD. PRICE
Phasecut Dimmable LED Lightbulb E27 10.5W, 1060lm, 2700K Warm White (dimmer not included)	+€30

STEM HEIGHT	LENGTH	ADD. PRICE
Standard	48cm	-
Custom	20-98cm	+€270

Moonstone Pendant Dome Linen 90

PRICELIST EUROPE 2024

CE IP20 UK CA

MODEL	STARTING PRICE	CODE
Moonstone Pendant Dome Linen 90	€8050	MSPEDL90-E

STEP 1:

METAL FINISH	ADD. PRICE	CODE
Brushed Brass	-	BR
Brushed Bronze	+€270	BZ
Blackened Brass	+€270	BK
Brushed Nickel	+€270	NK



MOONSTONE PENDANT DOME
LINEN 90

STEP 2:

SUSPENSION TYPE	FINISH	LENGTH	ADD. PRICE	CODE
Fabric Flex Cable	Black	4 metres	-	04B
		10 metres	+€150	10B
	White	4 metres	-	04W
		10 metres	+€150	10W
Metal Tube	Matching Finish	062-200 cm	+€730	XXX
		201-300 cm	+€1090	XXX
		301-400 cm	+€1450	XXX

STEP 3:

CANOPY	FINISH	ADD. PRICE	CODE
1 Canopy: Ø17 x H5cm	White	-	WH170N
	Black	+€240	BL170N
	Brushed Brass	+€240	BR170N
	Brushed Bronze	+€240	BZ170N
	Blackened Brass	+€240	BK170N
	Brushed Nickel	+€240	NK170N

RECOMMENDED LIGHT BULB	ADD. PRICE
Phasecut Dimmable LED Lightbulb E27 10.5W, 1060lm, 2700K Warm White (dimmer not included)	+€30

STEM HEIGHT	LENGTH	ADD. PRICE
Standard	48cm	-
Custom	20-98cm	+€270

Moonstone Pendant Dome Linen 140

PRICELIST EUROPE 2024

CE IP20 UK CA

MODEL	STARTING PRICE	CODE
Moonstone Pendant Dome Linen 140	€13730	MSPEDL140-E

STEP 1:

METAL FINISH	ADD. PRICE	CODE
Brushed Brass	-	BR
Brushed Bronze	+€270	BZ
Blackened Brass	+€270	BK
Brushed Nickel	+€270	NK



MOONSTONE PENDANT DOME
LINEN 140

STEP 2:

SUSPENSION TYPE	FINISH	LENGTH	ADD. PRICE	CODE
Fabric Flex Cable	Black	4 metres	-	04B
		10 metres	+€150	10B
	White	4 metres	-	04W
		10 metres	+€150	10W
Metal Tube	Matching Finish	077-200 cm	+€730	XXX
		201-300 cm	+€1090	XXX
		301-400 cm	+€1450	XXX

STEP 3:

CANOPY	FINISH	ADD. PRICE	CODE
1 Canopy: Ø17 x H5cm	White	-	WH170N
	Black	+€240	BL170N
	Brushed Brass	+€240	BR170N
	Brushed Bronze	+€240	BZ170N
	Blackened Brass	+€240	BK170N
	Brushed Nickel	+€240	NK170N

RECOMMENDED LIGHT BULB	ADD. PRICE
Phasecut Dimmable LED Lightbulb E27 10.5W, 1060lm, 2700K Warm White (dimmer not included)	+€30

STEM HEIGHT	LENGTH	ADD. PRICE
Standard	48cm	-
Custom	20-98cm	+€270

Moonstone Chandelier Circular 02

PRICELIST EUROPE 2024

CE IP20 UK
CA

MODEL	STARTING PRICE	CODE
Moonstone Chandelier Circular 02	€9560	MSCHCR02-E

STEP 1:

METAL FINISH	ADD. PRICE	CODE
Brushed Brass	-	BR
Brushed Bronze	+€340	BZ
Blackened Brass	+€340	BK
Brushed Nickel	+€340	NK



MOONSTONE CHANDELIER
CIRCULAR 02

STEP 2:

SUSPENSION TYPE	FINISH	LENGTH	ADD. PRICE	CODE
Fabric Flex Cable	Black	4 metres	-	04B
		10 metres	+€190	10B
	White	4 metres	-	04W
		10 metres	+€190	10W
Metal Tube	Matching Finish	089-200	+€970	XXX
		201-300	+€1450	XXX
		301-400	+€1940	XXX

STEP 3:

CANOPY	FINISH	ADD. PRICE	CODE
1 Canopy: Ø62 x H4.5cm	White	-	WH620N
	Black	+€840	BL620N
	Brushed Brass	+€840	BR620N
	Brushed Bronze	+€840	BZ620N
	Blackened Brass	+€840	BK620N
	Brushed Nickel	+€840	NK620N

RECOMMENDED LIGHT BULB	ADD. PRICE
Dimmable LED GU10 Lightbulb 8W, 575lm, 3000K 120D Warm White	+€20

STEM HEIGHT	LENGTH	ADD. PRICE
Standard	48cm	-
Custom	20-98cm	+€360

Moonstone Chandelier Circular 03

PRICELIST EUROPE 2024

CE IP20 UK
CA

MODEL	STARTING PRICE	CODE
Moonstone Chandelier Circular 03	€14020	MSCHCR03-E

STEP 1:

METAL FINISH	ADD. PRICE	CODE
Brushed Brass	-	BR
Brushed Bronze	+€520	BZ
Blackened Brass	+€520	BK
Brushed Nickel	+€520	NK



MOONSTONE CHANDELIER
CIRCULAR 03

STEP 2:

SUSPENSION TYPE	FINISH	LENGTH	ADD. PRICE	CODE
Fabric Flex Cable	Black	4 metres	-	04B
		10 metres	+€290	10B
	White	4 metres	-	04W
		10 metres	+€290	10W
Metal Tube	Matching Finish	079-200 cm	+€1450	XXX
		201-300 cm	+€2180	XXX
		301-400 cm	+€2900	XXX

STEP 3:

CANOPY	FINISH	ADD. PRICE	CODE
1 Canopy: Ø76 x H4.5cm	White	-	WH760N
	Black	+€1100	BL760N
	Brushed Brass	+€1100	BR760N
	Brushed Bronze	+€1100	BZ760N
	Blackened Brass	+€1100	BK760N
	Brushed Nickel	+€1100	NK760N

RECOMMENDED LIGHT BULB	ADD. PRICE
Dimmable LED GU10 Lightbulb 8W, 575lm, 3000K 120D Warm White	+€20

STEM HEIGHT	LENGTH	ADD. PRICE
Standard	48cm	-
Custom	20-98cm	+€540

Moonstone Chandelier Linear 03

PRICELIST EUROPE 2024

CE IP20 UK
CA

MODEL	STARTING PRICE	CODE
Moonstone Chandelier Linear 03	€14020	MSCHLN03-E

STEP 1:

METAL FINISH	ADD. PRICE	CODE
Brushed Brass	-	BR
Brushed Bronze	+€520	BZ
Blackened Brass	+€520	BK
Brushed Nickel	+€520	NK



MOONSTONE CHANDELIER
LINEAR 03

STEP 2:

SUSPENSION TYPE	FINISH	LENGTH	ADD. PRICE	CODE
Fabric Flex Cable	Black	4 metres	-	04B
		10 metres	+€290	10B
	White	4 metres	-	04W
		10 metres	+€290	10W
Metal Tube	Matching Finish	088-200 cm	+€1450	XXX
		201-300 cm	+€2180	XXX
		301-400 cm	+€2900	XXX

STEP 3:

CANOPY	FINISH	ADD. PRICE	CODE
1 Canopy: W120 x D23 x H4.5cm	White	-	WH1200N
	Black	+€840	BL1200N
	Brushed Brass	+€840	BR1200N
	Brushed Bronze	+€840	BZ1200N
	Blackened Brass	+€840	BK1200N
	Brushed Nickel	+€840	NK1200N

RECOMMENDED LIGHT BULB	ADD. PRICE
Dimmable LED GU10 Lightbulb 8W, 575lm, 3000K 120D Warm White	+€20

STEM HEIGHT	LENGTH	ADD. PRICE
Standard	48cm	-
Custom	20-98cm	+€540

Softspot Pendant

CE IP20 UK
CA

MODEL	STARTING PRICE	CODE
Softspot Pendant	€690	SSPE

STEP 1: LIGHT BEAM	ADD. PRICE	CODE
Fixed Beam	-	FB - E
Orientable Beam*	+€110	AJ - E
*Note: requires Metal Tube Suspension		

STEP 2: METAL FINISH	ADD. PRICE	CODE
Brushed Brass	-	BR
Brushed Bronze	+€80	BZ
Blackened Brass	+€80	BK
Brushed Nickel	+€80	NK
Polished Nickel	+€160	PN

STEP 3: SUSPENSION TYPE	FINISH	LENGTH	ADD. PRICE	CODE
Fabric Flex Cable	Black	4 metres	-	04B
		10 metres	+€50	10B
	White	4 metres	-	04W
		10 metres	+€50	10W
Metal Tube	Matching Finish	015-200 cm	+€250	XXX
		201-300 cm	+€370	XXX
		301-400 cm	+€490	XXX

STEP 4: CANOPY (SMALLEST LAST)		FINISH	ADD. PRICE	CODE WITH DIMMABLE STANDARD			
				Recommended	Alternative dimming standard, if required by electrician		
				Phasecut	1-10 Volt	Switch / Push	DALI
1 Canopy: Ø9,5 x H4cm	Black	-	BL95BP	-	-	-	-
Ceiling type: All	White	+€100	WH95BP	-	-	-	-
Driver position: Built-in	Brushed Brass	+€100	BR95BP	-	-	-	-
Recommended	Brushed Bronze	+€100	BZ95BP	-	-	-	-
	Blackened Brass	+€100	BK95BP	-	-	-	-
	Brushed Nickel	+€100	NK95BP	-	-	-	-
	Polished Nickel	+€100	PN95BP	-	-	-	-



SOFTSPOT PENDANT

CANOPY (SMALLEST LAST)	FINISH	ADD. PRICE	CODE WITH DIMMABLE STANDARD			
			Recommended	Alternative dimming standard, if required by electrician		
			Phasecut	1-10 Volt	Switch / Push	DALI
1 Canopy: Ø13.5 x H4.5cm	Black	-	-	BL135BV	BL135BS	BL135BD
Ceiling type: All	White	+€110	-	WH135BV	WH135BS	WH135BD
Driver position: Built-in	Brushed Brass	+€110	-	BR135BV	BR135BS	BR135BD
	Brushed Bronze	+€110	-	BZ135BV	BZ135BS	BZ135BD
	Blackened Brass	+€110	-	BK135BV	BK135BS	BK135BD
	Brushed Nickel	+€110	-	NK135BV	NK135BS	NK135BD
	Polished Nickel	+€110	-	PN135BV	PN135BS	PN135BD
1 Canopy: Ø7 x H2cm	Black	-	BL70RP	BL70RV	BL70RS	BL70RD
Ceiling type: All	White	+€90	WH70RP	WH70RV	WH70RS	WH70RD
Driver position: Remote	Brushed Brass	+€90	BR70RP	BR70RV	BR70RS	BR70RD
Requires Electrician's Approval	Brushed Bronze	+€90	BZ70RP	BZ70RV	BZ70RS	BZ70RD
	Blackened Brass	+€90	BK70RP	BK70RV	BK70RS	BK70RD
	Brushed Nickel	+€90	NK70RP	NK70RV	NK70RS	NK70RD
	Polished Nickel	+€90	PN70RP	PN70RV	PN70RS	PN70RD
1 Canopy: Ø5 x H0.7cm	Black	+€70	BL50RP	BL50RV	BL50RS	BL50RD
Ceiling type: False	White	+€70	WH50RP	WH50RV	WH50RS	WH50RD
Driver position: Remote						
Requires Electrician's Approval						

STEM HEIGHT	LENGTH	ADD. PRICE
Standard	55cm	-
Custom	25-100cm	+€90

Softspot Wall Horizontal

CE IP20 UK CA

MODEL	STARTING PRICE	CODE
Softspot Wall Horizontal	€750	SSWAHR-E

STEP 1: METAL FINISH	ADD. PRICE	CODE
Brushed Brass	-	BR
Brushed Bronze	+€80	BZ
Blackened Brass	+€80	BK
Brushed Nickel	+€80	NK



SOFTSPOT WALL HORIZONTAL

STEP 2:						
CANOPY	FINISH	ADD. PRICE	CODE WITH DIMMABLE STANDARD			
			Recommended	Alternative dimming standard, if required by electrician		
			Phasecut	1-10 Volt	Switch / Push	DALI
1 Canopy: Ø12 x H5cm	Brushed Brass	-	BR120BP	BR120BV	BR120BS	BR120BD
Driver position: Built-in	Brushed Bronze	-	BZ120BP	BZ120BV	BZ120BS	BZ120BD
Recommended	Blackened Brass	-	BK120BP	BK120BV	BK120BS	BK120BD
	Brushed Nickel	-	NK120BP	NK120BV	NK120BS	NK120BD
1 Canopy: Ø12 x H5cm	Brushed Brass	-	BR120RP	BR120RV	BR120RS	BR120RD
Driver position: Remote	Brushed Bronze	-	BZ120RP	BZ120RV	BZ120RS	BZ120RD
Requires Electrician's Approval	Blackened Brass	-	BK120RP	BK120RV	BK120RS	BK120RD
	Brushed Nickel	-	NK120RP	NK120RV	NK120RS	NK120RD


Softspot Wall Vertical

CE IP20 UK CA

MODEL	STARTING PRICE	CODE
Softspot Wall Vertical 27	€800	SSWAVR27

STEP 1: LIGHT BEAM	ADD. PRICE	CODE
Fixed Beam	-	FB - E
Orientable Beam	+€110	AJ - E

STEP 2: METAL FINISH	ADD. PRICE	CODE
Brushed Brass	-	BR
Brushed Bronze	+€70	BZ
Blackened Brass	+€70	BK
Brushed Nickel	+€70	NK



SOFTSPOT WALL VERTICAL 27

STEP 3: CANOPY	FINISH	ADD. PRICE	CODE WITH DIMMABLE STANDARD			
			Recommended	Alternative dimming standard, if required by electrician		
			Phasecut	1-10 Volt	Switch / Push	DALI
1 Canopy: Ø9.5 x H4cm	Brushed Brass	-	BR95BP	-	-	-
Driver position: Built-in	Brushed Bronze	-	BZ95BP	-	-	-
Recommended	Blackened Brass	-	BK95BP	-	-	-
	Brushed Nickel	-	NK95BP	-	-	-
1 Canopy: Ø13.5 x H4.5cm	Brushed Brass	-	-	BR135BV	BR135BS	BR135BD
Driver position: Built-in	Brushed Bronze	-	-	BZ135BV	BZ135BS	BZ135BD
	Blackened Brass	-	-	BK135BV	BK135BS	BK135BD
	Brushed Nickel	-	-	NK135BV	NK135BS	NK135BD
1 Canopy: Ø9.5 x H4cm	Brushed Brass	-	BR95RP	BR95RV	BR95RS	BR95RD
Driver position: Remote	Brushed Bronze	-	BZ95RP	BZ95RV	BZ95RS	BZ95RD
Requires Electrician's Approval	Blackened Brass	-	BK95RP	BK95RV	BK95RS	BK95RD
	Brushed Nickel	-	NK95RP	NK95RV	NK95RS	NK95RD

VERTICAL FRAME	LENGTH	ADD. PRICE
Standard	27cm	-
Custom	28 - 100cm	+€130
	101 - 200cm	+€250

Prices: Recommended retail prices in Euro excluding v.a.t.

Artisanal Production: Glass is hand blown without moulds and may vary in size, colour and Weight incl. canopy. Glass may contain small imperfections that are proof of traditional production methods.

Installation: Giopato & Coombes recommends mounting power supplies remotely of all ceiling, chandelier, pendant and wall fixtures in an accessible and hidden location nearby for ease of long-term maintenance. Installation must be carried out by certified personnel.

Flex Cable Suspension: For Dewdrops, Bolle, Bolle Frosted, Flauti, Softspot, Soffio, Maehwa, Moonstone, Milky Way Pendants and Chandeliers - each installation will move even in a slight breeze. It is not recommended for windy interiors.

Bolle Pendant and Chandelier: Glass is hand blown without the assistance of moulds and so may vary in size and Weight incl. canopy, causing the bubbles to hang off balance.

Bolle, Soffio and Soffio Frosted Floor and Table: To ensure safe shipping, electrical wiring and assembly of glass components are required.

Dewdrops Chandelier: Every glass sphere is hand-made and may therefore be slightly different from each other. We weigh each sphere to ensure that the composition is as balanced as possible.

Extra Drop height kit

CEILING

CANOPY BOTTOM

5 CM

10 CM

15 CM

20 CM

25 CM

30 CM

35 CM

40 CM

45 CM

50 CM

55 CM

60 CM

65 CM

70 CM

75 CM

80 CM

85 CM

90 CM

95 CM

100 CM

105 CM

110 CM

115 CM

120 CM

125 CM

130 CM

135 CM

140 CM

145 CM

150 CM

155 CM

Kit parts

All of the Drop Heights listed above can be obtained by a combination of the five single parts included in the Kit.

5 CM TUBE

1X

10 CM TUBE

1X

20 CM TUBE

1X

40 CM TUBE

1X

80 CM TUBE

1X

These General Terms and Conditions (hereinafter “General Conditions”) will apply to all supplies of products by Giopato & Coombes S.r.l., with head offices in Viale Gian Giacomo Felissent, 116, Treviso, Italy. C.F./V.A.T. Number IT04408130260 (hereinafter G&C or the “Supplier”).

The term “Customer” means the company or the individual that orders the products and is the addressee of the Supplier’s invoice.

Art. 1. Oggetto e ambito di applicazione.

Le presenti Condizioni generali di vendita, in seguito solo “Condizioni” regolamentano e si applicano alle forniture di beni di G&C quali uniche efficaci condizioni a disciplinare il rapporto con il Cliente, prevalendo su eventuali condizioni generali o particolari di questi.

Il Cliente rinuncia all’applicazione delle proprie eventuali condizioni generali e particolari di acquisto, in ogni caso prive di efficacia nei rapporti con G&C.

L’accettazione scritta da parte del Cliente dell’offerta di fornitura in forza della quale G&C inizierà l’esecuzione della lavorazione o effettuerà la consegna costituisce accettazione espressa anche delle presenti Condizioni così come l’accettazione della fornitura rende implicita l’accettazione di tutte le condizioni.

Le presenti Condizioni trovano applicazione in tutti i rapporti di fornitura anche se non richiamate negli specifici documenti contrattuali.

La fornitura è disciplinata, oltre alle presenti Condizioni, dalle schede tecniche, dai disegni e dai documenti in essi richiamati.

Per quanto non richiamato, si applica la disciplina del codice civile italiano in materia di compravendita.

Art. 2. Conclusione del contratto.

Il Contratto è concluso nel momento in cui G&C ha notizia che l’offerta di fornitura inviata al Cliente è stata da questi accettata con conferma d’ordine scritta. Le richieste d’ordine inviate a G&C non sono vincolanti fino alla loro completa ed integrale accettazione da parte di G&C.

Art. 3. Contenuto dell’offerta o dell’accettazione della conferma d’ordine.

I beni, descritti per tipologia e quantità, saranno indicati unitamente a tutti gli altri elementi della fornitura, nell’offerta di G&C, poi confermata dal Cliente, con l’indicazione dei tempi di consegna, delle specifiche tecniche e di ogni altro elemento reputato utile ai fini della fornitura.

Art. 4. Prezzo e modalità di pagamento.

Il prezzo di vendita e l’anticipo che il Cliente dovrà corrispondere alla conferma d’ordine sono indicati nell’offerta di fornitura di G&C, poi accettata dal Cliente. Salvo diverso accordo, i prezzi potranno essere soggetti a revisione e variazione in funzione della variazione del costo di realizzazione della merce (a titolo meramente indicativo e non esaustivo, per materie prime, manodopera, energia, imballaggio, percentuali fisse).

Ogni obbligazione di G&C nella fornitura dei beni, inteso in particolar modo l’obbligo di avvio dell’esecuzione dell’ordine scritto e della consegna sono subordinate al versamento da parte del Cliente del prezzo di acquisto dei beni così come indicato e quantificato dettagliatamente nell’offerta di fornitura di G&C.

G&C non sarà quindi in alcun modo responsabile per ritardi nella consegna se tali ritardi sono dovuti al mancato adempimento dell’obbligo di versamento del prezzo, che costituisce condizione per la decorrenza dell’esecuzione del contratto.

Art. 5. Trasferimento della merce e termine di consegna. Riserva di proprietà.

Nei casi in cui la consegna sia EXW o FCA G&C consegna la merce mettendola a disposizione del Cliente presso il proprio stabilimento o rimettendola al vettore

Art. 1. Object and scope of application.

These General Sale Conditions, hereinafter referred to as “Conditions”, govern and apply to the supply of G&C goods as the only effective conditions governing the relationship with the Customer, prevailing over any general or conditions of these.

The Customer waives the application of his general and purchase-conditions, in any case ineffective in relations with G&C.

Written acceptance by the Customer of the supply offer in force of which G&C will start the execution of the manufacture or carry out the delivery also constitutes express acceptance of these Conditions as well as the acceptance of the supply implies the acceptance of all conditions.

These Conditions are applied to all supply relationships even if not referred to in the specific contractual documents.

The supply is governed, in addition to these Conditions, by the technical data sheets, drawings and documents referred to therein.

Although not mentioned, the provisions of the Italian civil code will be applied.

Art. 2. Conclusion of the contract.

The Contract is concluded when G&C is informed that the supply offer has been accepted by the Customer by written order confirmation. Purchase order sent to G&C are not binding until their complete and integral acceptance by G&C.

Art. 3. Content of the offer or of the acceptance of the order confirmation.

The goods, described by type and quantity, will be indicated together with all the other elements of the supply, in G&C’s offer, then confirmed by the Customer, with indication of delivery date, technical specifications and any other element deemed useful for the purpose of the supply.

Art. 4. Price and payment methods.

The sale price and the advance payment that the Customer shall pay with the order confirmation are indicated in G&C’s supply offer, which is then accepted by the Customer. Unless otherwise agreed, the prices may be subject to revision and variation according to the variation of the manufacturing costs of the goods (merely indicative and not exhaustive, as for raw materials, labour, energy, packaging, fixed percentages).

All obligations of G&C in the supply of goods, understood the obligation to start the execution of the written order and delivery are subject to payment by the Customer at the purchase price of the goods as indicated and quantified in detail in the G&C supply offer. G&C will therefore not be responsible in any way for delays in deliveries if such delays are due to failure to fulfill the obligation to pay the price, which is a condition for the start of the execution of the contract.

Art. 5. Transfer of goods and delivery term. Retention of title.

In cases where the delivery is EXW or FCA, G&C delivers the goods by placing them at the disposal of the Customer at its owned factory or at the forwarder chosen by the Customer, who will bear all the transport costs for the goods till the destination. From the moment the goods are made available at its owned factory or at forwarder, the Customer will bear all risks of loss, or damage to the goods, even if dependent on transport. The delivery term for G&C can never be considered

scelto dal Cliente, che sosterrà tutte le spese di trasporto perché la merce giunga nella destinazione finale.

Dal momento della messa a disposizione della merce presso il proprio stabilimento ovvero dalla consegna al vettore il Cliente sopporterà tutti i rischi di perdita, avaria o danno alla merce, anche se dipendenti dal trasporto.

Il termine di consegna per G&C non potrà mai considerarsi tassativo ed essenziale. G&C terrà preventivamente informato il Cliente sui tempi di consegna, sulla spedizione della merce e su ogni altro fatto ritenuto necessario ai fini della fornitura.

Laddove G&C accordasse la consegna della merce in via di eccezione senza avere ricevuto prima il versamento integrale del prezzo, la proprietà della merce passerà al Cliente solo al momento dell'integrale pagamento. In tali casi il Cliente dovrà adottare tutte le misure possibili per garantire la conservazione e l'integrità dei beni, stipulando idonea polizza assicurativa di cui fornirà copia a G&C.

Art. 6. Spedizioni

La spedizione delle merci avrà luogo dai locali o dal magazzino di G&C, salvo diversi accordi fra le Parti. Salvo sia diversamente concordato, il Cliente sarà responsabile dell'organizzazione del trasporto e dei relativi costi.

Tutti i rischi sul Prodotto saranno trasferiti al Cliente al momento della spedizione.

G&C. terrà informato il Cliente circa le date di spedizione comunicando al Cliente quelle disponibili.

Se il Cliente ritarda di organizzare la spedizione rispetto alle date concordate, dovrà rimborsare G&C. di tutti i danni e costi sopportati, quali gli extra costi per il magazzino, le movimentazioni, l'assicurazione ed il trasporto.

Art. 7. Obbligazioni e dichiarazioni di G&C.

I beni consegnati da G&C rispetteranno le caratteristiche qualitative e quantitative di cui all'offerta accettata dal Cliente e saranno soggetti a garanzia di 12 (dodici) mesi a partire dalla data della iniziale consegna, che viene aumentata di ulteriori 12 (dodici) mesi per i mercati Europeo, Svizzera e Uk. Tale garanzia si applicherà anche ai beni sostituiti o riparati.

In caso di contestazioni del Cliente per ritenuti vizi, difetti o non conformità dei prodotti, il Cliente dovrà darne comunicazione scritta al seguente indirizzo support@giopatocoombes.com entro il termine di 8 (otto) giorni dalla scoperta e dovrà consentire a G&C di poter ispezionare i prodotti. In difetto di comunicazione da parte del Cliente entro il termine indicato, quest'ultimo decadrà da qualunque pretesa, eccezione o richiesta. La comunicazione di contestazione del prodotto dovrà essere corredata da fotografie e documenti utili a consentire a G&C la verifica in contraddittorio. G&C potrà sostituire a proprie spese il prodotto o parti di esso in caso di contestazioni del Cliente ma non risponderà in ipotesi di problematiche dovute ad un errato montaggio o installazione dei prodotti senza il rigoroso rispetto delle schede tecniche, del manuale di installazione, delle regole dell'arte ovvero in ogni caso in cui non siano state rigorosamente rispettate dal Cliente le indicazioni sui prodotti, sull'ambiente ove andranno inseriti e su ogni altro aspetto che possa essere rilevante ai fini dell'installazione o della conservazione.

La restituzione dei beni non è consentita, salvo autorizzazione scritta di G&C. In questo caso i beni saranno spediti a rischio e spese del cliente, in perfette condizioni e nell'originale imballaggio. In questo caso i beni saranno

mandatory and essential. G&C will keep the Customer informed in advance of delivery times, shipment of the goods and any other fact deemed necessary for the purpose of the supply. In case that G&C agrees to deliver the goods as an exception before having first received the full payment of the price, the ownership of the goods will pass to the Customer only with the full payment. In such cases, the Customer must take all possible measures to guarantee the conservation and integrity of the goods, stipulating a suitable insurance policy of which he will provide a copy to G&C.

Art. 6. Delivery

The shipment of goods will take place from the premises or warehouse of G&C, unless otherwise agreed between the Parties. Unless otherwise agreed, the Customer shall be responsible for organizing the transport and related costs.

All risks regarding the Product will be transferred to the Customer at the time of shipment. G&C will keep the Customer informed about the shipment dates by notifying the available ones. If the Customer delays the previously agreed shipping/delivery date, it will reimburse G&C for all damages and costs such as extra storage, handling, insurance and transportation.

Art. 7. Obligations and declarations of G&C.

The goods delivered by G&C will comply with the qualitative and quantitative characteristics specified in the offer accepted by the Customer and will be subject to a warranty period of 12 (twelve) months from the date of the initial delivery, which is extended by an additional 12 (twelve) months for the European, Swiss, and UK markets. This warranty will also apply to replaced or repaired goods. In the event of complaints from the Customer for alleged faults, defects or non-conformities of the products, the Customer must give written notice to the following address support@giopatocoombes.com within 8 (eight) days from the discovery and must allow G&C to inspect the products. In the lack of communication by the Customer within the above-mentioned term, the latter will forfeit any dispute, objection, or request. The claim communication of the product must be accompanied by photographs and documents helpful to allow G&C to verify it jointly.

G&C will be able to replace the product or parts of it at its own expense in the event of disputes from the Customer but will not respond in the event of problems due to incorrect assembly or installation of the products without strict compliance with the technical data sheets, the installation manual, the rules of state art or in any case in which the indications on the products, on the environment where they will be installed and on any other aspect conservation have not been strictly observed by the Customer.

Returned goods will not be accepted unless authorisation of G&C in writing. In this case goods will be shipped at the customer's expenses and risk and only for unused goods, in perfect conditions and in original packaging. In this case the goods will be credited with the retention of 20% of the net value invoiced to cover reconditioning and transportation costs.

Art. 8. Obligations and declarations of the Client.

Compliance with the payment terms and conditions of the goods must be strictly observed by the Customer as indicated in the supply offer. A delay of even one day will entitle G&C to suspend the supply according to the provisions of art. 4 or to

accreditati con la trattenuta del 20% sul valore netto fatturato per coprire il ricondizionamento e i costi di trasporto.

Art. 8. Obbligazioni e dichiarazioni del Cliente.

Il rispetto dei termini e modalità di pagamento dei beni dovrà essere rigoroso da parte del Cliente così come indicato nell'offerta di fornitura. Il ritardo anche di un solo giorno darà titolo a G&C di sospendere la fornitura secondo la previsione di cui all'art. 4 ovvero di risolvere di diritto il contratto ai sensi validità del contratto. Il Cliente dovrà mantenere strettamente confidenziali le informazioni e non dovrà utilizzarle e comunicarle per scopi diversi o al di fuori di quanto previsto dal contratto, fatta eccezione per il proprio personale e per eventuali revisori e soggetti ai quali competano funzioni di controllo e vigilanza e, comunque, nei limiti di quanto strettamente necessario.

Art. 9. Forza maggiore.

Si ha forza maggiore in qualunque ipotesi in cui la fornitura sia ritardata, impedita od ostacolata da eventi non dipendenti dalla volontà o al di fuori del controllo delle Parti, quali ad esempio, azioni od omissioni di autorità governative o pubbliche, disordini civili, scioperi o vertenze sindacali, blocchi od embarghi, interruzioni nella fornitura di energia elettrica o di carburante, inondazioni, disastri naturali, epidemie e/o pandemie, mancata consegna delle materie prime reperibili sul mercato nazionale. In tali casi la fornitura si intenderà sospesa per un periodo equivalente alla durata della causa di forza maggiore e la necessità di ripristino, con onere della parte interessata dal fatto di inviare comunicazione scritta motivata all'altra parte confermata dalla locale camera di commercio o atto equipollente. Se la sospensione si protrarrà per più di sei mesi, ciascuna parte potrà recedere dal contratto, dandone comunicazione scritta all'altra parte senza l'applicazione di penali.

Art. 10. Proprietà intellettuale. Riservatezza e knowhow.

Tutti i diritti di proprietà industriale e intellettuale sui prodotti forniti sono esclusivamente di G&C che non potranno essere in alcun modo ceduti al Cliente o a terze parti. È vietato al Cliente e a terze parti di apportare qualsiasi modifica, anche marginale, ai prodotti anche con riferimenti ai segni distintivi presenti sugli stessi. In ogni caso di violazione del presente articolo dovranno essere risarciti a G&C tutti i danni patiti e patienti.

Tutta la documentazione messa a disposizione da G&C al Cliente per l'esecuzione della fornitura, oltre a restare di esclusiva proprietà di G&C, è strettamente riservata e non potrà essere divulgata, copiata, riprodotta, ma solamente ed esclusivamente utilizzata dal Cliente per gli scopi della fornitura.

Il Cliente è tenuto alla massima riservatezza su tutte le notizie, i listini, i prodotti, le informazioni delle pratiche commerciali, l'organizzazione aziendale, il know-how, le tecniche, i piani commerciali e industriali di G&C ed ogni altra informazione conosciuta in virtù della fornitura; l'obbligo di riservatezza rimarrà anche oltre il termine di validità del contratto. Il Cliente dovrà mantenere strettamente confidenziali le informazioni e non dovrà utilizzarle e comunicarle per scopi diversi o al di fuori di quanto previsto dal contratto, fatta eccezione per il proprio personale e per eventuali revisori e soggetti ai quali competano funzioni di controllo e vigilanza e, comunque, nei limiti di quanto strettamente necessario.

legally terminate the contract pursuant to art. 1456 of the Italian civil code at its sole discretion with the right to obtain compensation for the damages suffered. For no reason, not even in the event of dispute of the goods, the Customer will have the right to suspend payment of the goods.

Art. 9. Force majeure.

There is force majeure in any case in which the supply is delayed, prevented or hindered by events not dependent on the will or beyond the control of the Parties, such as, for example, actions or omissions by government or public authorities, civil unrest, strikes or union disputes, blocks or embargoes, interruptions in the supply of electricity or fuel, floods, natural disasters, epidemics and/or pandemics, non-delivery of raw materials available on the national market. In such cases, the supply will be considered suspended for a period equivalent to the duration of the cause of force majeure and the need for restoration, with the responsibility of the interested party to send a motivated written communication to the other party confirmed by the local chamber of commerce or equivalent deed. If the suspension lasts for more than six months, each party may withdraw from the contract by giving written notice to the other party without the application of penalties.

Art. 10. Intellectual property. Confidentiality and knowhow.

All industrial and intellectual property rights on the products supplied belong exclusively to G&C which cannot be transferred to the customer or third parties in any way. It is forbidden to the Customer and third parties to make any modification, even marginal, to the products, even with references to the distinctive signs present on them.

In any case of violation of this article, all damages suffered and pending must be compensated to G&C.

All the documentation made available by G&C to the Customer for the execution of the supply, besides remaining the exclusive property of G&C, is strictly confidential and cannot be disclosed, copied, reproduced, but only and exclusively used by the Customer for the purposes of supply.

The Customer is bound to the utmost confidentiality on all news, price lists, products, information on commercial practices, company organization, know-how, techniques, commercial and industrial plans of G&C and any other information known in force of the supply; the obligation of confidentiality will remain even beyond the term of validity of the contract. The Customer must keep the information strictly confidential and must not use and communicate it for different purposes or outside the provisions of the contract, except for its own personnel and any auditors and subjects responsible for control and supervisory functions and, in any case within the limits of what is strictly necessary.

Art. 11. Withdrawal of G&C.

G&C reserves the right to exercise the withdrawal from the supply contract by means of written communication to be sent to the Customer who will be held harmless of the costs incurred until the communication of withdrawal. The withdrawal may also be exercised in the event of the Customer bankruptcy proceedings and in the event of corporate changes of control, such as mergers, demergers, transfers of company or company branches.

Art. 11. Recesso di G&C.

G&C si riserva la facoltà di esercitare il recesso dal contratto di fornitura mediante comunicazione scritta da inviare al Cliente che sarà tenuto indenne dei costi sostenuti sino alla comunicazione di recesso. Il recesso potrà essere esercitato anche in caso di sottoposizione del Cliente a procedure concorsuali e in caso di modifiche societarie, quali fusioni, scissioni, cessioni di azienda o rami d'azienda.

Art. 12. Trattamento dei dati personali.

Le parti si dichiarano di essere informate e si prestano il reciproco consenso al trattamento dei rispettivi dati ai sensi del Testo unico della privacy ai sensi del D.Lgs. 196/2003 come eventualmente modificato o integrato e del regolamento UE 2016/679.

Art. 13. Disposizioni finali.

Salva diversa ed espressa disposizione, tutte le comunicazioni fra le parti dovranno essere effettuate per iscritto. Eventuali modifiche alla fornitura avranno effetto solo se confermate per iscritto da G&C.

Art. 14. Controversie: Foro competente e legge applicabile.

Le controversie che dovessero sorgere fra le parti con riferimento all'applicazione delle presenti Condizioni e alla fornitura saranno devolute alla esclusiva giurisdizione del giudice italiano ovvero al Tribunale di Treviso o alla Sezione Specializzata in materia di impresa del Tribunale di Venezia. La legge che norma le presenti Condizioni e che regolerà la fornitura sarà quella italiana. In caso in cui la documentazione relativa alla fornitura sia redatta in più lingue, sarà data prevalenza in ogni caso a quella italiana ovvero, in mancanza, a quella inglese.

Art. 12. Treatment of personal data.

The parties declare that they are informed and give their mutual consent to the processing of their respective data pursuant to the Consolidated Privacy Act pursuant to Legislative Decree 196/2003 as possibly amended or supplemented and to EU regulation 2016/679.

Art. 13. Final provisions.

Unless otherwise expressly provided, all communications between the parties must be made in writing. Any changes to the supply will only take effect if confirmed in writing by G&C.

Art. 14. Disputes: Jurisdiction and applicable law.

Disputes that may arise between the parties with reference to the application of these Conditions and to the supply will be devolved to the exclusive jurisdiction of the Italian judge or to the Court of Treviso or to the Specialized Section in business matters of the Court of Venice.

The law that governs these Conditions and that will regulate the supply will be the Italian one.

If the documentation relating to the supply is drawn up in several languages, prevalence will in any case be given to the Italian one or, failing that, to the English one.

PRICELIST EUROPE V24
DECEMBER 2023

Giopato & Coombes S.r.l.

Viale Gian Giacomo Felissent, 116
31100 – Treviso, Italia

www.giopatocoombes.com

tel: +39 0422 697997

[instagram.com/giopatocoombes](https://www.instagram.com/giopatocoombes)

[#supernaturaldaydream](https://www.instagram.com/giopatocoombes)

