



kinetura

By Tekna



*All prices in this pricelist are recommended retail prices excl. VAT and EX WORKS.
Kinetura reserves the right to make changes in prices, technical characteristics,
colors and finishes of the products at any time.*

kinetura


By Tekna




SANTIAGO	9
MINATO	11
TOKYO	13
KANTO	15
CORDOBA	17
NAPOLI	19
NAPOLI ROUND	20
NAPOLI SINGLE	22
NAPOLI DOUBLE	23
OSLO	25
FLEX CIRCLE 40	27
FLEX CIRCLE 60	27
NEW YORK	29
MOSCOW	31
SHANGHAI	33

FINISHES


INTERIOR



WIT - GHOST WHITE (LACQUERED)



VNR - VENETIAN RED (LACQUERED)



ZWT - JET BLACK (LACQUERED)



YEL - SUNRISE YELLOW (LACQUERED)



BRA - AGED BRASS



BRB - BRUSHED BRONZE





CTM - CUSTOM COLOR



AUL - ANODIZED OLYMPIC GOLD

EXTERIOR





MOUNTING METHODS EXPLAINED


Trimless

The light fixture can be seamlessly integrated into a wall or ceiling. No edge is visible, the fixture blends beautifully into the surface.

The specially designed mounting system makes installation very easy. The fixture is integrated into the wall or ceiling, which requires the necessary installation depth. After installation, you can plaster the edges of the light fixture to create a smooth surface.

Interior finish: lacquered colors.

Seamless
Plasterboard/ plaster wall
Primed cover panel



Trim

The fixture can be installed in a wooden wall, ceiling or other hard material. In this built-in version, a fine edge is visible around the light fixture, which can be additionally covered by the installer and/or painter.

Depending on the type of light fixture you chose, the product can be installed in both wall and ceiling.

For the exterior finish you can choose between a primed cover panel or lacquered ghost white cover panel. Interior finish: lacquered colors.

Visible fine edge
Wood, hard material
Primed or lacquered ghost white cover panel




On Box

When you choose an on box version, the light fixture is fixed in a frame. Here you have the choice between a lacquered black or white frame.

The fixture can be mounted on a wall, as a pendant lamp or as a stand-alone fixture (plug & play). This version is always offered in different finishes and lacquered colors.

Interior finish: lacquered colors or anodized olympic gold.

Black or white frame
Wall, pendant, stand-alone
Various finishes available







KT102 SANTIAGO

Available from August 2021

Santiago is a metamorphic lighting object that combines a physical transformation of its shape with a modulation of light. In its closed position you have a minimal incision line. When light is requested, the flexible rectangle slowly bends inwards to reveal the light. Integrated electronics ensure a smooth and silent transformation in harmony with the intensity of the light. The transformation and light modulation are pre-programmed, but can also be independently controlled by the user through bluetooth smart control. Trimless devices can also be activated via Dali. The light source is a long-life LED engine with a color temperature of 2700K (other options on request). Santiago can be integrated in walls or ceilings as an uplighter or downlighter.

Integrated bluetooth smart control and power supply, excludes mounting accessories.

Interior



Exterior



SANTIAGO TRIMLESS
Seamless integration in
plasterboard or pastered wall

KT102S - SANTIAGO TRIMLESS

Dimensions: width 280mm - height 600mm - projection 72mm
LED 2700 K > 50.000 h CRI95 - 680 lm (source) - 12 W

KT102SWITPRM	SANTIAGO trimless - lacquered ghost white interior + primed cover panel	1350,00
KT102SVNRPRM	SANTIAGO trimless - lacquered venetian red interior + primed cover panel	1350,00
KT102SZWTPRM	SANTIAGO trimless - lacquered jet black interior + primed cover panel	1350,00
KT102SYELPRM	SANTIAGO trimless - lacquered sunrise yellow interior + primed cover panel	1350,00
KT102SCTMPRM	SANTIAGO trimless - lacquered custom color interior + primed cover panel	1350,00

MOUNTING OPTIONS


KA001	Mounting frame for plasterboard santiago	65,00
KA002	Concrete box santiago	55,00





KT115 MINATO


Available from March 2021




Minato is a metamorphic lighting object that combines a physical transformation of its shape with a modulation of light. In its closed position you have a minimal circular incision line. When light is requested, the flexible circle slowly bends inwards to reveal the light. Integrated electronics ensure a smooth and silent transformation in harmony with the intensity of the light. The transformation and light modulation are pre-programmed, but can also be independently controlled by the user through bluetooth smart control.

Use: wall, stand-alone.
Integrated bluetooth smart control and power supply, excludes mounting accessories.
EU plug included - others on request.

Interior



Exterior



MINATO ON BOX
Surface mounting in a frame
(lacquered black or white)

KT115B - MINATO ON BOX


Dimensions: width 325mm - height 325mm - projection 60mm - Ø 213mm
LED 2700 K > 50.000 h - 1320 lm (source) - 12 W

LACQUERED WHITE FRAME

KT115BWITWITFW	MINATO - lacquered ghost white interior + lacquered ghost white exterior	1100,00
KT115BVNRWITFW	MINATO - lacquered venetian red interior + lacquered ghost white exterior	1100,00
KT115BZWTWITFW	MINATO - lacquered jet black interior + lacquered ghost white exterior	1100,00
KT115BYELWITFW	MINATO - lacquered sunrise yellow interior + lacquered ghost white exterior	1100,00
KT115BYELBROFW	MINATO - lacquered sunrise yellow interior + aged bronze exterior	1600,00
KT115BYELBRAFW	MINATO - lacquered sunrise yellow interior + aged brass exterior	1600,00
KT115BYELAGRFW	MINATO - lacquered sunrise yellow interior + acid green exterior	1600,00

LACQUERED BLACK FRAME

KT115BWITWITFB	MINATO - lacquered ghost white interior + lacquered ghost white exterior	1100,00
KT115BVNRWITFB	MINATO - lacquered venetian red interior + lacquered ghost white exterior	1100,00
KT115BZWTWITFB	MINATO - lacquered jet black interior + lacquered ghost white exterior	1100,00
KT115BYELWITFB	MINATO - lacquered sunrise yellow interior + lacquered ghost white exterior	1100,00
KT115BYELBROFB	MINATO - lacquered sunrise yellow interior + aged bronze exterior	1600,00
KT115BYELBRAFB	MINATO - lacquered sunrise yellow interior + aged brass exterior	1600,00
KT115BYELAGRFB	MINATO - lacquered sunrise yellow interior + acid green exterior	1600,00







KT103 TOKYO

Available from March 2021

Tokyo is a metamorphic light object that combines a physical transformation of its form with a modulation of light. When closed, you have a minimal line. When light is requested, the flexible circle slowly bends inward to reveal the light. Integrated electronics ensure a smooth and silent transformation in harmony with the intensity of the light. The transformation and light modulation are pre-programmed, but can also be independently controlled by the user through bluetooth smart control. Trimless devices can also be activated via Dali.

It is magical in a composition with metamorphic circles of different sizes (Kanto).
Integrated bluetooth smart control and power supply, excludes mounting accessories.

Interior



Exterior



KT103S - TOKYO TRIMLESS

Dimensions: width 690mm - height 690mm - projection 72mm - Ø 400 mm
LED 2700 K > 50.000 h - 1320 lm (source) - 12W

KT103SWITPRM	TOKYO trimless - lacquered ghost white interior + primed cover panel	2300,00
KT103SVNRPRM	TOKYO trimless - lacquered venetian red interior + primed cover panel	2300,00
KT103SZWTPRM	TOKYO trimless - lacquered jet black interior + primed cover panel	2300,00
KT103SAULPRM	TOKYO trimless - anodized olympic gold interior + primed cover panel	2300,00
KT103SCTMPRM	TOKYO trimless - lacquered custom color interior + primed cover panel	

MOUNTING OPTIONS

KA003	Mounting frame for plasterboard Tokyo	70,00
KA004	Concrete box Tokyo	60,00

KT103T - TOKYO TRIM

Dimensions: width 690mm - height 690mm - projection 72mm - Ø 400 mm
LED 2700 K > 50.000 h - 1320 lm (source) - 12W




	<u>PRIMED COVER PANEL</u>	
KT103TWITPRM	TOKYO trim - lacquered ghost white interior + primed cover panel	2300,00
KT103TVNRPRM	TOKYO trim - lacquered venetian red interior + primed cover panel	2300,00
KT103TZWTPRM	TOKYO trim - lacquered jet black interior + primed cover panel	2300,00
KT103TAULPRM	TOKYO trim - anodized olympic gold interior + primed cover panel	2300,00
KT103TCTMPRM	TOKYO trim - lacquered custom color interior + primed cover panel	on request

LACQUERED GHOST WHITE COVER PANEL

KT103TWITWIT	TOKYO trim - lacquered ghost white interior + lacquered ghost white cover panel	2400,00
KT103TVNRWIT	TOKYO trim - lacquered venetian red interior + lacquered ghost white cover panel	2400,00
KT103TZWTWIT	TOKYO trim - lacquered jet black interior + lacquered ghost white cover panel	2400,00
KT103TAULWIT	TOKYO trim - anodized olympic gold interior + lacquered ghost white cover panel	2400,00
KT103TCTMWIT	TOKYO trim - lacquered custom color interior + lacquered ghost white cover panel	on request


TOKYO TRIMLESS

Seamless integration in plasterboard or pastered wall



TOKYO TRIM

Integration in fibreboard wall



TOKYO ON BOX

Surface mounting in a frame (lacquered black or white)

KT103B - TOKYO ON BOX


Dimensions: width 628mm - height 628mm - projection 72mm - Ø 400 mm
LED 2700 K > 50.000 h - 1320 lm (source) - 12W
EU plug included - others on request.

LACQUERED WHITE FRAME

KT103BWITWITFW	TOKYO on box - lacquered ghost white interior + lacquered ghost white exterior	2850,00
KT103BVNRWITFW	TOKYO on box - lacquered venetian red interior + lacquered ghost white exterior	2850,00
KT103BZWTWITFW	TOKYO on box - lacquered jet black interior + lacquered ghost white exterior	2850,00
KT103BAULWITFW	TOKYO on box - anodized olympic gold interior + lacquered ghost white exterior	2850,00
KT103BAULBROFW	TOKYO on box - anodized olympic gold interior + aged bronze exterior	3000,00
KT103BAULBRAFW	TOKYO on box - anodized olympic gold interior + aged brass exterior	3000,00
KT103BAULAGRFW	TOKYO on box - anodized olympic gold interior + acid green exterior	3000,00

LACQUERED BLACK FRAME

KT103BWITWITFB	TOKYO on box - lacquered ghost white interior + lacquered ghost white exterior	2850,00
KT103BVNRWITFB	TOKYO on box - lacquered venetian red interior + lacquered ghost white exterior	2850,00
KT103BZWTWITFB	TOKYO on box - lacquered jet black interior + lacquered ghost white exterior	2850,00
KT103BAULWITFB	TOKYO on box - anodized olympic gold interior + lacquered ghost white exterior	2850,00
KT103BAULBROFB	TOKYO on box - anodized olympic gold interior + aged bronze exterior	3000,00
KT103BAULBRAFB	TOKYO on box - anodized olympic gold interior + aged brass exterior	3000,00
KT103BAULAGRFB	TOKYO on box - anodized olympic gold interior + acid green exterior	3000,00





KT105

KANTO

Available from March 2021

Kanto is a metamorphic lighting object that combines a physical transformation of its shape with a modulation of light. In its closed position you have a minimal circular incision line. When light is requested, the flexible circle slowly bends inwards to reveal the light. Integrated electronics ensure a smooth and silent transformation in harmony with the intensity of the light. The transformation and light modulation are pre-programmed, but can also be independently controlled by the user through bluetooth smart control. Trimless devices can also be activated via Dali.

Integrated bluetooth smart control and power supply, excludes mounting accessories.

Interior



Exterior



KT105S - KANTO TRIMLESS

Dimensions: width 990mm - height 990mm - projection 72mm - Ø 600 mm
LED 2700 K > 50.000 h - 2640 lm (source) - 24 W

KT105SWITPRM	KANTO trimless - lacquered ghost white interior + primed cover panel	3000,00
KT105SVNRPRM	KANTO trimless - lacquered venetian red interior + primed cover panel	3000,00
KT105SZWTPRM	KANTO trimless - lacquered jet black interior + primed cover panel	3000,00
KT105SAULPRM	KANTO trimless - anodized olympic gold interior + primed cover panel	3000,00
KT105SCTMPRM	KANTO trimless - lacquered custom color interior + primed cover panel	

MOUNTING OPTIONS

KA005	Mounting frame for plasterboard Kanto	70,00
KA006	Concrete box Kanto	60,00

KT105T - KANTO TRIM

Dimensions: width 920mm - height 920mm - projection 72mm - Ø 600 mm
LED 2700 K > 50.000 h - 2640 lm (source) - 24 W

PRIMED COVER PANEL

KT105TWITPRM	KANTO trim - lacquered ghost white interior + primed cover panel	3000,00
KT105TVNRPRM	KANTO trim - lacquered venetian red interior + primed cover panel	3000,00
KT105TZWTPRM	KANTO trim - lacquered jet black interior + primed cover panel	3000,00
KT105TAULPRM	KANTO trim - anodized olympic gold interior + primed cover panel	3000,00
KT105TCTMPRM	KANTO trim - lacquered custom color interior + primed cover panel	on request

LACQUERED GHOST WHITE COVER PANEL

KT105TWITWIT	KANTO trim - lacquered ghost white interior + ghost white cover panel	3100,00
KT105TVNRWIT	KANTO trim - lacquered venetian red interior + ghost white cover panel	3100,00
KT105TZWTWIT	KANTO trim - lacquered jet black interior + ghost white cover panel	3100,00
KT105TAULWIT	KANTO trim - anodized olympic gold interior + ghost white cover panel	3100,00
KT105TCTMWIT	KANTO trim - lacquered custom color interior + ghost white cover panel	on request


KANTO TRIMLESS

Seamless integration in plasterboard or pastered wall




KANTO TRIM

Integration in fibreboard wall



KANTO ON BOX

Surface mounting in a frame (lacquered black or white)



KT105B - KANTO ON BOX

Dimensions: width 929mm - height 929mm - projection 72mm - Ø 600 mm
LED 2700 K > 50.000 h - 2640 lm (source) - 24 W
EU plug included - others on request.

LACQUERED WHITE FRAME

KT105BWITWITFW	KANTO on box - lacquered ghost white interior + lacquered ghost white exterior	3250,00
KT105BVNRWITFW	KANTO on box - lacquered venetian red interior + lacquered ghost white exterior	3250,00
KT105BZWTWITFW	KANTO on box - lacquered jet black interior + lacquered ghost white exterior	3250,00
KT105BAULWITFW	KANTO on box - anodized olympic gold interior + lacquered ghost white exterior	3250,00
KT105BAULBROFW	KANTO on box - anodized olympic gold interior + aged bronze exterior	3650,00
KT105BAULBRAFW	KANTO on box - anodized olympic gold interior + aged brass exterior	3650,00
KT105BAULAGRFW	KANTO on box - anodized olympic gold interior + acid green exterior	3650,00

LACQUERED BLACK FRAME

KT105BWITWITFB	KANTO on box - lacquered ghost white interior + lacquered ghost white exterior	3250,00
KT105BVNRWITFB	KANTO on box - lacquered venetian red interior + lacquered ghost white exterior	3250,00
KT105BZWTWITFB	KANTO on box - lacquered jet black interior + lacquered ghost white exterior	3250,00
KT105BAULWITFB	KANTO on box - anodized olympic gold interior + lacquered ghost white exterior	3250,00
KT105BAULBROFB	KANTO on box - anodized olympic gold interior + aged bronze exterior	3650,00
KT105BAULBRAFB	KANTO on box - anodized olympic gold interior + aged brass exterior	3650,00
KT105BAULAGRFB	KANTO on box - anodized olympic gold interior + acid green exterior	3650,00





KT104 CORDOBA

Available from August 2021

Cordoba is a metamorphic lighting object that combines a physical transformation of its shape with a modulation of light. In its closed position you have a minimal bulb shaped incision line. When light is requested, the flexible bulb shape slowly bends inwards to reveal the light.


Integrated electronics ensure a smooth and silent transformation in harmony with the intensity of the light. The transformation and light modulation are pre-programmed, but can also be independently controlled by the user through bluetooth smart control. Trimless devices can also be activated via Dali.

Integrated bluetooth smart control and power supply, excludes mounting accessories.

Interior




Exterior



CORDOBA TRIM

Integration in fibreboard wall



CORDOBA ON BOX

Surface mounting in a frame
(lacquered black or white)

KT104T - CORDOBA TRIM

Dimensions: width 600mm - height 800mm - projection 72mm - bulb shape 560x400mm
LED 2700 K > 50.000 h - 1320 lm (source) - 12 W

PRIMED COVER PANEL

KT104TWITPRM	CORDOBA trim - lacquered ghost white interior + primed cover panel	2300,00
KT104TVNRPRM	CORDOBA trim - lacquered venetian red interior + primed cover panel	2300,00
KT104TZWTPRM	CORDOBA trim - lacquered jet black interior + primed cover panel	2300,00
KT104TYELPRM	CORDOBA trim - lacquered sunrise yellow interior + primed cover panel	2300,00
KT104TCTMPRM	CORDOBA trim - lacquered custom color interior + primed cover panel	on request

LACQUERED GHOST WHITE COVER PANEL

KT104TWITWIT	CORDOBA trim - lacquered ghost white interior + ghost white cover panel	2400,00
KT104TVNRWIT	CORDOBA trim - lacquered venetian red interior + ghost white cover panel	2400,00
KT104TZWTWIT	CORDOBA trim - lacquered jet black interior + ghost white cover panel	2400,00
KT104TYELWIT	CORDOBA trim - lacquered sunrise yellow interior + ghost white cover panel	2400,00
KT104TCTMWIT	CORDOBA trim - lacquered custom color interior + ghost white cover panel	on request

KT104B - CORDOBA ON BOX

Dimensions: width 600mm - height 800mm - projection 72mm - bulb shape 560x400mm
LED 2700 K > 50.000 h - 1320 lm (source) - 12 W
EU plug included - others on request.

LACQUERED WHITE FRAME


KT104BWITWITFW	CORDOBA on box - lacquered ghost white interior + lacquered ghost white exterior	2600,00
KT104BVNRWITFW	CORDOBA on box - lacquered venetian red interior + lacquered ghost white exterior	2600,00
KT104BZWTWITFW	CORDOBA on box - lacquered jet black interior + lacquered ghost white exterior	2600,00
KT104BYELWITFW	CORDOBA on box - lacquered sunrise yellow interior + lacquered ghost white exterior	2600,00
KT104BYELBROFW	CORDOBA on box - lacquered sunrise yellow interior + aged bronze exterior	2800,00
KT104BYELBRAFW	CORDOBA on box - lacquered sunrise yellow interior + aged brass exterior	2800,00
KT104BYELAGRFW	CORDOBA on box - lacquered sunrise yellow interior + acid green exterior	2800,00

LACQUERED BLACK FRAME


KT104BWITWITFB	CORDOBA on box - lacquered ghost white interior + lacquered ghost white exterior	2600,00
KT104BVNRWITFB	CORDOBA on box - lacquered venetian red interior + lacquered ghost white exterior	2600,00
KT104BZWTWITFB	CORDOBA on box - lacquered jet black interior + lacquered ghost white exterior	2600,00
KT104BYELWITFB	CORDOBA on box - lacquered sunrise yellow interior + lacquered ghost white exterior	2600,00
KT104BYELBROFB	CORDOBA on box - lacquered sunrise yellow interior + aged bronze exterior	2800,00
KT104BYELBRAFB	CORDOBA on box - lacquered sunrise yellow interior + aged brass exterior	2800,00
KT104BYELAGRFB	CORDOBA on box - lacquered sunrise yellow interior + acid green exterior	2800,00



NAPOLI TRIMLESS
Seamless integration in
plasterboard or pastered wall




NAPOLI TRIM
Integration in fibreboard wall



NAPOLI ON BOX
Surface mounting in a frame
(lacquered black or white)





KT107 NAPOLI

Available from August 2021

Napoli is a metamorphic lighting object that combines a physical transformation of its shape with a modulation of light. In its closed position you have a minimal bulb shaped incision line. When light is requested, the flexible bulb shape slowly bends inwards to reveal the light.

Integrated electronics ensure a smooth and silent transformation in harmony with the intensity of the light. The transformation and light modulation are pre-programmed, but can also be independently controlled by the user through bluetooth smart control. Trimless devices can also be activated via Dali.

Integrated bluetooth smart control and power supply, excludes mounting accessories.

Interior



Exterior



KT107S - NAPOLI TRIMLESS

Dimensions: width 1000mm - height 1000mm - projection 160mm - lines 990x990mm

KT107SPRML2S	NAPOLI trimless - lacquered ghost white interior + primed cover panel	4950,00
KT107SPRML1S	NAPOLI trimless - lacquered ghost white interior + primed cover panel	4450,00

MOUNTING OPTIONS

KA007	Mounting frame for plasterboard Napoli	150,00
KA008	Concrete box Napoli	150,00

KT107T - NAPOLI TRIM

Dimensions: width 1000mm - height 1000mm - projection 160mm - lines 990x990mm

KT107TPRML2S	NAPOLI trim - lacquered ghost white interior + primed cover panel	4900,00
KT107TWITL2S	NAPOLI trim - lacquered ghost white interior + lacquered ghost white exterior	4900,00
KT107TBROL2S	NAPOLI trim - lacquered ghost white interior + aged bronze exterior	5350,00
KT107TBRAL2S	NAPOLI trim - lacquered ghost white interior + aged brass exterior	5350,00
KT107TAGRL2S	NAPOLI trim - lacquered ghost white interior + acid green exterior	5350,00
KT107TPRML1S	NAPOLI trim - lacquered ghost white interior + primed cover panel	4800,00
KT107TWITL1S	NAPOLI trim - lacquered ghost white interior + lacquered ghost white exterior	4800,00
KT107TBROL1S	NAPOLI trim - lacquered ghost white interior + aged bronze exterior	5250,00
KT107TBRAL1S	NAPOLI trim - lacquered ghost white interior + aged brass exterior	5250,00
KT107TAGRL1S	NAPOLI trim - lacquered ghost white interior + acid green exterior	5250,00

L2S (= combination of 2 LED modules)

Central LED	LED 2700 K > 50.000 h - 4000 lm (source) - 45W
Secondary LED	LED RGB (dali) > 50.000 h - 750 lm (source) - 30W

L1S (= 1 LED module)

Central LED	LED RGBW (dali) ambient light > 50.000 h - 258 lm (source) - 13W
-------------	--

KT107B - NAPOLI ON BOX

Dimensions: width 1030mm - height 1030mm - projection 160mm - lines 990x990mm

EU plug included - others on request.

LACQUERED WHITE FRAME

KT107BWITL2SFW	NAPOLI on box - lacquered ghost white interior + lacquered ghost white exterior	5200,00
KT107BBROL2SFW	NAPOLI on box - lacquered ghost white interior + aged bronze exterior	5650,00
KT107BBRAL2SFW	NAPOLI on box - lacquered ghost white interior + aged brass exterior	5650,00
KT107BAGRL2SFW	NAPOLI on box - lacquered ghost white interior + acid green exterior	5650,00

KT107BWITL1SFW	NAPOLI on box - lacquered ghost white interior + lacquered ghost white exterior	5100,00
KT107BBROL1SFW	NAPOLI on box - lacquered ghost white interior + aged bronze exterior	5550,00
KT107BBRAL1SFW	NAPOLI on box - lacquered ghost white interior + aged brass exterior	5550,00
KT107BAGRL1SFW	NAPOLI on box - lacquered ghost white interior + acid green exterior	5550,00

LACQUERED BLACK FRAME

KT107BWITL2SFB	NAPOLI on box - lacquered ghost white interior + lacquered ghost white exterior	5200,00
KT107BBROL2SFB	NAPOLI on box - lacquered ghost white interior + aged bronze exterior	5650,00
KT107BBRAL2SFB	NAPOLI on box - lacquered ghost white interior + aged brass exterior	5650,00
KT107BAGRL2SFB	NAPOLI on box - lacquered ghost white interior + acid green exterior	5650,00


KT107BWITL1SFB	NAPOLI on box - lacquered ghost white interior + lacquered ghost white exterior	5100,00
KT107BBROL1SFB	NAPOLI on box - lacquered ghost white interior + aged bronze exterior	5550,00
KT107BBRAL1SFB	NAPOLI on box - lacquered ghost white interior + aged brass exterior	5550,00
KT107BAGRL1SFB	NAPOLI on box - lacquered ghost white interior + acid green exterior	5550,00

L2S (= combination of 2 LED modules)

Central LED	LED 2700 K > 50.000 h - 4000 lm (source) - 45W
Secondary LED	LED RGB (dali) > 50.000 h - 750 lm (source) - 30W

L1S (= 1 LED module)

Central LED	LED RGBW (dali) ambient light > 50.000 h - 258 lm (source) - 13W
-------------	--



Interior



Exterior



KT106 NAPOLI ROUND

Available from August 2021

Napoli is a metamorphic lighting object that combines a physical transformation of its shape with a modulation of light. In its closed position you have a minimal bulb shaped incision line. When light is requested, the flexible bulb shape slowly bends inwards to reveal the light.

Integrated electronics ensure a smooth and silent transformation in harmony with the intensity of the light. The transformation and light modulation are pre-programmed, but can also be independently controlled by the user through bluetooth smart control.

Integrated bluetooth smart control and power supply.
Price incl. suspension system.

KT106T - NAPOLI ROUND TRIM

Dimensions: Ø 1400mm - projection 160mm - lines 990x990mm

KT106TPRML2S	NAPOLI ROUND trim - lacquered ghost white interior + primed cover panel	6600,00
KT106BPRML1S	NAPOLI ROUND trim - lacquered ghost white interior + primed cover panel	6500,00

L2S (= combination of 2 LED modules)

Central LED	LED 2700 K > 50.000 h - 4000 lm (source) - 45W
Secondary LED	LED RGB (dali) > 50.000 h - 750 lm (source) - 30W

L1S (= 1 LED module)

Central LED	LED RGBW (dali) ambient light > 50.000 h - 258 lm (source) - 13W
-------------	--

KT106B - NAPOLI ROUND ON BOX

Dimensions: Ø 1430mm - projection 160mm - lines 990x990mm
EU plug included - others on request.

	<u>LACQUERED WHITE FRAME</u>	
KT106BWITL2SFW	NAPOLI ROUND on box - lacquered ghost white interior + ghost white exterior	6600,00
KT106BWITL1SFW	NAPOLI ROUND on box - lacquered ghost white interior + ghost white exterior	6500,00

LACQUERED BLACK FRAME


KT106BWITL2SFB	NAPOLI ROUND on box - lacquered ghost white interior + ghost white exterior	6600,00
KT106BWITL1SFB	NAPOLI ROUND on box - lacquered ghost white interior + ghost white exterior	6500,00

L2S (= combination of 2 LED modules)


Central LED	LED 2700 K > 50.000 h - 4000 lm (source) - 45W
Secondary LED	LED RGB (dali) > 50.000 h - 750 lm (source) - 30W

L1S (= 1 LED module)


Central LED	LED RGBW (dali) ambient light > 50.000 h - 258 lm (source) - 13W
-------------	--



NAPOLI ROUND
Ø 1400mm - projection 160mm -
lines 990x990mm







Interior



Exterior



KT110 NAPOLI SINGLE

Available from August 2021

Napoli is a metamorphic lighting object that combines a physical transformation of its shape with a modulation of light. In its closed position you have a minimal bulb shaped incision line. When light is requested, the flexible bulb shape slowly bends inwards to reveal the light.

Integrated electronics ensure a smooth and silent transformation in harmony with the intensity of the light. The transformation and light modulation are pre-programmed, but can also be independently controlled by the user through bluetooth smart control.

Integrated bluetooth smart control and power supply.
Price incl. suspension system.

KT110T - NAPOLI SINGLE TRIM

Dimensions: width 1400mm - height 1400mm - projection 160mm - lines 990x990mm

KT110TPRML2S	NAPOLI SINGLE trim - lacquered ghost white interior + primed cover panel	6400,00
KT110TPRML1S	NAPOLI SINGLE trim - lacquered ghost white interior + primed cover panel	6300,00

L2S (= combination of 2 LED modules)

Central LED	LED 2700 K > 50.000 h - 4000 lm (source) - 45W
Secondary LED	LED RGB (dali) > 50.000 h - 750 lm (source) - 30W

L1S (= 1 LED module)

Central LED	LED RGBW (dali) ambient light > 50.000 h - 258 lm (source) - 13W
-------------	--

KT110B - NAPOLI SINGLE ON BOX

Dimensions: width 1430mm - height 1430mm - projection 160mm - lines 990x990mm
EU plug included - others on request.

LACQUERED WHITE FRAME

KT110BWITL2SFW	NAPOLI ROUND on box - lacquered ghost white interior + ghost white exterior	6600,00
KT110BWITL1SFW	NAPOLI ROUND on box - lacquered ghost white interior + ghost white exterior	6500,00

LACQUERED BLACK FRAME

KT110BWITL2SFB	NAPOLI ROUND on box - lacquered ghost white interior + ghost white exterior	6600,00
KT110BWITL1SFB	NAPOLI ROUND on box - lacquered ghost white interior + ghost white exterior	6500,00

L2S (= combination of 2 LED modules)


Central LED	LED 2700 K > 50.000 h - 4000 lm (source) - 45W
Secondary LED	LED RGB (dali) > 50.000 h - 750 lm (source) - 30W


L1S (= 1 LED module)

Central LED	LED RGBW (dali) ambient light > 50.000 h - 258 lm (source) - 13W
-------------	--



NAPOLI SINGLE
1400mm - 1400mm - 160mm - lines
990x990mm





Interior



Exterior



KT108 NAPOLI DOUBLE

Available from August 2021

Napoli is a metamorphic lighting object that combines a physical transformation of its shape with a modulation of light. In its closed position you have a minimal bulb shaped incision line. When light is requested, the flexible bulb shape slowly bends inwards to reveal the light.

Integrated electronics ensure a smooth and silent transformation in harmony with the intensity of the light. The transformation and light modulation are pre-programmed, but can also be independently controlled by the user through bluetooth smart control.

Integrated bluetooth smart control and power supply.
Price incl. suspension system.

KT108T - NAPOLI DOUBLE TRIM

Dimensions: width 1400mm - height 2800mm - projection 160mm - lines 990x990mm

KT108TPRML2S	NAPOLI DOUBLE trim - lacquered ghost white interior + primed cover panel	13100,00
KT108BPRML1S	NAPOLI DOUBLE trim - lacquered ghost white interior + primed cover panel	13000,00

L2S (= combination of 2 LED modules)

Central LED	LED 2700 K > 50.000 h - 4000 lm (source) - 45W
Secondary LED	LED RGB (dali) > 50.000 h - 750 lm (source) - 30W

L1S (= 1 LED module)

Central LED	LED RGBW (dali) ambient light > 50.000 h - 258 lm (source) - 13W
-------------	--

KT108B - NAPOLI DOUBLE ON BOX

Dimensions: width 1430mm - height 2830mm - projection 160mm - lines 990x990mm
EU plug included - others on request.

	<u>LACQUERED WHITE FRAME</u>	
KT108BWITL2SFW	NAPOLI DOUBLE on box - lacquered ghost white interior + ghost white exterior	13100,00
KT108BWITL1SFW	NAPOLI DOUBLE on box - lacquered ghost white interior + ghost white exterior	13000,00

LACQUERED BLACK FRAME


KT108BWITL2SFB	NAPOLI DOUBLE on box - lacquered ghost white interior + ghost white exterior	13100,00
KT108BWITL1SFB	NAPOLI DOUBLE on box - lacquered ghost white interior + ghost white exterior	13000,00

L2S (= combination of 2 LED modules)


Central LED	LED 2700 K > 50.000 h - 4000 lm (source) - 45W
Secondary LED	LED RGB (dali) > 50.000 h - 750 lm (source) - 30W

L1S (= 1 LED module)

Central LED	LED RGBW (dali) ambient light > 50.000 h - 258 lm (source) - 13W
-------------	--



NAPOLI DOUBLE
2800mm - 1400mm - 160mm - lines
990x990mm







KT116 OSLO


Available from May 2021

Oslo is a metamorphic lighting object that combines a physical transformation of its shape with a modulation of light. In its closed position you have a minimal incision line. When light is requested, the flexible diamond shape slowly bends inwards to reveal the light.

Integrated electronics ensure a smooth and silent transformation in harmony with the intensity of the light. The transformation and light modulation are pre-programmed, but can also be independently controlled by the user through bluetooth smart control.

Integrated bluetooth smart control and power supply, excludes mounting accessories.

Interior



Exterior



OSLO ON BOX
Surface mounting in a frame
(lacquered black or white)

KT116B - OSLO ON BOX

Dimensions: 325x325mm - projection 60mm - diamond shape
LED 2700 K > 50.000 h - 1320 lm (source) - 12 W
EU plug included - others on request.

LACQUERED WHITE FRAME

KT116BWITWITFW	OSLO - lacquered ghost white interior + lacquered ghost white exterior	1250,00
KT116BVNRWITFW	OSLO - lacquered venetian red interior + lacquered ghost white exterior	1250,00
KT116BZWTWITFW	OSLO - lacquered jet black interior + lacquered ghost white exterior	1250,00
KT116BYELWITFW	OSLO - lacquered sunrise yellow interior + lacquered ghost white exterior	1250,00
KT116BYELBROFW	OSLO - lacquered sunrise yellow interior + aged bronze exterior	1750,00
KT116BYELBRAFW	OSLO - lacquered sunrise yellow interior + aged brass exterior	1750,00
KT116BYELAGRFW	OSLO - lacquered sunrise yellow interior + acid green exterior	1750,00

LACQUERED BLACK FRAME

KT116BWITWITFB	OSLO - lacquered ghost white interior + lacquered ghost white exterior	1250,00
KT116BVNRWITFB	OSLO - lacquered venetian red interior + lacquered ghost white exterior	1250,00
KT116BZWTWITFB	OSLO - lacquered jet black interior + lacquered ghost white exterior	1250,00
KT116BYELWITFB	OSLO - lacquered sunrise yellow interior + lacquered ghost white exterior	1250,00
KT116BYELBROFB	OSLO - lacquered sunrise yellow interior + aged bronze exterior	1750,00
KT116BYELBRAFB	OSLO - lacquered sunrise yellow interior + aged brass exterior	1750,00
KT116BYELAGRFB	OSLO - lacquered sunrise yellow interior + acid green exterior	1750,00







KT114 FLEX CIRCLE 40

Available from May 2021

Flex Circle 40 is a metamorphic lighting object that combines a physical transformation of its shape with a modulation of light. In its closed position you have a minimal bulb shaped incision line. When light is requested, the flexible bulb shape slowly bends inwards to reveal the light. Integrated electronics ensure a smooth and silent transformation in harmony with the intensity of the light. The transformation and light modulation are pre-programmed, but can also be independently controlled by the user through bluetooth smart control.


The central circle is removable and can be opened thanks to a hinge to access the interior. The continuous circle line allows you to combine different materials.

Integrated bluetooth smart control and power supply, excludes mounting accessories.

KT114S - FLEX CIRCLE 40 TRIMLESS

Dimensions: width 600mm - height 600mm - projection 110mm - Ø 400mm
LED 2700 K > 50.000 h - 1320 lm (source) - 12W


Interior



Exterior



KT114SWITPRM	FLEX CIRCLE 40 - lacquered ghost white interior + primed circle	2300,00
KT114SWITWIT	FLEX CIRCLE 40 - lacquered ghost white interior + lacquered ghost white circle	2350,00
KT114SVNRPRM	FLEX CIRCLE 40 - lacquered venetian red interior + primed circle	2300,00
KT114SVNRWIT	FLEX CIRCLE 40 - lacquered venetian red interior + lacquered ghost white circle	2350,00
KT114SZWTPRM	FLEX CIRCLE 40 - lacquered jet black interior + primed circle	2300,00
KT114SZWTWIT	FLEX CIRCLE 40 - lacquered jet black interior + lacquered ghost white circle	2350,00
KT114SYELPRM	FLEX CIRCLE 40 - lacquered sunrise yellow interior + primed circle	2300,00
KT114SYELWIT	FLEX CIRCLE 40 - lacquered sunrise yellow interior + lacquered ghost white circle	2350,00
KT114SCTMPRM	FLEX CIRCLE 40 - lacquered custom color interior + primed circle	2300,00
KT114SCTMWIT	FLEX CIRCLE 40 - lacquered custom color interior + lacquered ghost white circle	2350,00
KT114SYELBRO	FLEX CIRCLE 40 - lacquered sunrise yellow interior + aged bronze circle	2550,00
KT114SYELBRA	FLEX CIRCLE 40 - lacquered sunrise yellow interior + aged brass circle	2550,00
KT114SYELAGR	FLEX CIRCLE 40 - lacquered sunrise yellow interior + acid green circle	2550,00



KT119 FLEX CIRCLE 60

Available from May 2021

Flex Circle 60 is a metamorphic lighting object that combines a physical transformation of its shape with a modulation of light. In its closed position you have a minimal bulb shaped incision line. When light is requested, the flexible bulb shape slowly bends inwards to reveal the light. Integrated electronics ensure a smooth and silent transformation in harmony with the intensity of the light. The transformation and light modulation are pre-programmed, but can also be independently controlled by the user through bluetooth smart control.

The central circle is removable and can be opened thanks to a hinge to access the interior. The continuous circle line allows you to combine different materials.

Integrated bluetooth smart control and power supply, excludes mounting accessories.

KT119S - FLEX CIRCLE 60 TRIMLESS

Dimensions: width 800mm - height 800mm - projection 130mm - Ø 600mm
LED 2700 K > 50.000 h - 2640 lm (source) - 24W


Interior



Exterior





KT119SWITPRM	FLEX CIRCLE 60 - lacquered ghost white interior + primed circle	3200,00
KT119SWITWIT	FLEX CIRCLE 60 - lacquered ghost white interior + lacquered ghost white circle	3250,00
KT119SVNRPRM	FLEX CIRCLE 60 - lacquered venetian red interior + primed circle	3200,00
KT119SVNRWIT	FLEX CIRCLE 60 - lacquered venetian red interior + lacquered ghost white circle	3250,00
KT119SZWTPRM	FLEX CIRCLE 60 - lacquered jet black interior + primed circle	3200,00
KT119SZWTWIT	FLEX CIRCLE 60 - lacquered jet black interior + lacquered ghost white circle	3250,00
KT119SYELPRM	FLEX CIRCLE 60 - lacquered sunrise yellow interior + primed circle	3200,00
KT119SYELWIT	FLEX CIRCLE 60 - lacquered sunrise yellow interior + lacquered ghost white circle	3250,00
KT119SCTMPRM	FLEX CIRCLE 60 - lacquered custom color interior + primed circle	3200,00
KT119BCTMWIT	FLEX CIRCLE 60 - lacquered custom color interior + lacquered ghost white circle	3250,00
KT119BYELBRO	FLEX CIRCLE 60 - lacquered sunrise yellow interior + aged bronze circle	3450,00
KT119BYELBRA	FLEX CIRCLE 60 - lacquered sunrise yellow interior + aged brass circle	3450,00
KT119BYELAGR	FLEX CIRCLE 60 - lacquered sunrise yellow interior + acid green circle	3450,00



FLEX CIRCLE
Detachable circle - seamless
integration in wall/ ceiling







KT101

NEW YORK

Available from March 2021

New York is a metamorphic lighting object that combines a physical transformation of its shape with a modulation of light. Integrated electronics ensure a smooth and silent transformation in harmony with the intensity of the light. The transformation and light modulation are pre-programmed, but can also be independently controlled by the user through bluetooth smart control.

3 integrated modes of operation: 1. manual mode 2. interactive mode 3. looping mode.
Motion sensor: the lamp opens when people are near.

Dimensions: 220x220mm - height 1005mm - width closed: 40mm - width open: 140mm
Lamp cold cathode 2700 K > 70.000 h - 1360 lm (source) - 26W / EU plug included - others on request.


Interior



Exterior



KT101BRB	NEW YORK - brushed bronze interior + brushed bronze exterior	4350,00
KT101WIT	NEW YORK - lacquered ghost white interior + lacquered ghost white exterior	4600,00
KT101ZWT	NEW YORK - brushed bronze interior + lacquered jet black exterior	4600,00
KT101BRO	NEW YORK - brushed bronze interior + aged bronze exterior	4800,00
KT101AGR	NEW YORK - brushed bronze interior + acid green exterior	4800,00







KT111 MOSCOW

Available from May 2021

Moscow is a metamorphic lighting object that combines a physical transformation of its shape with a modulation of light. Integrated electronics ensure a smooth and silent transformation in harmony with the intensity of the light. The transformation and light modulation are pre-programmed, but can also be independently controlled by the user through bluetooth smart control.

Dual light source: Lamp cold cathode: downlight (2700K) and a warm central light.
Integrated bluetooth smart control and power supply, excludes mounting accessories.

Dimensions: height 1194mm - Ø open: 76mm - Ø closed: 206mm
2m cable included, maximum cable length 10m (additional cost).

Interior



Exterior



KT111BRB	MOSCOW - lacquered brushed bronze interior + brushed bronze exterior	5950,00
KT111WIT	MOSCOW - lacquered ghost white interior + lacquered ghost white exterior	5950,00
KT111ZWT	MOSCOW - lacquered brushed bronze interior + lacquered jet black exterior	5950,00
KT111BRO	MOSCOW - lacquered brushed bronze interior + aged bronze exterior	6550,00
KT111AGR	MOSCOW - lacquered brushed bronze interior + acid green exterior	6550,00

LED/ MOUNTING OPTIONS

KA009	Ceiling plate - lacquered ghost white (optional)	135,00
KA010	Ceiling plate - lacquered jet black (optional)	135,00







KT109 SHANGHAI

Available from August 2021

Shanghai is a metamorphic lighting object that combines a physical transformation of its shape with a modulation of light. Integrated electronics ensure a smooth and silent transformation in harmony with the intensity of the light. The transformation and light modulation are pre-programmed, but can also be independently controlled by the user through bluetooth smart control.

3 integrated light sources: 1. LED downlight 2. central LED light source 3. LED uplight, all 2700K. Integrated bluetooth smart control and power supply, excludes mounting accessories.

Dimensions: height 1650mm - Ø open: 240mm - Ø closed: 700mm
5m cable included, maximum cable length 10m (additional cost).

Interior




Exterior



KT109BRB	SHANGHAI - lacquered brushed bronze interior + brushed bronze exterior	16500,00
KT109WIT	SHANGHAI - lacquered ghost white interior + lacquered ghost white exterior	16500,00
KT109ZWT	SHANGHAI - lacquered brushed bronze interior + lacquered jet black exterior	16500,00
KT109BRO	SHANGHAI - lacquered brushed bronze interior + aged bronze exterior	16950,00
KT109AGR	SHANGHAI - lacquered brushed bronze interior + acid green exterior	16950,00

LED/ MOUNTING OPTIONS

KA009	Ceiling plate - lacquered ghost white (optional)	135,00
KA010	Ceiling plate - lacquered jet black (optional)	135,00



Clause 1. Scope of application

Unless otherwise agreed in writing, these general terms and conditions shall apply to each offer of, and each agreement with Kinetura, and shall form an integral part of the same. No purchase terms and conditions of the customer shall be binding to Kinetura, even if Kinetura has not expressly rejected the same. Deviations from these general terms and conditions shall only come into force after Kinetura expressly confirms the same in writing.

Clause 2. Offers and acceptance of orders

All price quotations or proposals shall be valid for a period of 1 month and shall be free of any commitment on the part of Kinetura. An agreement shall only be formed after the customer accepts the order in writing, and after Kinetura also confirms the order placed in writing. Kinetura shall also have the right, to be exercised at its discretion, to demand the prior payment of an advance. In such case, a pro forma invoice shall be issued, and the order shall only become definitive after such pro forma invoice is paid in full. Until an offer is accepted, Kinetura reserves the right to revoke or alter its offer at any time. In case of cancellation of the order, Kinetura reserves the right to charge cancellation costs.

Clause 3. Delivery terms and conditions

The responsibility and the risk relating to the products shall pass to the customer as soon as the agreement is concluded, and insofar as it relates to different types of products, as soon as the same are individually identified. However, the products shall remain the property of Kinetura until the time of full payment of the price and related outstandings (see: Clause 11). Unless otherwise agreed to the contrary in writing, Kinetura shall always supply the products to the customer on "Ex-Works" (EXW) basis. They shall be transported at the customer's cost, risk and danger, even if it is agreed that Kinetura shall be responsible for transport. The customer is bound, before taking delivery of the products, to inspect them to check the number of units delivered and that they are in a good condition, and also to duly notify the appropriate reservations if any to the carrier. The customer shall also notify remarks if any to Kinetura in writing (email), no later than within eight days after delivery.

Clause 4. Execution and delivery periods

The agreed execution or delivery periods are only indicative. These periods shall be respected to the extent possible. If the agreed execution or delivery periods are exceeded however, this fact shall not constitute a ground to terminate the agreement and/or make Kinetura liable to pay any damage compensation to the customer. If the customer fails to notify necessary information, or to do so in time, or such information is not consistent with reality, the proposed estimated execution or delivery periods shall be automatically extended by a reasonable period. The same shall apply to changes in the order.

Clause 5. Installation

The products may only be installed by an approved and registered installer. Kinetura shall not accept any complaint whatsoever if the customer is unable to prove that the products were installed by an approved and registered installer.

Clause 6. Rejection of products and breach of contract by customer

If in spite of being served a notice of default, the customer rejects the agreed products, or fails to fulfil its payment obligations, Kinetura may, through a registered letter to the customer, terminate the agreement to the detriment of the customer. If after partial delivery or execution of the contract has already taken place, the customer refuses to accept further delivery or execution, or makes the same impossible, Kinetura, provided it sends a registered letter to the customer, may opt to raise an invoice for the executed part of the delivery, and to terminate the agreement by operation of law, to the detriment of the customer, in respect of the part not delivered. Without prejudice to the right of Kinetura to demand a higher compensation for the damage that can be proved by it, the customer shall be liable to pay damage compensation

in case of the termination of the agreement, the minimum amount of which, taking into account the potential damage, is fixed at 25% of the price exclusive of VAT on a lump sum basis, or, wherever applicable, the price of the part remaining to be delivered, exclusive of VAT. Advances already paid or additional payments, shall be charged in the following order: (1) on the damage suffered by Kinetura, and (2) the accrued interest, (3) the costs incurred, and (4) the invoices still outstanding. Kinetura shall, wherever applicable, have the right to fully or partially suspend the further execution of the related agreement, as well as other agreements for the same customer. The customer shall also be notified concerning the same by registered letter. In case the customer is a consumer, the latter shall have the right to an equivalent compensation if Kinetura fails to fulfil its contractual obligations.

Clause 7. Return of goods

In no case, Kinetura can be obliged to take back goods which have been ordered wrongly by the client. In case Kinetura does (e.g for commercial reasons), it reserves the right to credit these goods only partially, according to its own appreciation. Charges and the risk for return of the goods will be borne by the client.

Clause 8. Defects and complaints

At the time of delivery, the customer shall immediately examine whether the products delivered contain visible defects or damage, and are in conformity with what was ordered. Problems shall be notified to Kinetura, on pain of inadmissibility of the complaint, in writing (email) and no later than 8 days after delivery. Complaints on the grounds of hidden defects shall be notified to Kinetura, on pain of inadmissibility of the complaint, in writing (email) and no later than 8 days after the discovery of the defect has become possible. In any case, no complaints shall be accepted if the products delivered have already been processed, incorporated into other products, or resold, or if the products were installed by an unregistered installer without approval. If a complaint is accepted, the products shall either be repaired or replaced, entirely at the discretion of Kinetura. The repair and/or replacement shall never constitute ground for any claim for damage compensation. No goods may be returned without the written consent of Kinetura, and the grant of such consent shall in no case constitute recognition of liability by Kinetura. The goods shall be returned at the cost and risk of the customer. A complaint shall never relieve the customer of the obligation to pay the amounts of the invoices on the dates specified in the agreement, according to the terms and conditions laid down in the agreement. A complaint, even if well-founded, shall also not authorise the customer to refuse to execute the agreement in relation to products that do not form part of the subject of the complaint.

Clause 9. Limitation of liability

For the application of this clause, "indirect damage" shall mean: consequential damage, fire damage, loss of profits, financial or commercial losses, loss of savings, increase in general costs, increased personnel costs, loss of goodwill, damage due to business interruption, damage as a consequence of claims of customers, damage due to disruption of schedules and loss of clientele, etc. For the application of this clause, "direct damage" shall mean: all the amounts paid to Kinetura. Kinetura cannot be held liable for direct or indirect damage, if such damage was caused through external factors or by force majeure (such as for example, storm damage). In addition, Kinetura cannot, under any circumstances, be held liable for the oxidation and/or color change of armatures, if such oxidation and/or color change is peculiar to the material used. In case of wrong or faulty installation, or installation by an installer without approval, Kinetura may not be held liable for possible direct or indirect damage, under any circumstances. Kinetura may also not under any circumstances be held liable for any direct or indirect damage in case of wrong use, for example, use in combination with other materials or metals (which may cause electrolysis). In addition, Kinetura may not under any circumstances be held liable for any direct or indirect damage as a consequence of a delivered product

if the product was altered or repaired by the customer or by a third party. Except in case of willful fault or fraud, the total possible liability of Kinetura, due to a culpable shortcoming, whether contractual or extracontractual, shall in all cases be limited to compensation of the direct damage, subject to a maximum amount of the price (exclusive of VAT) actually invoiced, that is effective for that defective product, multiplied by a factor of 10. In no case shall the total liability of Kinetura for direct damage, on any grounds whatsoever, exceed €500,00. The liability of Kinetura for indirect damage is expressly excluded. The liability of Kinetura due to damage, destruction or loss of data or documents, is also expressly excluded. If applicable law does not accept the aforesaid limitation of liability, the liability of Kinetura shall be limited to the strict minimum permissible under the law. Liability claims if any of the customer against Kinetura shall always have to be filed within one year, counting from the date of delivery of the concerned product that has given rise to the claim. No further liability claim may be made after the expiry of one year.

Clause 10. Intellectual property rights

All intellectual property rights relating to products developed or supplied by Kinetura, and related preparatory material or other materials such as analyses, designs, detailed drawings, calculations, illustrations, documentation, reports, offers, models and prototypes shall exclusively belong to Kinetura, irrespective of whether these intellectual property rights were registered or filed. Insofar as such right is only acquired through filing, registration or patent, Kinetura shall have exclusive right over the same.

Clause 11. Price and payment

Unless otherwise agreed to the contrary in writing, all prices quoted by Kinetura are expressed in Euros, and shall apply exclusive of costs, taxes and expenses. The invoices shall be paid in the agreed currency unit. If due to circumstances beyond the control of Kinetura, there is an increase in specific costs that influence the agreed price, for example increases in the duties and taxes on the products to be delivered, increases in freight rates, increases in the prices of basic commodities or raw materials, increases in wages as a consequence of provisions of the law or national or sectoral collective labor agreements, changes in the exchange rate, etc., Kinetura shall have the right to charge a proportionate increase after issuing a simple notification. A deviation from the agreed prices is also possible in the following cases, a non-exhaustive list of which is provided below: (1) where specific factual data provided by the customer no longer correspond to actual reality, (2) in case of material errors, calculation errors or wrong entries in our price calculation, and (3) in case of changes in the initial order. All invoices shall be payable at the registered office of Kinetura. The invoices are payable in cash. All costs shall be borne by the customer. If payment is made by bank transfer, exchange or in any other manner, this cannot be regarded as a waiver of this provision and shall not constitute any novation. All complaints or remarks concerning an invoice shall be made within 8 days after the invoice date in writing (email) with a statement of the reasons for the same, failing which the right to do the same shall lapse. If the faith of Kinetura in the creditworthiness of the customer is undermined due to acts of judicial enforcement against the customer and/or there are other demonstrable events that undermine Kinetura's faith that the customer can properly fulfil the commitments undertaken by the customer and/or in case such faith becomes impossible, Kinetura reserves the right to cancel the entire order or a part thereof, and to demand appropriate guarantees from the customer. If the customer declines to pursue the same, Kinetura reserves to itself the right to cancel the entire order or a part thereof. In that case, the customer shall be bound to pay damage compensation as laid down in Clause 6 of these general terms and conditions. In case of full or partial non-payment on the due date, interest at the rate of 12% shall be charged on the outstanding invoices, by operation of law and without the need to issue a prior notice of default, and 10% of the invoice amount shall be added to the outstanding balance, subject to a minimum of €125.00 and a maximum of €2,500.00 even if a grace period is allowed. In case the customer is a consumer, the latter shall

have the right to an equivalent compensation if Kinetura fails to fulfil its contractual obligations. Partial payments shall always be accepted with full reservations and without any prejudicial acknowledgements and shall be applied, in the following order of priority, first to the (judicial) costs incurred, then to the interest that is payable, and then to the damage compensation, and finally to the principal sum. The non-payment of even a single invoice on the due date shall render the outstanding balance on all other invoices, including expired invoices, immediately payable, by operation of law.

Clause 12. Right of retention of title

The products delivered by Kinetura to the customer shall remain its property until all the amounts payable by the customer, including interest and costs, are duly paid. As long as the products have not been paid in full, the customer is prohibited to process, sell, to pledge or in any other manner to use the same as security.

Clause 13. Extraneous cause

In case of "extraneous cause" (Section 1147 of the Civil Code) even if it does not lead to permanent and/or absolute impossibility of execution of the contract, Kinetura shall have the right, by operation of law, to suspend its obligations or to unilaterally terminate the same after notifying the customer concerning the same. Consequently, Kinetura may in no case be bound to pay any damage compensation. The following, among others, may conventionally be regarded as extraneous causes: war, strike or lockout, exceptional shortages of raw materials or merchandise, weather conditions, fire, natural and/or other disasters, governmental decisions that affect the execution of obligations, insofar as such extraneous cause occurs to the detriment of Kinetura or that of our suppliers or contractors if any.

Clause 14. Applicable law and jurisdiction clause

The relationship between Kinetura and the customer is subject to and shall be construed in accordance with Belgian law, to the exclusion of any other choice of law, and with the exclusion of the Vienna Sales Convention ("United Nations Convention on Contracts for the International Sale of Goods" of 1980). In case of disputes, the Belgian courts of the judicial district of Dendermonde and of the canton of Lokeren shall have exclusive jurisdiction. Kinetura shall also have the right to place disputes if any before the court that has jurisdiction as per Section 624 of the Judicial Code.

Clause 15. Independence of the clauses

If it is found that one or more clauses cannot be enforced against the customer in whole or in part, the other provisions contained in the present terms and conditions shall continue in force without any reduction.